

Group-Specific DHCP Relay Options

You can include the following statements at both the [edit forwarding-options dhcp-relay group *group-name*] hierarchy level to set group-specific DHCP relay agent configuration options, and at the [edit forwarding-options dhcp-relay] hierarchy level to set global DHCP relay agent configuration options:

- active-server-group—Configure an active server group to apply a common DHCP relay agent configuration to a named group of DHCP server addresses. For information, see [Configuring Active Server Groups](#).
- authentication—Configure the parameters the router sends to the external AAA server.
- overrides—Override the default configuration settings for the extended DHCP relay agent. For information, see [Overriding the Default DHCP Relay Configuration](#).
- relay-option-60—Use the DHCP vendor class identifier option (option 60) in DHCP client packets to select a DHCP server to which to forward packets. For more information, see [Using Option 60 Information to Forward Client Traffic to Specific DHCP Servers](#).
- relay-option-82—Enable or disable the insertion of option 82 information in packets destined for a DHCP server. For information, see [Enabling and Disabling Insertion of Option 82 Information](#).

The statements configured at the [edit forwarding-options dhcp-relay group *group-name*] hierarchy level apply only to the named group of interfaces, and override any global DHCP relay agent settings configured with the same statements at the [edit forwarding-options dhcp-relay] hierarchy level.

- Related Topics**
- [Grouping Interfaces with Common DHCP Configurations](#)

