

clear dhcp server statistics

Syntax clear dhcp server statistics
<logical-system *logical-system-name*>
<routing-instance *routing-instance-name*>

Release Information Command introduced in JUNOS Release 9.0.

Description Clear all extended Dynamic Host Configuration Protocol (DHCP) local server statistics.

Options logical-system *logical-system-name*—(Optional) Clear the statistics for DHCP clients on the specified logical system. If you do not specify a logical system, statistics are cleared for the default logical system.

routing-instance *routing-instance-name*—(Optional) Clear the statistics for DHCP clients on the specified routing instance. If you do not specify a routing instance, statistics are cleared for the default routing instance.

Required Privilege Level view

List of Sample Output clear dhcp server statistics on page 1

Output Fields See [\[Unresolved xref\]](#) for an explanation of output fields.

clear dhcp server statistics The following sample output displays the extended DHCP local server statistics before and after the clear dhcp server statistics command is issued.

```
user@host> show dhcp server statistics
```

```
Packets dropped:
  Total                0

Messages received:
  BOOTREQUEST          89163
  DHCPDECLINE           0
  DHCPDISCOVER         8110
  DHCPINFORM            0
  DHCPRELEASE           0
  DHCPREQUEST         81053
```

```
Messages sent:
  BOOTREPLY            32420
  DHCPOFFER            8110
  DHCPACK              8110
  DHCPNAK              8100
```

```
user@host> clear dhcp server statistics
```

```
user@host> show dhcp server statistics
```

```
Packets dropped:
  Total                0

Messages received:
  BOOTREQUEST          0
  DHCPDECLINE           0
  DHCPDISCOVER         0
  DHCPINFORM            0
  DHCPRELEASE           0
```

DHCPREQUEST	0
Messages sent:	
BOOTREPLY	0
DHCPOFFER	0
DHCPACK	0
DHCPNAK	0