

## Configuring an Infranet Controller NIS Server Instance (NSM Procedure)

When authenticating users with a UNIX/NIS server, the Infranet Controller verifies that the username and password entered through the sign-in page corresponds to a valid user ID and password pair in the NIS server.

To configure an NIS server instance:

1. In the NSM navigation tree, select **Device Manager > Devices**.
2. Click the **Device Tree** tab, and then double-click the Infranet Controller for which you want to configure an NIS server instance.
3. Click the **Configuration** tab. In the configuration tree, select **Authentication > Auth Servers**.
4. Add or modify NIS server settings as specified in Table 1.
5. Click one:
  - **OK**—Saves the changes.
  - **Cancel**—Cancels the modifications.

**Table 1: Infranet Controller NIS Server Instance Configuration Details**

Option	Function	Your Action
Auth Server Name	Specifies a name for the auth server.	Enter a name for the auth server.
Auth Server Type	Specifies the auth server type.	Select <b>NIS Server</b> .
<b>NIS Settings</b>		
NIS Server	Specifies the name or IP address of the NIS server.	Enter the name or IP address.
NIS Domain	Specifies the domain name for the NIS server.	Enter the domain name.
<b>Server Catalog &gt; Expressions tab</b>		
Name	Specifies a name for the user expression in the NIS server user directory.	Enter the name for the user expression.
Value	Specifies a value for the user expression in the NIS server user directory.	Enter the value for the user expression.

- Related Topics** ■ [Configuring an Infranet Controller RADIUS Server Instance \(NSM Procedure\)](#)

- Configuring an Infranet Controller Local Authentication Server Instance (NSM Procedure)

---

Published: 2009-08-20