

## 6.3 Secure Meeting Error Messages

---



Juniper Networks, Inc.  
1194 North Mathilda Avenue  
Sunnyvale, CA 94089 USA  
408 745 2000 or 888 JUNIPER  
[www.juniper.net](http://www.juniper.net)

---

---

This product includes the Envoy SNMP Engine, developed by Epilogue Technology, an Integrated Systems Company. Copyright © 1986–1997, Epilogue Technology Corporation. All rights reserved. This program and its documentation were developed at private expense, and no part of them is in the public domain.

This product includes memory allocation software developed by Mark Moraes, copyright © 1988, 1989, 1993, University of Toronto.

This product includes FreeBSD software developed by the University of California, Berkeley, and its contributors. All of the documentation and software included in the 4.4BSD and 4.4BSD-Lite Releases is copyrighted by The Regents of the University of California. Copyright © 1979, 1980, 1983, 1986, 1988, 1989, 1991, 1992, 1993, 1994. The Regents of the University of California. All rights reserved.

GateD software copyright © 1995, The Regents of the University. All rights reserved. Gate Daemon was originated and developed through release 3.0 by Cornell University and its collaborators. Gated is based on Kirton's EGP, UC Berkeley's routing daemon (routed), and DCN's HELLO routing protocol. Development of Gated has been supported in part by the National Science Foundation. Portions of the GateD software copyright © 1988, Regents of the University of California. All rights reserved. Portions of the GateD software copyright © 1991, D. L. S. Associates.

Juniper Networks, the Juniper Networks logo, NetScreen, NetScreen Technologies, the NetScreen logo, NetScreen-Global Pro, ScreenOS, and GigaScreen are registered trademarks of Juniper Networks, Inc. in the United States and other countries.

The following are trademarks of Juniper Networks, Inc.: ERX, E-series, ESP, Instant Virtual Extranet, Internet Processor, J2300, J4300, J6300, J-Protect, J-series, J-Web, JUNOS, JUNOScope, JUNOScript, JUNOSe, M5, M71, M10, M10i, M20, M40, M40e, M160, M320, M-series, MMD, NetScreen-5GT, NetScreen-5XP, NetScreen-5XT, NetScreen-25, NetScreen-50, NetScreen-204, NetScreen-208, NetScreen-500, NetScreen-5200, NetScreen-5400, NetScreen-IDP 10, NetScreen-IDP 100, NetScreen-IDP 500, NetScreen-Remote Security Client, NetScreen-Remote VPN Client, NetScreen-SA 1000 Series, NetScreen-SA 3000 Series, NetScreen-SA 5000 Series, NetScreen-SA Central Manager, NetScreen Secure Access, NetScreen-SM 3000, NetScreen-Security Manager, NMC-RX, SDX, Stateful Signature, T320, T640, T-series, and TX Matrix. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners. All specifications are subject to change without notice.

Products made or sold by Juniper Networks or components thereof might be covered by one or more of the following patents that are owned by or licensed to Juniper Networks: U.S. Patent Nos. 5,473,599, 5,905,725, 5,909,440, 6,192,051, 6,333,650, 6,359,479, 6,406,312, 6,429,706, 6,459,579, 6,493,347, 6,538,518, 6,538,899, 6,552,918, 6,567,902, 6,578,186, and 6,590,785.

Copyright © 2008, Juniper Networks, Inc.  
All rights reserved. Printed in USA.

Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

#### **Year 2000 Notice**

Juniper Networks hardware and software products are Year 2000 compliant. The JUNOS software has no known time-related limitations through the year 2038. However, the NTP application is known to have some difficulty in the year 2036.

#### **Software License**

The terms and conditions for using this software are described in the software license contained in the acknowledgment to your purchase order or, to the extent applicable, to any reseller agreement or end-user purchase agreement executed between you and Juniper Networks. By using this software, you indicate that you understand and agree to be bound by those terms and conditions.

Generally speaking, the software license restricts the manner in which you are permitted to use the software and may contain prohibitions against certain uses. The software license may state conditions under which the license is automatically terminated. You should consult the license for further details.

For complete product documentation, please see the Juniper Networks Web site at [www.juniper.net/techpubs](http://www.juniper.net/techpubs).

#### **End User License Agreement**

**READ THIS END USER LICENSE AGREEMENT ("AGREEMENT") BEFORE DOWNLOADING, INSTALLING, OR USING THE SOFTWARE.** BY DOWNLOADING, INSTALLING, OR USING THE SOFTWARE OR OTHERWISE EXPRESSING YOUR AGREEMENT TO THE TERMS CONTAINED HEREIN, YOU (AS CUSTOMER OR IF YOU ARE NOT THE CUSTOMER, AS A REPRESENTATIVE/AGENT AUTHORIZED TO BIND THE CUSTOMER) CONSENT TO BE BOUND BY THIS AGREEMENT. IF YOU DO NOT OR CANNOT AGREE TO THE TERMS CONTAINED HEREIN, THEN (A) DO NOT DOWNLOAD, INSTALL, OR USE THE SOFTWARE, AND (B) YOU MAY CONTACT JUNIPER NETWORKS REGARDING LICENSE TERMS.

- 1. The Parties.** The parties to this Agreement are Juniper Networks, Inc. and its subsidiaries (collectively "Juniper"), and the person or organization that originally purchased from Juniper or an authorized Juniper reseller the applicable license(s) for use of the Software ("Customer") (collectively, the "Parties").
- 2. The Software.** In this Agreement, "Software" means the program modules and features of the Juniper or Juniper-supplied software, and updates and releases of such software, for which Customer has paid the applicable license or support fees to Juniper or an authorized Juniper reseller.
- 3. License Grant.** Subject to payment of the applicable fees and the limitations and restrictions set forth herein, Juniper grants to Customer a non-exclusive and non-transferable license, without right to sublicense, to use the Software, in executable form only, subject to the following use restrictions:

---

a. Customer shall use the Software solely as embedded in, and for execution on, Juniper equipment originally purchased by Customer from Juniper or an authorized Juniper reseller, unless the applicable Juniper documentation expressly permits installation on non-Juniper equipment.

b. Customer shall use the Software on a single hardware chassis having a single processing unit, or as many chassis or processing units for which Customer has paid the applicable license fees.

c. Product purchase documents, paper or electronic user documentation, and/or the particular licenses purchased by Customer may specify limits to Customer's use of the Software. Such limits may restrict use to a maximum number of seats, registered endpoints, concurrent users, sessions, calls, connections, subscribers, clusters, nodes, or transactions, or require the purchase of separate licenses to use particular features, functionalities, services, applications, operations, or capabilities, or provide throughput, performance, configuration, bandwidth, interface, processing, temporal, or geographical limits. Customer's use of the Software shall be subject to all such limitations and purchase of all applicable licenses.

The foregoing license is not transferable or assignable by Customer. No license is granted herein to any user who did not originally purchase the applicable license(s) for the Software from Juniper or an authorized Juniper reseller.

**4. Use Prohibitions.** Notwithstanding the foregoing, the license provided herein does not permit the Customer to, and Customer agrees not to and shall not: (a) modify, unbundle, reverse engineer, or create derivative works based on the Software; (b) make unauthorized copies of the Software (except as necessary for backup purposes); (c) rent, sell, transfer, or grant any rights in and to any copy of the Software, in any form, to any third party; (d) remove any proprietary notices, labels, or marks on or in any copy of the Software or any product in which the Software is embedded; (e) distribute any copy of the Software to any third party, including as may be embedded in Juniper equipment sold in the secondhand market; (f) use any 'locked' or key-restricted feature, function, service, application, operation, or capability without first purchasing the applicable license(s) and obtaining a valid key from Juniper, even if such feature, function, service, application, operation, or capability is enabled without a key; (g) distribute any key for the Software provided by Juniper to any third party; (h) use the Software in any manner that extends or is broader than the uses purchased by Customer from Juniper or an authorized Juniper reseller; (i) use the Software on non-Juniper equipment where the Juniper documentation does not expressly permit installation on non-Juniper equipment; (j) use the Software (or make it available for use) on Juniper equipment that the Customer did not originally purchase from Juniper or an authorized Juniper reseller; or (k) use the Software in any manner other than as expressly provided herein.

**5. Audit.** Customer shall maintain accurate records as necessary to verify compliance with this Agreement. Upon request by Juniper, Customer shall furnish such records to Juniper and certify its compliance with this Agreement.

**6. Confidentiality.** The Parties agree that aspects of the Software and associated documentation are the confidential property of Juniper. As such, Customer shall exercise all reasonable commercial efforts to maintain the Software and associated documentation in confidence, which at a minimum includes restricting access to the Software to Customer employees and contractors having a need to use the Software for Customer's internal business purposes.

**7. Ownership.** Juniper and Juniper's licensors, respectively, retain ownership of all right, title, and interest (including copyright) in and to the Software, associated documentation, and all copies of the Software. Nothing in this Agreement constitutes a transfer or conveyance of any right, title, or interest in the Software or associated documentation, or a sale of the Software, associated documentation, or copies of the Software.

**8. Warranty, Limitation of Liability, Disclaimer of Warranty.** The warranty applicable to the Software shall be as set forth in the warranty statement that accompanies the Software (the "Warranty Statement"). Nothing in this Agreement shall give rise to any obligation to support the Software. Support services may be purchased separately. Any such support shall be governed by a separate, written support services agreement. TO THE MAXIMUM EXTENT PERMITTED BY LAW, JUNIPER SHALL NOT BE LIABLE FOR ANY LOST PROFITS, LOSS OF DATA, OR COSTS OR PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, THE SOFTWARE, OR ANY JUNIPER OR JUNIPER-SUPPLIED SOFTWARE. IN NO EVENT SHALL JUNIPER BE LIABLE FOR DAMAGES ARISING FROM UNAUTHORIZED OR IMPROPER USE OF ANY JUNIPER OR JUNIPER-SUPPLIED SOFTWARE. EXCEPT AS EXPRESSLY PROVIDED IN THE WARRANTY STATEMENT TO THE EXTENT PERMITTED BY LAW, JUNIPER DISCLAIMS ANY AND ALL WARRANTIES IN AND TO THE SOFTWARE (WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE), INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT DOES JUNIPER WARRANT THAT THE SOFTWARE, OR ANY EQUIPMENT OR NETWORK RUNNING THE SOFTWARE, WILL OPERATE WITHOUT ERROR OR INTERRUPTION, OR WILL BE FREE OF VULNERABILITY TO INTRUSION OR ATTACK. In no event shall Juniper's or its suppliers' or licensors' liability to Customer, whether in contract, tort (including negligence), breach of warranty, or otherwise, exceed the price paid by Customer for the Software that gave rise to the claim, or if the Software is embedded in another Juniper product, the price paid by Customer for such other product. Customer acknowledges and agrees that Juniper has set its prices and entered into this Agreement in reliance upon the disclaimers of warranty and the limitations of liability set forth herein, that the same reflect an allocation of risk between the Parties (including the risk that a contract remedy may fail of its essential purpose and cause consequential loss), and that the same form an essential basis of the bargain between the Parties.

**9. Termination.** Any breach of this Agreement or failure by Customer to pay any applicable fees due shall result in automatic termination of the license granted herein. Upon such termination, Customer shall destroy or return to Juniper all copies of the Software and related documentation in Customer's possession or control.

**10. Taxes.** All license fees for the Software are exclusive of taxes, withholdings, duties, or levies (collectively "Taxes"). Customer shall be responsible for paying Taxes arising from the purchase of the license, or importation or use of the Software.

**11. Export.** Customer agrees to comply with all applicable export laws and restrictions and regulations of any United States and any applicable foreign agency or authority, and not to export or re-export the Software or any direct product thereof in violation of any such restrictions, laws or regulations, or without all necessary approvals. Customer shall be liable for any such violations. The version of the Software supplied to Customer may contain encryption or other capabilities restricting Customer's ability to export the Software without an export license.

**12. Commercial Computer Software.** The Software is "commercial computer software" and is provided with restricted rights. Use, duplication, or disclosure by the United States government is subject to restrictions set forth in this Agreement and as provided in DFARS 227.7201 through 227.7202-4, FAR 12.212, FAR 27.405(b)(2), FAR 52.227-19, or FAR 52.227-14(ALT III) as applicable.

---

**13. Interface Information.** To the extent required by applicable law, and at Customer's written request, Juniper shall provide Customer with the interface information needed to achieve interoperability between the Software and another independently created program, on payment of applicable fee, if any. Customer shall observe strict obligations of confidentiality with respect to such information and shall use such information in compliance with any applicable terms and conditions upon which Juniper makes such information available.

**14. Third Party Software.** Any licensor of Juniper whose software is embedded in the Software and any supplier of Juniper whose products or technology are embedded in (or services are accessed by) the Software shall be a third party beneficiary with respect to this Agreement, and such licensor or vendor shall have the right to enforce this Agreement in its own name as if it were Juniper. In addition, certain third party software may be provided with the Software and is subject to the accompanying license(s), if any, of its respective owner(s). To the extent portions of the Software are distributed under and subject to open source licenses obligating Juniper to make the source code for such portions publicly available (such as the GNU General Public License ("GPL") or the GNU Library General Public License ("LGPL")), Juniper will make such source code portions (including Juniper modifications, as appropriate) available upon request for a period of up to three years from the date of distribution. Such request can be made in writing to Juniper Networks, Inc., 1194 N. Mathilda Ave., Sunnyvale, CA 94089, ATTN: General Counsel. You may obtain a copy of the GPL at <http://www.gnu.org/licenses/gpl.html>, and a copy of the LGPL at <http://www.gnu.org/licenses/lgpl.html>.

**15. Miscellaneous.** This Agreement shall be governed by the laws of the State of California without reference to its conflicts of laws principles. The provisions of the U.N. Convention for the International Sale of Goods shall not apply to this Agreement. For any disputes arising under this Agreement, the Parties hereby consent to the personal and exclusive jurisdiction of, and venue in, the state and federal courts within Santa Clara County, California. This Agreement constitutes the entire and sole agreement between Juniper and the Customer with respect to the Software, and supersedes all prior and contemporaneous agreements relating to the Software, whether oral or written (including any inconsistent terms contained in a purchase order), except that the terms of a separate written agreement executed by an authorized Juniper representative and Customer shall govern to the extent such terms are inconsistent or conflict with terms contained herein. No modification to this Agreement nor any waiver of any rights hereunder shall be effective unless expressly assented to in writing by the party to be charged. If any portion of this Agreement is held invalid, the Parties agree that such invalidity shall not affect the validity of the remainder of this Agreement. This Agreement and associated documentation has been written in the English language, and the Parties agree that the English version will govern. (For Canada: Les parties aux présentes confirment leur volonté que cette convention de même que tous les documents y compris tout avis qui s'y rattache, soient rédigés en langue anglaise. (Translation: The parties confirm that this Agreement and all related documentation is and will be in the English language)).

---

## Contents

6.2 Secure Meeting Error Messages .....	6
Contacting Juniper Networks Support .....	6
Administrator Console Errors .....	6
System > Status > Meetings Page .....	6
Resource Policies > Meetings Page .....	7
Users > Roles > Meetings Page .....	8
User console errors .....	8
Meetings Page .....	8
Meeting Details Page .....	9
Meeting Site Errors .....	15
Sign-in Page .....	15
Check Meeting Compatibility Page .....	16
Join Meeting and Troubleshooting Pages .....	19
Secure Meeting Window .....	26
Miscellaneous .....	32
Secure Meeting for Microsoft Outlook .....	34
Secure Meeting Java Installer .....	39

## 6.2 Secure Meeting Error Messages

This document describes the error messages that Secure Meeting administrators, meeting creators, and meeting attendees may see while setting up and using Secure Meeting. It includes each error’s message text, unique ID, the circumstances under which the error occurs, and the recommended methods for handling the error. (For additional information about issues that users may encounter, see the troubleshooting section of the “Joining a Meeting” topic in the user help.)

### Contacting Juniper Networks Support

If the information provided in this document does not help you solve your issue, contact Juniper Networks Support and give them the following information:

- A clear description of the problem with detailed steps explaining how to reproduce it
- The error message text
- Your product type (that is, Access Series appliance)
- Your product version (for example, 5.0)
- Your product build number (available from the **System > Status > Overview** page of the administrator’s Web console)
- Your administrator, client, and installation log files (see the Joining a Meeting: Troubleshooting page or the *Client-side Changes Guide* for log file names and locations.)

### Administrator Console Errors

#### System > Status > Meetings Page

System > Status > Meetings errors (Monitoring meetings)		
Message:	Occurs when:	Solution:
<p>This will cancel the meeting and remove it from your view. Are you sure you wish to continue?</p> <p><i>message ID:</i> I18N_MEETING_CONFIRM_CANCEL_MEETING</p>	<p>The administrator or meeting creator chooses to delete a meeting from the Secure Meeting server.</p>	<p><b>Administrator:</b> Choose OK to delete the meeting, or choose cancel to keep the meeting.</p> <p>Note: You cannot recover a meeting after deleting it. You must reschedule a new meeting instead.</p>

**Resource Policies > Meetings Page**

Resource Policies > Meetings page errors (Configuring resource policies)		
Message:	Occurs when:	Solution:
<p>You must specify a SMTP email server and an email address where bounced emails can be sent in order to enable the Secure Meeting email notification feature.</p> <p><i>message ID:</i> I18N_MEETING_SMTP_CONFIG_MISSING</p>	<p>The administrator enables the email server resource policy but does not enter a server or email address for the server.</p>	<p><b>Administrator:</b> Enter a SMTP server name or email address.</p>
<p>SMTP server name unknown.</p> <p><i>message ID:</i> I18N_MEETING_SERVER_NAME_UNKNOWN</p>	<p>The administrator enables the email server resource policy but the specified server is inaccessible.</p>	<p><b>Administrator:</b> Double-check the SMTP server name and re-enter.</p>
<p>Please enter a SMTP login.</p> <p><i>message ID:</i> I18N_MEETING_ERROR_SMTP_USER_MISSING</p>	<p>The administrator enables the email server resource policy and then enters a password for the SMTP server, but no sign-in name.</p>	<p><b>Administrator:</b> Enter the sign-in name that corresponds to the password entered for the SMTP server. Or, if the SMTP server does not require a sign-in name and password, clear the password.</p>
<p>Please enter a SMTP password.</p> <p><i>message ID:</i> I18N_MEETING_ERROR_SMTP_PASSWORD_MISSING</p>	<p>The administrator enables the email server and then enters a sign-in name for the SMTP server, but no password.</p>	<p><b>Administrator:</b> Enter the password that corresponds to the sign-in name entered for the SMTP server. Or, if the SMTP server does not require a sign-in name and password, clear the sign-in name.</p>

**Users > Roles > Meetings Page**

Users > Roles > Meetings page errors (Configuring user roles)		
Message:	Occurs when:	Solution:
<p>Important: The secure gateway begins enforcing your new security settings immediately. Since your new settings are stricter than previously specified, invitees may be barred from joining existing meetings that were created under the old settings.</p> <p><i>message ID:</i> I18N_MEETING_GROUP_SETTINGS_WARNING</p>	<p>The administrator changes the security settings (such as password requirements) requirements for the role. Changes may invalidate parts of existing meetings (such as the invitee list).</p>	<p><b>Administrator:</b> Cancel changes. Or, save changes and notify members of the role that they should re-open their currently scheduled meetings to determine if all of their settings are still valid.</p>
<p>You must enable an SMTP email server in the Resource Policies &gt; Meetings page in order to send passwords in notification emails.</p>	<p>The administrator selects the “Display the password in the notification email” or “Allow the meeting creator to decide” option without first enabling an SMTP server to route notification emails.</p>	<p><b>Administrator:</b> Enable an email server in the Resource Policies &gt; Meetings page. Or, select the “Do not display the password in the notification email” option.</p>

**User console errors**

**Meetings Page**

Meetings page errors (Viewing and deleting meetings)		
Message:	Occurs when:	Solution:
<p>This will cancel the meeting and remove it from your view. Are you sure you wish to continue?</p> <p><i>message ID:</i> I18N_MEETING_CONFIRM_CANCEL_MEETING</p>	<p>The administrator or meeting creator chooses to delete a meeting from the Secure Meeting server.</p>	<p><b>Meeting Creator:</b> Choose OK to delete the meeting, or choose cancel to keep the meeting.</p> <p>Note: You cannot recover a meeting after deleting it. You must reschedule a new meeting instead.</p>

Meetings page errors (Viewing and deleting meetings)		
Message:	Occurs when:	Solution:
<p>Security settings for your role specify that only invited secure gateway users can attend your meetings. By default, however, an instant meeting does not have any invitees. To invite secure gateway users, click Cancel and then click New Meeting to create a standard meeting. Or, click OK to create an instant meeting and then add secure gateway invitees to the meeting after it has started.</p> <p><i>message ID:</i> I18N_MEETING_WARN_INSTANT_MEETING_IVE_ATTENDEES_ONLY</p>	<p>The administrator only enables secure gateway users to join meetings and the meeting creator attempts to create an instant meeting by selecting the Instant Meeting button on the Meetings page.</p>	<p><b>Meeting Creator:</b> Choose OK to create an instant meeting. Select Cancel to not create an instant meeting.</p>

**Meeting Details Page**

Meeting Details page errors (Creating and modifying meetings)		
Message:	Occurs when:	Solution:
<p>The meeting name cannot exceed 100 characters.</p> <p><i>message ID:</i> I18N_MEETING_NAME_EXCEEDS_LIMIT</p>	<p>The meeting creator enters a meeting name longer than 100 characters.</p>	<p><b>Meeting creator:</b> Shorten the meeting name.</p>
<p>The meeting description cannot exceed 1000 characters. To find the 1000 character limit in your current description, search for the following divider inserted by Secure Meeting: \" = = = = = \" The text beyond this point exceeds the 1000 character limit allowed for meeting descriptions. = = = = = \"</p> <p><i>message ID:</i> I18N_MEETING_DESCRIPTION_EXCEEDS_LIMIT</p>	<p>The meeting creator enters a meeting description longer than 1000 characters.</p>	<p><b>Meeting creator:</b> Shorten the meeting description. To find the 1000 character cut-off point, search for the divider inserted into the description.</p>

Meeting Details page errors (Creating and modifying meetings)		
Message:	Occurs when:	Solution:
<p>The meeting password is required.</p> <p><i>message ID:</i> 118N_MEETING_ERROR_PASSWORD_REQUIRED</p>	<p>The meeting creator tries to save a meeting without a password but the system administrator has specified that members of this role must password-protect their meetings.</p>	<p><b>Meeting creator:</b> Enter a password for the meeting. Or, ask your system administrator to change the requirement.</p> <p><b>Administrator:</b> Change the password requirement in the Users &gt; Roles &gt; [Role] &gt; Meetings page.</p>
<p>Important: No password is specified for your meeting. Although a password is optional, it adds an extra level of security when dealing with users outside your network.</p> <p><i>message ID:</i> 118N_MEETING_PASSWORD_MISSING_WARNING</p>	<p>The meeting creator deletes the automatic password generated by Secure Meeting and does not replace it with a new password.</p>	<p><b>Meeting creator:</b> Enter a meeting password, or ignore the message.</p>
<p>Important: Your meeting administrator has updated the security settings for your role. A password is now required in order to join meetings. Click “Save” to use the password generated for you by the system.</p> <p><i>message ID:</i> 118N_MEETING_PASSWORD_REQUIRED_WARNING</p>	<p>The meeting creator re-opens an existing meeting after the administrator has updated settings for the role from password-optional to password-required.</p>	<p><b>Meeting creator:</b> Click Save to accept the new system-generated password or create your own password and click Save. Then, notify the meeting invitees of the new password. Note that if email notifications are enabled on your server and your role is configured to send passwords in the emails, invitees with known addresses are automatically notified of the change.</p>
<p>You have chosen to change the password of a meeting that is currently in-progress. If you save your change, no action will be required of existing attendees. Any invitees that join after you make the change, however, must use the new password. Do you want to save changes? (To return to the Meeting Details page and revert to the previous password, click Cancel.)</p> <p><i>message ID:</i> 118N_MEETING_PASSWORD_CHANGED_FOR_IN_PROGRESS_MEETING</p>	<p>The meeting creator tries to update the password of a meeting that is in progress.</p>	<p><b>Meeting creator:</b> Click Save Changes and then notify any attendees who have not yet joined the meeting of the new password. Or, click Cancel to return to the Meeting Details page and revert to the old password. If you have made other changes, click Save Changes in the Meeting Details page to save all changes except the password.</p>

Meeting Details page errors (Creating and modifying meetings)		
Message:	Occurs when:	Solution:
<p>The meeting is in progress</p> <p><i>message ID:</i> I18N_MEETING_WARN_MEETING_IN_PROGRESS</p>	<p>The meeting creator tries to update the meeting name, start time, or start date while the meeting is in progress.</p>	<p><b>Meeting creator:</b> Save the changes, but note that only the changes to the description, duration, and invitee list will be pushed down to the meeting client during the meeting.</p>
<p>The start time of this meeting is in the past. Are you sure you want to continue?</p> <p><i>message ID:</i> I18N_MEETING_START_TIME_IN_PAST</p>	<p>The meeting creator enters a meeting start time that has already past.</p>	<p><b>Meeting creator:</b> Click OK to force the server to accept the time values as is or Cancel to return to the Meeting Details page and change the start time.</p> <p>“Cancel” will cancel the form submit, “OK” will.</p>
<p>Cannot schedule a meeting after Dec 31, 2037</p> <p><i>message ID:</i> I18N_MEETING_DATE_UPPER_LIMIT_WARNING</p>	<p>The meeting creator enters a meeting date too far in the future.</p>	<p><b>Meeting creator:</b> Enter the current year or later (not to exceed 2037).</p>
<p>Cannot schedule a meeting before Jan 1, 1970</p> <p><i>message ID:</i> I18N_MEETING_DATE_LOWER_LIMIT_WARNING</p>	<p>The meeting creator enters a meeting date too far in the past.</p>	<p><b>Meeting creator:</b> Enter the current year or later (not to exceed 2037).</p>
<p>The meeting duration has reached the limit allowed by your administrator for your role(s).</p> <p><i>message ID:</i> I18N_MEETING_ERROR_MAX_DURATION_LIMIT_EXCEEDED</p>	<p>A meeting creator tries to schedule a meeting for a longer duration than allowed by the system administrator.</p>	<p><b>Meeting creator:</b> Schedule the meeting for a shorter period of time. Or, contact your system administrator and ask him to extend the meeting limit.</p> <p><b>Administrator:</b> Increase the limit in the Users &gt; Roles &gt; [Role] &gt; Meetings page of the administrator console.</p>
<p>Invalid meeting duration.</p> <p><i>message ID:</i> I18N_MEETING_INVALID_DURATION</p>	<p>The meeting creator enters zero in the Duration fields.</p>	<p><b>Meeting creator:</b> Enter a meeting duration that is longer than zero minutes.</p>

Meeting Details page errors (Creating and modifying meetings)		
Message:	Occurs when:	Solution:
<p>You must specify when you want your recurring meetings to occur.</p> <p><i>message ID:</i> I18N_MEETING_ERROR_INCOMPLETE_RECURRENCE</p>	<p>The meeting creator chooses to create a recurring meeting, but does not enter complete recurrence information. For example, the meeting creator does not specify the interval at which the meeting should occur, the day-of-week information for a weekly meeting, or the day-of-month information for an annual meeting.</p>	<p><b>Meeting creator:</b> Specify a recurrence pattern. For example, if you want to create a weekly meeting, specify the day of the week on which the meeting should always occur.</p>
<p>You are only allowed to invite secure gateway users to the meeting.</p> <p><i>message ID:</i> I18N_MEETING_ERROR_IVE_USERS_ONLY</p>	<p>The meeting creator tries to add an out-of-network user to the invitee list, but the system administrator has specified that only secure gateway users may attend meetings scheduled by members of this role.</p>	<p><b>Meeting creator:</b> Do not invite the out-of-network user to the meeting. Or, contact your system administrator and ask him to allow out-of-network users to attend meetings.</p> <p><b>Administrator:</b> Remove the restriction in the Users &gt; Roles &gt; [Role] &gt; Meetings page of the administrator console.</p>
<p>Your meeting administrator has updated the security settings for your role. Only secure gateway users are now allowed to attend the meeting.</p> <p><i>message ID:</i> I18N_MEETING_IVE_REQUIRED_WARNING</p>	<p>The meeting creator re-opens an existing meeting after the administrator has updated the settings for the role, changing the password requirement to in-network users only.</p>	<p><b>Meeting creator:</b> Click Save and then notify the meeting invitees that in-network users must sign in through their secure gateway sessions and out-of-network users can no longer attend.</p>
<p>Email address invalid</p> <p><i>message ID:</i> I18N_UIMSG_DS_INVALID_EMAIL</p>	<p>The meeting creator enters an email address in the Invitees section that does not follow the format: <a href="#">X@Y.Z</a>.</p>	<p><b>Meeting creator:</b> Re-enter the email address using the format: <a href="#">X@Y.Z</a>.</p>
<p>You must select a user or users to add to the list</p> <p><i>message ID:</i> I18N_MEETING_WARN_MUST_SELECT_USER</p>	<p>The meeting creator selects <b>Add Selected</b> in the <b>Add Invitees</b> dialog box without specifying which users he wants to Add.</p>	<p><b>Meeting creator:</b> Choose one or more names in the <b>Add Invitees</b> dialog box before selecting <b>Add Selected</b>.</p>

Meeting Details page errors (Creating and modifying meetings)		
Message:	Occurs when:	Solution:
<p>SMTP server name unknown.</p> <p><i>message ID:</i> I18N_MEETING_SERVER_NAME_UNKNOWN</p>	<p>The meeting creator enters an email address containing an inaccessible SMTP server. This error is usually caused by network issues, because the SMTP server is down, or because the SMTP server is inaccessible.</p>	<p><b>Meeting creator:</b> Contact your system administrator to confirm that the network and SMTP server are up.</p> <p><b>Administrator:</b> If you have replaced the SMTP server, update the SMTP server information in the Resource Policies &gt; Meetings page of the administration console.</p>
<p>email missing</p> <p><i>message ID:</i> I18N_MEETING_EMAIL_MISSING</p>	<p>The meeting creator does not specify an email address for an invitee, saves the meeting, and re-opens it. The “email missing” message appears next to invitee’s name in the Invitee list.</p>	<p><b>Meeting creator:</b> Enter an email address for the invitee. Or, ignore the message and use a different method to notify the invitees of the meeting details.</p>
<p>Important: Your system administrator has not enabled an email server that Secure Meeting can use to send email notifications. Please use another method to notify invitees of your meeting details, including the meeting name, purpose, when it will be held, and its venue (URL).</p> <p><i>message ID:</i> I18N_MEETING_WARN_SMTP_SETTING_MISSING_USER_WARNING</p>	<p>The meeting creator tries to create a meeting, but the administrator has not enabled a SMTP server.</p>	<p><b>Meeting creator:</b> Manually inform your meeting invitees of the meeting via email, telephone, or other method. Additionally, you may want to ask your system administrator to enable an email server.</p>
<p>Please specify a conductor before saving the meeting.</p> <p><i>message ID:</i> I18N_MEETING_PLEASE_SPECIFY_A_CONDUCTOR</p>	<p>The meeting creator deletes the default conductor and does not specify a new one.</p>	<p><b>Meeting creator:</b> Select an in-network user from your list of invitees and designate one as the conductor by clicking the Set as Conductor button.</p>
<p>Conductor has to be an IVE user!</p> <p><i>message ID:</i> I18N_MEETING_CONDUCTOR_HAS_TO_BE_IVE_USER</p>	<p>The meeting creator designates an out-of-network invitee as the meeting conductor.</p>	<p><b>Meeting creator:</b> Select an in-network user from your list of invitees and designate one as the conductor by clicking the Set as Conductor button.</p>

Meeting Details page errors (Creating and modifying meetings)		
Message:	Occurs when:	Solution:
<p>You are currently signed in to a different role than you were when you first created the meeting. If you choose to save changes, some of your meeting settings may be invalidated, depending on the resource limits and security restrictions set by your administrator for your various roles.</p> <p><i>message ID:</i> I18N_MEETING_WARNING_GROUP_CHANGED</p>	<p>The meeting creator tries to update a meeting that he created when he was signed into the secure gateway using a different role.</p>	<p><b>Meeting creator:</b> Sign out of the existing role and then sign in to the role you were originally signed in to when you first created the meeting. Then, make your desired change. Or, save changes while you are signed in to your current role. However, if you choose the latter option, note that some of your original settings may no longer be valid (such as the meeting duration or the invitee list).</p> <p><b>Administrator:</b> Permissively merge roles in the Users &gt; Authentication &gt; [Realm] &gt; Role Mapping page of the administrator console.</p>
<p>Error generating random string for the meeting ID.</p> <p><i>message ID:</i> I18N_MEETING_ERROR_RANDOM_STRING</p>	<p>The meeting creator saves a meeting and Secure Meeting encounters an error.</p>	<p><b>Meeting creator:</b> Contact your system administrator.</p> <p><b>Administrator:</b> Contact Juniper Networks Support.</p>
<p>Unknown error. Please contact your system administrator.</p> <p><i>message ID:</i> I18N_MEETING_ERROR_INTERNAL_ERROR</p>	<p>Unknown.</p>	<p><b>Meeting creator:</b> Contact your system administrator.</p> <p><b>Administrator:</b> Contact Juniper Networks Support.</p>
<p>You cannot search on wildcard character(s) alone. You can only use wildcard characters within a search string.</p> <p><i>message ID:</i> I18N_MEETING_ATTENDEE_SEARCH_WILDCARD_WARNING</p>	<p>Searching for invitees to add on the <b>Add Invitee</b> window.</p>	<p><b>Meeting creator:</b> Use a wildcard (*) only within a search string.</p>

Meeting Details page errors (Creating and modifying meetings)		
Message:	Occurs when:	Solution:
<p>Support meetings are intended for two attendees only.</p> <p><i>message ID:</i> I18N_MEETING_SUPPORT_MEETING_FOR_TWO_ATTENDEES_ONLY</p>	<p>The meeting creator creates a support meeting.</p>	<p><b>Meeting creator:</b> No action required. This is an informational message only.</p>

## Meeting Site Errors

### Sign-in Page

Sign-in page errors		
Message:	Occurs when:	Solution:
<p>Invalid meeting ID or password.</p> <p><i>Message ID:</i> I18N_MEETING_ERR_INVALID_MEETING_ID OR PASSWORD</p>	<p>An invitee tries to join a meeting but cannot because the meeting has been deleted by the administrator or meeting creator, the invitee incorrectly enters the meeting ID, the invitee enters the wrong meeting password, or the invitee fails to enter a password for a password-protected meeting.</p>	<p><b>Invitee:</b> Obtain the correct meeting ID and password from your invitation email, the meeting creator, or another attendee. If you are certain that you are entering the correct ID and password, contact the meeting creator and ask him if the meeting has been cancelled.</p>
<p>Please enter your name.</p> <p><i>Message ID:</i> I18N_MEETING_PLEASE_SPECIFY_YOUR_NAME</p>	<p>An invitee fails to enter his name.</p>	<p><b>Invitee:</b> Enter your name into the name field.</p>

Sign-in page errors		
Message:	Occurs when:	Solution:
<p>Meeting password has not been initialized. Please ask the meeting creator to add a password for this meeting and then try again.</p> <p><i>Message ID:</i> I18N_MEETING_ERROR_PASSWORD_UNINITIALIZED</p>	<p>An invitee tries to sign-in to a meeting that originally had a “secure gateway users” only requirement that was later changed to allow out-of-network users to attend password-protected meetings. The meeting creator did not add a password to the meeting after his role’s requirements changed.</p>	<p><b>Invitee:</b> Ask the meeting creator to reopen the meeting, create a password, save the meeting, and distribute the password to the meeting invitees.</p>
<p>You must sign in to the secure gateway home page before joining the meeting.</p> <p><i>Message ID:</i> I18N_MEETING_REQUIRE_IVE_USER</p>	<p>An out-of-network user tries to sign into a meeting that is restricted to in-network users.</p>	<p><b>Invitee:</b> If you are an in-network user, sign in to your secure gateway session and join using the Meetings page. Or, if you are an out-of-network user, contact the meeting creator and tell him you are not allowed to attend the meeting.</p> <p><b>Meeting Creator:</b> Contact your system administrator and ask him to remove the restriction on out-of-network users.</p> <p><b>Administrator:</b> Remove the restriction in the Users &gt; Roles &gt; [Role] &gt; Meetings page of the administrator console.</p>

**Check Meeting Compatibility Page**

Check Meeting Compatibility page (Determining client compatibility)		
Message:	Occurs when:	Solution:
<p>Your system is compatible with Secure Meeting. You may join the meeting.</p> <p><i>Message ID:</i> I18N_MEETING_TEST_MSG_SYSTEM_COMPATIBLE</p>	<p>The invitee’s computer is fully compatible with Secure Meeting.</p>	<p><b>Invitee:</b> Click the link to join the meeting.</p>

Check Meeting Compatibility page (Determining client compatibility)		
Message:	Occurs when:	Solution:
<p>Your system is incompatible with Secure Meeting.</p> <p><i>Message ID:</i> I18N_MEETING_TEST_MSG_SYSTEM_INCOMPATIBLE</p>	<p>The invitee's computer is not compatible with Secure Meeting.</p>	<p><b>Invitee:</b> Read the upgrade instructions that follow in order to determine what action is required.</p>
<p>Your system is partially compatible with Secure Meeting. You can view the meeting, but cannot present.</p> <p><i>Message ID:</i> I18N_MEETING_TEST_MSG_SYSTEM_PARTIAL_COMPATIBLE</p>	<p>The invitee's computer is partially compatible with Secure Meeting.</p>	<p><b>Invitee:</b> If you want to present during the meeting, read the remainder of the message for upgrade instructions. If you simply want to view the meeting, no action is required.</p>
<p>You must enable Active-X components for full compatibility with Secure Meeting. To enable Active-X controls in Internet Explorer 6.0, choose Tools &gt; Internet Options &gt; Security &gt; Custom Level, and then enable Active-X components through the Security Settings dialog box.</p> <p><i>Message ID:</i> I18N_MEETING_TEST_MSG_WIN32_REQUIRE_ACTIVEX</p>	<p>The invitee is using Internet Explorer on a Windows operating system, but does not have administrator or power user privileges on the system. (Or, the invitee has disabled Active X components through his Web browser.)</p>	<p><b>Invitee:</b> If you want to present during the meeting, enable Active-X components using the instructions in the message. Otherwise, attend the meeting as a viewer only.</p>
<p>You must sign in from Internet Explorer 5.0 or above (with Active-X components enabled) for full compatibility with Secure Meeting. To download the latest version of Internet Explorer, click here.</p> <p><i>Message ID:</i> I18N_MEETING_TEST_MSG_WIN32_REQUIRE_IE</p>	<p>The invitee is using a Windows operating system, but is not running Internet Explorer 5.0 or later.</p>	<p><b>Invitee:</b> If you want to present during the meeting, upgrade to Internet Explorer 5.0 or later using the linked Web site. Otherwise, attend the meeting as a viewer only.</p>

Check Meeting Compatibility page (Determining client compatibility)		
Message:	Occurs when:	Solution:
<p>Or, you must install a Sun Java Virtual Machine (JVM) (version 1.4 or above), which provides you full compatibility on Windows and Macintosh systems or partial compatibility on Linux. To download the latest supported version of the Sun JVM, click here. In rare cases, choosing not to trust the certificate presented by the compatibility checker causes your system to be incompatible with Secure Meeting.</p> <p><i>Message ID:</i> I18N_MEETING_TEST_MSG_WIN32_REQUIRE_JAVA</p>	<p>The invitee is has not enabled Java Virtual Machine (JVM) through his Web browser.</p> <p>Or, the invitee chose not to accept the certificates presented by Secure Meeting before performing the compatibility check.</p>	<p><b>Invitee:</b> Accept the certificates presented during the compatibility check. If you still receive this warning after accepting the certificates, install the JVM using the linked Web site.</p>
<p>Your system is partially compatible with Secure Meeting. You can view the meeting, but cannot present.</p> <p><i>Message ID:</i> I18N_MEETING_TEST_MSG_SYSTEM_PARTIAL_COMPATIBLE</p>	<p>The invitee is using a Linux operating system.</p>	<p><b>Invitee:</b> If you want to present during the meeting, sign into the meeting using a Windows system.</p>
<p>You must sign in from a Windows system with Internet Explorer for full compatibility with Secure Meeting.</p> <p><i>Message ID:</i> I18N_MEETING_TEST_MSG_NONWIN32_REQUIRE_WIN32</p>	<p>The invitee is using a Linux operating system.</p>	<p><b>Invitee:</b> If you want to present during the meeting, sign into the meeting using a Windows system.</p>

















































