

Juniper SRX 日本語マニュアル

28. Management Access の CLI 設定

はじめに

Management Access の CLI 設定について説明します。

※手順内容は「SRX300」、JUNOS「15.1X49-D140」にて確認を実施しております。

2018年8月

Management Access

以下の設定を行う場合の コマンド例となります。

ftp サービスを有効化

telnet サービスを有効化

http サービスを有効化

https サービスを有効化

セキュリティゾーン trust で全てのサービスを許可

セキュリティゾーン trust で全てのプロトコルを許可

Management Access

- **ftp サービスを有効化**

```
user@srx# set system services ftp
```

- **telnet サービスを有効化**

```
user@srx# set system services telnet
```

- **http サービスを有効化**

```
user@srx# set system services web-management http
```

- **https サービスを有効化**

```
user@srx# set system services web-management https system-generated-certificate
```

- **セキュリティゾーン trust で全てのサービスを許可**

```
user@srx# set security zones security-zone trust host-inbound-traffic system-services all
```

- **セキュリティゾーン trust で全てのプロトコルを許可**

```
user@srx# set security zones security-zone trust host-inbound-traffic protocols all
```

Management Access

設定の確認

```
user@srx# show
system {
    services {
        ftp;
        telnet;
        web-management {
            http;
            https {
                system-generated-certificate;
            }
        }
    }
    security {
        zones {
            security-zone trust {
                host-inbound-traffic {
                    system-services {
                        all;
                    }
                    protocols {
                        all;
                    }
                }
            }
        }
    }
}
```