

## dynamic-profile

---

<b>Syntax</b>	<code>dynamic-profile <i>profile-name</i> (aggregate-clients   use-primary <i>primary-profile-name</i>);</code>
<b>Hierarchy Level</b>	<code>[edit logical-systems <i>logical-system-name</i> routing-instances <i>routing-instance-name</i> system services dhcp-local-server],</code> <code>[edit logical-systems <i>logical-system-name</i> routing-instances <i>routing-instance-name</i> system services dhcp-local-server group <i>group-name</i>],</code> <code>[edit logical-systems <i>logical-system-name</i> system services dhcp-local-server],</code> <code>[edit logical-systems <i>logical-system-name</i> system services dhcp-local-server group <i>group-name</i>],</code> <code>[edit logical-systems <i>logical-system-name</i> routing-instances <i>routing-instance-name</i> system services dhcp-local-server],</code> <code>[edit logical-systems <i>logical-system-name</i> routing-instances <i>routing-instance-name</i> system services dhcp-local-server group <i>group-name</i>],</code> <code>[edit routing-instances <i>routing-instance-name</i> system services dhcp-local-server],</code> <code>[edit routing-instances <i>routing-instance-name</i> system services dhcp-local-server group <i>group-name</i>],</code> <code>[edit system services dhcp-local-server],</code> <code>[edit system services dhcp-local-server group <i>group-name</i>]</code>
<b>Release Information</b>	Statement introduced in JUNOS Release 9.2. aggregate-clients and use-primary options introduced in JUNOS Release 9.3.
<b>Description</b>	Specify the dynamic profile that is attached to a group of interfaces or to all interfaces.  The remaining statements are explained separately.
<b>Options</b>	<b>aggregate-clients</b> —Enable multiple DHCP subscribers to share the same VLAN logical interface.  <b>profile-name</b> —Name of the dynamic profile.  <b>use-primary <i>primary-profile-name</i></b> —Name of the dynamic profile to configure as the primary dynamic profile. The primary dynamic profile is instantiated when the first subscriber logs in. Subsequent subscribers are not assigned the primary dynamic profile; instead, they are assigned the dynamic profile specified for the interface. When the first subscriber logs out, the next subscriber that logs in is assigned the primary dynamic profile.
<b>Required Privilege Level</b>	system—To view this statement in the configuration. system-control—To add this statement to the configuration.
<b>Related Topics</b>	■ Attaching Dynamic Profiles to DHCP Subscriber Interfaces

