

## group

---

**Syntax** `group group-name {  
 authentication {  
 option-60 password-string;  
 username-include {  
 circuit-type;  
 delimiter delimiter-character;  
 domain-name domain-name-string;  
 logical-system-name;  
 mac-address;  
 option-60;  
 option-82 <circuit-id> <remote-id>;  
 routing-instance-name;  
 user-prefix user-prefix-string;  
 }  
 }  
 dynamic-profile profile-name (aggregate-clients | use-primary primary-profile-name);  
 interface interface-name [upto upto-interface-name] [exclude];  
 overrides {  
 client-discover-match;  
 interface-client-limit number;  
 no-arp;  
 }  
}`

**Hierarchy Level** [edit logical-systems *logical-system-name* routing-instances *routing-instance-name* system services dhcp-local-server],  
[edit logical-systems *logical-system-name* system services dhcp-local-server],  
[edit routing-instances *routing-instance-name* system services dhcp-local-server],  
[edit system services dhcp-local-server]

**Release Information** Statement introduced in JUNOS Release 9.0.

**Description** Configure a group of interfaces that have a common configuration, such as authentication parameters. A group must contain at least one interface.

**Options** *group-name*—Name of the group.

The remaining statements are explained separately.

**Required Privilege Level** system—To view this statement in the configuration.  
system-control—To add this statement to the configuration.

**Related Topics**

- Extended DHCP Local Server Overview
- Using External AAA Authentication Services with DHCP
- Attaching Dynamic Profiles to DHCP Subscriber Interfaces

