


members

Syntax	<code>members [(all <i>names</i> <i>vlan-ids</i>)];</code>
Hierarchy Level	[edit interfaces <i>ge-chassis/slot/port</i> unit <i>logical-unit-number</i> family mpls ethernet-switching vlan]
Release Information	Statement introduced in JUNOS Release 9.0 for EX-series switches.
Description	For trunk interfaces, configure the VLANs for which the interface can carry traffic.
Options	all —Specifies that this trunk interface is a member of all the VLANs that are configured on this switch. When a new VLAN is configured on the switch, this trunk interface automatically becomes a member of the VLAN.
	NOTE: Each VLAN that is configured must have a specified VLAN ID when you attempt to commit the configuration; otherwise, the configuration commit fails. Also, all cannot be the name of a VLAN on the switch.
Required Privilege Level	<code>interface</code> —To view this statement in the configuration. <code>interface-control</code> —To add this statement to the configuration.
Related Topics	<ul style="list-style-type: none">■ Configuring Interfaces on EX-series Switches (CLI Procedure)■ Configuring Gigabit Ethernet Interfaces (J-Web Procedure)■ Example: Connecting an Access Switch to a Distribution Switch■ Creating a Series of Tagged VLANs (CLI Procedure)■ <i>JUNOS Software Network Interfaces Configuration Guide</i> at http://www.juniper.net/techpubs/software/junos/junos90/index.html

