

## vlan-id

---

<b>Syntax</b>	<code>vlan-id <i>vlan-id-number</i>;</code>
<b>Hierarchy Level</b>	[edit interfaces <i>ge-chassis/slot/port</i> unit <i>logical-unit-number</i> ]
<b>Release Information</b>	Statement introduced in JUNOS Release 9.2 for EX-series switches.
<b>Description</b>	For Gigabit Ethernet and aggregated Ethernet interfaces only, bind an 802.1Q VLAN tag ID to a logical interface.
<b>Options</b>	<i>vlan-id-number</i> —A valid VLAN identifier. <b>Range:</b> 1 through 4094.
<b>Required Privilege Level</b>	interface—To view this statement in the configuration. interface-control—To add this statement to the configuration.
<b>Related Topics</b>	<ul style="list-style-type: none"><li>■ <code>vlan-tagging</code></li><li>■ Configuring Interfaces on EX-series Switches (CLI Procedure)</li><li>■ Configuring Gigabit Ethernet Interfaces (J-Web Procedure)</li><li>■ <i>JUNOS Software Network Interfaces Configuration Guide</i> at <a href="http://www.juniper.net/techpubs/software/junos/junos90/index.html">http://www.juniper.net/techpubs/software/junos/junos90/index.html</a></li><li>■ Example: Configuring Layer 3 Subinterfaces for a Distribution Switch and an Access Switch</li><li>■ Configuring a Layer 3 Subinterface (CLI Procedure)</li></ul>

