

home-agent-address

Syntax	home-agent-address <i>ip-address</i> { registration-lifetime <i>seconds</i> ; revocation-required; timestamp-tolerance <i>seconds</i> ; }
Hierarchy Level	[edit logical-systems <i>logical-system-name</i> services mobile-ip home-agent virtual-network], [edit logical-systems <i>logical-system-name</i> routing-instances <i>routing-instances-name</i> services mobile-ip home-agent virtual-network], [edit routing-instances <i>routing-instances-name</i> services mobile-ip home-agent virtual-network], [edit services mobile-ip home-agent virtual-network]
Release Information	Statement introduced in JUNOS Release 9.3. Support at the edit logical-systems <i>logical-system-name</i> services mobile-ip home-agent virtual-network], [edit logical-systems <i>logical-system-name</i> routing-instances <i>routing-instances-name</i> services mobile-ip home-agent virtual-network], and [edit routing-instances <i>routing-instances-name</i> services mobile-ip home-agent virtual-network] hierarchy levels added in JUNOS Release 9.5.
Description	Defines addressing for the virtual network of the Mobile IP home agent.
Options	<i>ip-address</i> —For virtual networks, the loopback IP address for the virtual network. For non-virtual networks, a public address. The remaining statements are explained separately.
Required Privilege Level	interface—To view this statement in the configuration. interface-control—To add this statement to the configuration.
Related Topics	■ Configuring Mobile IP ■ Configuring the Mobile IP Home Agent

