

scheduler-map

Syntax	<code>scheduler-map (<i>map-name</i>);</code>
Hierarchy Level	[edit dynamic-profiles <i>profile-name</i> class-of-service traffic-control-profiles <i>profile-name</i>]
Release Information	Statement introduced before JUNOS Release 7.4. The [edit dynamic-profiles <i>profile-name</i>] hierarchy added in JUNOS Release 9.3. The <code>\$junos-cos-scheduler-map</code> variable added in JUNOS Release 9.4.
Description	<p>For EQ DPC interfaces only, associate a scheduler map name with a traffic-control profile in a dynamic profile.</p> <p>The scheduler map can be defined dynamically (at the [edit dynamic-profiles <i>profile-name</i> class-of-service scheduler-maps] hierarchy level) or statically (at the [edit class-of-service scheduler-maps] hierarchy level).</p>
Options	<i>map-name</i> —Name of the scheduler map or the JUNOS predefined variable (<code>\$junos-cos-scheduler-map</code>). When you specify the variable, the scheduler-map name is obtained from the RADIUS server when a subscriber authenticates over the subscriber interface to which the subscriber access dynamic profile is attached.
Required Privilege Level	interface—To view this statement in the configuration. interface-control—To add this statement to the configuration.
Related Topics	<ul style="list-style-type: none">■ Dynamic Variables Overview■ Configuring Traffic Shaping and Scheduling in a Dynamic Profile■ output-traffic-control-profile

