

## customer-vlans

---

<b>Syntax</b>	customer-vlans ( <i>id</i>   <i>native</i>   <i>range</i> );
<b>Hierarchy Level</b>	[edit vlans <i>vlan-name</i> dot1q-tunneling]
<b>Release Information</b>	Statement introduced in JUNOS Release 9.3 for EX Series switches. Option <b>native</b> introduced in JUNOS Release 9.6 for EX Series switches.
<b>Description</b>	Limit the set of accepted C-VLAN tags to a range or to discrete values.
<b>Options</b>	<i>id</i> —Numeric identifier for a VLAN.  <i>native</i> —Accepts untagged and priority-tagged packets from access interfaces and assigns the configured S-VLAN to the packet.  <i>range</i> —Range of numeric identifiers for VLANs.
<b>Required Privilege Level</b>	routing—To view this statement in the configuration. routing-control—To add this statement to the configuration.
<b>Related Topics</b>	<ul style="list-style-type: none"><li>■ dot1q-tunneling</li><li>■ ether-type</li><li>■ Example: Setting Up Q-in-Q Tunneling on EX Series Switches</li><li>■ Configuring Q-in-Q Tunneling (CLI Procedure)</li><li>■ Understanding Q-in-Q Tunneling on EX Series Switches</li></ul>

---

Published: 2009-07-22