

drop

Syntax drop;

Hierarchy Level [edit forwarding-options dhcp-relay relay-option-60 vendor-option],
[edit forwarding-options dhcp-relay relay-option-60 vendor-option (equals | starts-with) (ascii *match-string* | hexadecimal *match-hex*)],
[edit forwarding-options dhcp-relay relay-option-60 vendor-option],
[edit forwarding-options dhcp-relay relay-option-60 vendor-option (equals | starts-with) (ascii *match-string* | hexadecimal *match-hex*)],
[edit logical-systems *logical-system-name* forwarding-options dhcp-relay relay-option-60 vendor-option],
[edit logical-systems *logical-system-name* forwarding-options dhcp-relay relay-option-60 vendor-option (equals | starts-with) (ascii *match-string* | hexadecimal *match-hex*)],
[edit logical-systems *logical-system-name* forwarding-options dhcp-relay group *group-name* relay-option-60 vendor-option],
[edit logical-systems *logical-system-name* forwarding-options dhcp-relay group *group-name* relay-option-60 vendor-option (equals | starts-with) (ascii *match-string* | hexadecimal *match-hex*)],
[edit logical-systems *logical-system-name* routing-instances *routing-instance-name* forwarding-options dhcp-relay relay-option-60 vendor-option],
[edit logical-systems *logical-system-name* routing-instances *routing-instance-name* forwarding-options dhcp-relay relay-option-60 vendor-option (equals | starts-with) (ascii *match-string* | hexadecimal *match-hex*)],
[edit logical-systems *logical-system-name* routing-instances *routing-instance-name* forwarding-options dhcp-relay group *group-name* relay-option-60 vendor-option],
[edit logical-systems *logical-system-name* routing-instances *routing-instance-name* forwarding-options dhcp-relay group *group-name* relay-option-60 vendor-option (equals | starts-with) (ascii *match-string* | hexadecimal *match-hex*)],
[edit routing-instances *routing-instance-name* forwarding-options dhcp-relay relay-option-60 vendor-option],
[edit routing-instances *routing-instance-name* forwarding-options dhcp-relay relay-option-60 vendor-option (equals | starts-with) (ascii *match-string* | hexadecimal *match-hex*)],
[edit routing-instances *routing-instance-name* forwarding-options dhcp-relay group *group-name* relay-option-60 vendor-option],
[edit routing-instances *routing-instance-name* forwarding-options dhcp-relay group *group-name* relay-option-60 vendor-option (equals | starts-with) (ascii *match-string* | hexadecimal *match-hex*)]

Release Information Statement introduced in JUNOS Release 9.0.

Description Drop (discard) DHCP client packets when you use the DHCP vendor class identifier option (option 60) in DHCP packets to forward client traffic to specific DHCP servers.

To drop DHCP client packets that contain an option 60 string that matches the ASCII or hexadecimal match string and match criteria (exact match or partial match) that you specify, include the **drop** statement at the [edit forwarding-options dhcp-relay relay-option-60 vendor-option (equals | starts-with) (ascii *match-string* | hexadecimal *match-hex*)] hierarchy level.

To drop DHCP client packets that contain an option 60 string that does *not* match the ASCII or hexadecimal match string and match criteria (exact match or partial

match) that you specify, include the **drop** statement at the [edit forwarding-options dhcp-relay relay-option-60 vendor-option] hierarchy level.

Required Privilege Level interface—To view this statement in the configuration.
interface-control—To add this statement to the configuration.

Related Topics ■ Using Option 60 Information to Forward Client Traffic to Specific DHCP Servers

Published: 2009-07-16