

relay-server-group

Syntax	<code>relay-server-group server-group-name;</code>
Hierarchy Level	<p>[edit forwarding-options dhcp-relay relay-option-60 vendor-option (equals starts-with) (ascii <i>match-string</i> hexadecimal <i>match-hex</i>)],</p> <p>[edit forwarding-options dhcp-relay group <i>group-name</i> relay-option-60 vendor-option (equals starts-with) (ascii <i>match-string</i> hexadecimal <i>match-hex</i>)],</p> <p>[edit logical-systems <i>logical-system-name</i> forwarding-options dhcp-relay relay-option-60 vendor-option (equals starts-with) (ascii <i>match-string</i> hexadecimal <i>match-hex</i>)],</p> <p>[edit logical-systems <i>logical-system-name</i> forwarding-options dhcp-relay group <i>group-name</i> relay-option-60 vendor-option (equals starts-with) (ascii <i>match-string</i> hexadecimal <i>match-hex</i>)],</p> <p>[edit logical-systems <i>logical-system-name</i> routing-instances <i>routing-instance-name</i> forwarding-options dhcp-relay relay-option-60 vendor-option (equals starts-with) (ascii <i>match-string</i> hexadecimal <i>match-hex</i>)],</p> <p>[edit logical-systems <i>logical-system-name</i> routing-instances <i>routing-instance-name</i> forwarding-options dhcp-relay group <i>group-name</i> relay-option-60 vendor-option (equals starts-with) (ascii <i>match-string</i> hexadecimal <i>match-hex</i>)],</p> <p>[edit routing-instances <i>routing-instance-name</i> forwarding-options dhcp-relay relay-option-60 vendor-option (equals starts-with) (ascii <i>match-string</i> hexadecimal <i>match-hex</i>)],</p> <p>[edit routing-instances <i>routing-instance-name</i> forwarding-options dhcp-relay group <i>group-name</i> relay-option-60 vendor-option (equals starts-with) (ascii <i>match-string</i> hexadecimal <i>match-hex</i>)]</p>
Release Information	Statement introduced in JUNOS Release 9.0.
Description	<p>Relay DHCP client packets to the specified group of extended DHCP relay servers when you use the DHCP vendor class identifier option (option 60) in DHCP packets to forward client traffic to specific DHCP servers.</p> <p>If the option 60 string received in the DHCP client packet matches the ASCII or hexadecimal match string and match criteria (exact match or partial match) that you specify, the extended DHCP relay agent relays the client packets to the specified group of servers configured with the server-group statement at the [edit forwarding-options dhcp-relay] hierarchy level. A server group can contain multiple server addresses and can map to more than one ASCII or hexadecimal match string.</p>
Options	<i>server-group-name</i> —Name of the extended DHCP relay server group.
Required Privilege Level	interface—To view this statement in the configuration. interface-control—To add this statement to the configuration.
Related Topics	■ Using Option 60 Information to Forward Client Traffic to Specific DHCP Servers

Published: 2009-07-16