

remote-interface-switch

Syntax remote-interface-switch *connection-name* {
 interface *interface-name.unit-number*;
 receive-lsp *label-switched-path*;
 transmit-lsp *label-switched-path*;
 }

Hierarchy Level [edit protocols connections]

Release Information Statement introduced in JUNOS Release 9.5 for EX Series switches.

Description Configure MPLS LSP tunnel cross-connects. This makes an association between a CCC interface and two LSPs, one for transmitting MPLS packets from the local provider edge switch to the remote provider edge switch and the other for receiving MPLS packets on the local provider edge switch from the remote provider edge switch.

Options *connection-name* —Connection name.

interface interface-name.unit-number —Interface name. Include the logical portion of the name, which corresponds to the logical unit number of the CCC interface.

receive-lsp label-switched-path —Name of the LSP from the connection's source. This LSP name was specified by the *label-switched-path* statement on the remote provider edge switch in the *protocols mpls* stanza.

transmit-lsp label-switched-path —Name of the LSP to the connection's destination. This LSP name was specified by the *label-switched-path* statement on the local provider edge switch in the *protocols mpls* stanza.

Required Privilege Level routing—To view this statement in the configuration.
 routing-control—To add this statement to the configuration.

Related Topics ■ Example: Configuring MPLS on EX Series Switches
 ■ Configuring MPLS on Provider Edge Switches (CLI Procedure)
 ■ *JUNOS Software MPLS Applications Configuration Guide* at <http://www.juniper.net/techpubs/software/junos/junos95/index.html>

Published: 2009-07-22