

replace-ip-source-with

Syntax replace-ip-source-with giaddr;

Hierarchy Level [edit forwarding-options dhcp-relay overrides],
[edit forwarding-options dhcp-relay group *group-name* overrides],
[edit logical-systems *logical-system-name* forwarding-options dhcp-relay overrides],
[edit logical-systems *logical-system-name* forwarding-options dhcp-relay group *group-name* overrides],
[edit logical-systems *logical-system-name* routing-instances *routing-instance-name* forwarding-options dhcp-relay overrides],
[edit logical-systems *logical-system-name* routing-instances *routing-instance-name* forwarding-options dhcp-relay group *group-name* overrides],
[edit routing-instances *routing-instance-name* forwarding-options dhcp-relay overrides],
[edit routing-instances *routing-instance-name* forwarding-options dhcp-relay group *group-name* overrides]

Release Information Statement introduced in JUNOS Release 9.6.

Description Replace the IP source address in DHCP relay request and release packets with the gateway IP address (giaddr).

Required Privilege Level interface—To view this statement in the configuration.
interface-control—To add this statement to the configuration.

Related Topics ■ Extended DHCP Relay Agent Overview
 ■ Replacing the DHCP Relay Request and Release Packet Source Address

Published: 2009-07-16