

## **scheduler-map**

---

<b>Syntax</b>	<code>scheduler-map (map-name);</code>
<b>Hierarchy Level</b>	<code>[edit dynamic-profiles profile-name class-of-service traffic-control-profiles profile-name]</code>
<b>Release Information</b>	Statement introduced before JUNOS Release 7.4. The <code>[edit dynamic-profiles profile-name]</code> hierarchy added in JUNOS Release 9.3. The <code>\$junos-cos-scheduler-map</code> variable added in JUNOS Release 9.4.
<b>Description</b>	<p>For EQ DPC interfaces only, associate a scheduler map name with a traffic-control profile in a dynamic profile.</p> <p>The scheduler map can be defined dynamically (at the <code>[edit dynamic-profiles profile-name class-of-service scheduler-maps]</code> hierarchy level) or statically (at the <code>[edit class-of-service scheduler-maps]</code> hierarchy level).</p>
<b>Options</b>	<b>map-name</b> —Name of the scheduler map or the JUNOS predefined variable ( <code>\$junos-cos-scheduler-map</code> ). When you specify the variable, the scheduler-map name is obtained from the RADIUS server when a subscriber authenticates over the subscriber interface to which the subscriber access dynamic profile is attached.
<b>Required Privilege Level</b>	interface—To view this statement in the configuration. interface-control—To add this statement to the configuration.
<b>Related Topics</b>	<ul style="list-style-type: none"><li>■ Dynamic Variables Overview</li><li>■ Configuring Traffic Shaping and Scheduling in a Dynamic Profile</li><li>■ output-traffic-control-profile</li></ul>

---

Published: 2009-07-16