

## vlan-id

---

**Syntax** `vlan-id vlan-id-number;`

**Hierarchy Level** `[edit interfaces ge-chassis/slot/port unit logical-unit-number]`

**Release Information** Statement introduced in JUNOS Release 9.2 for EX Series switches.

**Description** For Gigabit Ethernet and aggregated Ethernet interfaces only, bind an 802.1Q VLAN tag ID to a logical interface.



**NOTE:** The VLAN tag ID cannot be configured on logical interface unit 0. The logical unit number must be 1 or higher.

---

**Options** `vlan-id-number`—A valid VLAN identifier.

**Range:** 1 through 4094

**Required Privilege Level** `interface`—To view this statement in the configuration.  
`interface-control`—To add this statement to the configuration.

- Related Topics**
- `vlan-tagging`
  - Example: Configuring Layer 3 Subinterfaces for a Distribution Switch and an Access Switch
  - Configuring Gigabit Ethernet Interfaces (CLI Procedure)
  - Configuring Gigabit Ethernet Interfaces (J-Web Procedure)
  - Configuring a Layer 3 Subinterface (CLI Procedure)
  - *JUNOS Software Network Interfaces Configuration Guide* at <http://www.juniper.net/techpubs/software/junos/junos95/index.html>

---

Published: 2009-07-22