

Defining CoS Rewrite Rules (J-Web Procedure)

To define rewrite rules, select **Configure > Class of Service > Rewrite Rules** in the J-Web interface. Table 1 describes the related fields. Use the rewrite rules to alter the CoS values in outgoing packets to meet the requirements of the targeted peer. A rewrite rule examines the forwarding class and loss priority of a packet and sets its bits to a corresponding value specified in the rule.

Table 1: Rewrite Rules Configuration Page Summary

Field	Function	Your Action
Rewrite Rules Summary		
DSCP	Redefines DSCP code point values of outgoing packets.	Click DSCP .
IPv4 Precedence	Redefines IPv4 precedence code point values.	Click IPv4 Precedence .
Rewrite Rule Name	Displays names of defined rewrite rules. Allows you to edit a specific rule.	To edit a rule, click its name.
Forwarding Class	Displays forwarding classes associated with a specific rewrite rule.	None.
Loss Priority	Displays loss priority values associated with a specific rewrite rule.	None.
Rewrite Outgoing Code Point To	Displays the CoS values and aliases that a specific rewrite rule has set for a specific forwarding class and loss priority.	None.
Add	Opens a page that allows you to define a new rewrite rule.	To add a rewrite rule, click Add .
Delete	Removes specified rewrite rules.	To remove a rule, select the check box next to it and click Delete .
Add a Rewrite Rule/Edit Rewrite Rule		
Rewrite Rule Name	Specifies a rewrite rule name.	To name a rule, type the name—for example, rewrite-dscps .

Table 1: Rewrite Rules Configuration Page Summary *(continued)*

Field	Function	Your Action
Code Point Mapping	Rewrites outgoing CoS values of a packet based on the forwarding class and loss priority. Allows you to remove a code point mapping entry.	To configure the CoS value assignment, follow these steps: <ol style="list-style-type: none">1. From the Forwarding Class list, select a class.2. Select a priority from the following:<ul style="list-style-type: none">■ low—Rewrite rule applies to packets with a low loss priority.■ high—Rewrite rule applies to packets with a high loss priority.3. For Rewritten Code Point, either select a predefined CoS value and alias or type a new CoS value and alias. For information about predefined CoS values and aliases, see the <i>JUNOS Class of Service Configuration Guide</i>.4. Click Add. To remove a code point mapping entry, select it and click Delete .
<hr/> Related Topics <ul style="list-style-type: none">■ Defining CoS Rewrite Rules (CLI Procedure)■ Understanding CoS Rewrite Rules■ Monitoring CoS Rewrite Rules■ Example: Configuring CoS on EX Series Switches <hr/>		

Published: 2009-07-22