

node

Syntax	[no] { <i>typeOfInterface</i> set superset } node [group <i>trafficClassGroup</i> scheduler-profile <i>schedulerProfileName</i>]*
Release Information	Command introduced before JUNOS Release 7.1.0. svlan keyword added in JUNOS Release 7.1.0. set and superset keywords added in JUNOS Release 9.2.0.
Description	Specifies that a scheduler node be configured for each interface of the given interface type. The no version removes this rule from the QoS profile.
Options	<ul style="list-style-type: none">■ <i>typeOfInterface</i>—Interface types for scheduler nodes to be configured: atm, atm-vc, atm-vp, bridge, ethernet, fr-vc, ip, ip-tunnel, ipv6, l2tp-session, l2tp-tunnel, lsp, serial, server-port, svlan, vlan■ set—Configures the node for an interface set■ superset—Configures the node for an interface superset■ <i>trafficClassGroup</i>—Name of the traffic class group■ <i>schedulerProfileName</i>—Name of the scheduler profile■ *—Indicates that one or more parameters can be repeated multiple times in a list in the command line
Mode	QoS Profile Configuration
Related Topics	<ul style="list-style-type: none">■ Configuring a QoS Profile■ Configuring Shadow Nodes■ Configuring a Basic Parameter Definition for QoS Administrators■ Attaching a QoS Profile to an Interface Superset or an Interface Set

