

show ip bgp next-hops

| | |
|----------------------------|--|
| Syntax | show ip bgp [ipv4 unicast ipv4 multicast vpnv4 all vpnv4 vrf <i>vrfName</i> l2vpn all l2vpn vpls <i>vplsName</i> l2vpn vpws <i>vpwsName</i> } route-target signaling] next-hops [<i>ipAddress</i>] [<i>filter</i>] |
| Release Information | Command introduced before JUNOS Release 7.1.0. l2vpn and all keywords added in JUNOS Release 7.1.0. vpls keyword and <i>vplsName</i> variable added in JUNOS Release 7.1.0. vpws keyword and <i>vpwsName</i> variable added in JUNOS Release 8.1.0. route-target signaling keywords added in JUNOS Release 8.2.0. |
| Description | Displays information about BGP next hops. |
| Options | <ul style="list-style-type: none">■ ipv4 unicast—Specifies the IPv4 unicast address family and routing table; the default option■ ipv4 multicast—Specifies the IPv4 multicast address family and routing table■ vpnv4 all—Specifies the IPv4 VPN address family and all IPv4 VPN routing and forwarding instances■ vpnv4 vrf <i>vrfName</i>—Specifies the IPv4 VPN address family and only the IPv4 VPN routing and forwarding instance with the name <i>vrfName</i>■ l2vpn all—Specifies all VPLS and VPWS instances in the L2VPN address family■ l2vpn vpls <i>vplsName</i>—Specifies the VPLS instance with the name <i>vplsName</i>■ l2vpn vpws <i>vpwsName</i>—Specifies the VPWS instance with the name <i>vpwsName</i>■ route-target signaling—Displays information for only the route-target address family■ <i>ipAddress</i>—Displays information only for this indirect next hop■ <i>filter</i>—See Filtering show Commands |
| Mode | Privileged Exec, User Exec |
| Related Topics | <ul style="list-style-type: none">■ <i>Monitoring BGP-Related Settings for L2VPNs, Monitoring BGP Next Hops for L2VPNs, and Monitoring BGP Next Hops for VPLS in the JUNOS BGP and MPLS Configuration Guide</i> |

