

mirror

Syntax mirror *triggerType triggerValue* { ip | ipv6 | l2tp } secure-policy-list *policyName*
no mirror *triggerType triggerValue* { ip | ipv6 | l2tp }

Release Information Command introduced before JUNOS Release 7.1.0.
nas-port-id keyword added in JUNOS Release 7.1.0.
IPv6 support added in JUNOS Release 10.1.0.

Description Enables packet mirroring based on the specified trigger and specifies the secure policy to attach to the subscriber's interface. The **no** version disables packet mirroring for the subscriber and removes the trigger configuration.

- Options**
- *triggerType*—One of the following RADIUS attributes
 - acct-session-id—Acct-Session-Id, RADIUS attribute [44]
 - calling-station-id—Calling-Station-Id, RADIUS attribute [31]
 - ip-address—Framed-IP-Address, RADIUS attribute [8]; associated with the virtual router where the command is issued, RADIUS VSA [26-1]
 - nas-port-id—NAS-Port-Id, RADIUS attribute [87]
 - username—User-Name, RADIUS attribute [1]; associated with the virtual router where the command is issued, RADIUS VSA [26-1]
 - *triggerValue*—Value of the *triggerType* (the specified RADIUS attribute) that identifies the subscriber
 - ip—Configures mirroring for an IP subscriber
 - ipv6—Configures mirroring for an IPv6 subscriber
 - l2tp—Configures mirroring for an L2TP subscriber
 - *policyName*—Secure policy to attach to the subscriber's interface

Mode Global Configuration

Related Topics ■ Configuring CLI-Based Mirroring

