

Part 1

Settings File for JUNOS^e IP, IPv6, and IGP Configuration Guide

Use the settings file for your book to set the values for variables and conditional text settings across a book. If you do not have a settings file for a book, copy the SettingsFileTem.fm template file to the directory that contains your book and rename that file to SettingsFile < BookName > .fm.



Do not import formats other than variable definitions and conditional text settings from this file. Doing so may change other formats to styles that are not supported.

To import the variable and conditional text settings from this file:

1. Review the settings in this file for variable definitions and update these settings if needed.

See Defining Variables.

2. Review the settings in this file for conditional text settings and update these settings if needed.

See Defining Conditional Text Settings.

3. From the book file, import variable definitions and conditional text settings.

See Importing Variables and Conditions.

Defining Variables

The following table shows the definitions for FrameMaker user variables. It does not show the definitions for FrameMaker system variables. If you do not see a value for a variable under Definition, this means that the variable does not have a value assigned to it.

Variable	Definition
Book Title	JUNOS ^e IP, IPv6, and IGP Configuration Guide
BookTitleHeader	JUNOS ^e 9.0.x IP, IPv6, and IGP Configuration Guide

Variable	Definition
continued	(continued)
Part Number	Part Number: 162-01844-00, Revision A00
Publish Date	29 February 2008
Publish Year	2008
Release number	Release 9.0.x
Revision	Rev Level
URL	www.juniper.net

If you have other variables for your book that do not appear in this list:

1. Add a row to the table for each variable.
2. Add the variable name under Variable, and insert the variable under Definition.

Defining Conditional Text Settings

The following table shows the settings for conditional text. If a condition is hidden, text should not appear in the column on the right. This list only includes conditions which appear in all components of JUNOS, SDX, and NMC-RX books.

Condition tag	Text with condition applied
Comment	<u>Conditionalized text</u>
ERX	Conditionalized text
In Progress	Conditionalized text
SDX	Conditionalized text
	Conditionalized text

If you have additional conditions in your book that are not listed in the table:

1. Add the condition tag name under Condition tag.
2. In the Text with condition applied column, conditionalize “Conditionalized text.”
3. Add more rows as needed.

Note: For a doc set that uses the same conditional text settings across books, update the condition list in one settings file; then use that settings file as a template for the other books in the doc set.

Importing Variables and Conditions

To import variable definitions and conditional text settings:

1. From the book file, select all files.
3. Select File > Import > Formats.
4. From the Import Formats dialog box, set the following values

Import From Document: Name of the settings file for your book (this file)

Import and Update; Variable Definitions

Conditional Text Settings



