

## Chapter 33

# Installing Web Applications

This chapter describes how to install Web applications that are included with the SRC software. Topics include:

- Installing Web Applications on page 309
- Removing Web Applications on page 311
- Session Timeouts for Web Applications on page 311
- Access Controls on page 312

## Installing Web Applications

---

We supply one Web archive (WAR) file for each Web application in the SRC software distribution and the application library CD. You must deploy Web applications in a Web application server.

The exact way you install Web applications depends on the Web application server you are using and the particular Web application. The following procedure provides general steps for installing a Web application:

1. Install the Web application server on the host.
2. Start the Web application server.
3. If the Web application requires configuration of a properties file, complete the following procedure:
  - a. Copy the WAR file from the SRC software distribution or application library CD to a temporary folder on the host.
  - b. Unpack the WAR file.

For information about unpacking and packing WAR files, see

<http://java.sun.com/j2se/1.4/docs/guide/jar/>

- c. Edit the properties file for the Web application.
- d. Repack the WAR file.

4. Deploy the WAR file by using the procedure appropriate for your Web application server.

For information about deploying WAR files, see the documentation for your Web application software.

### ***Installing Web Applications Inside JBoss on a Solaris Platform***

SRC software for Solaris platforms provides the JBoss Web application server in the SRC software distribution. JBoss is an open-source Java application server that provides full support for J2EE application programming interfaces (APIs).

To deploy a Web application inside JBoss:

1. Install the *UMCjboss* package from the SRC software distribution.

For information about using the Solaris **pkgadd** utility to install the package, see *Chapter 28, Installing the SRC Software on a Solaris Platform*.

2. During the installation, choose a JBoss configuration when prompted; typically choose the default configuration.
3. Start JBoss.

**/etc/init.d/jboss start**

You can view the log file to observe the process:

**/opt/UMC/jboss/server/default/log/server.log**

4. Customize the properties file for the Web application.

For instructions about configuring the property files for the SRC Web applications, see the documentation for that application.

5. Deploy the WAR file by copying it into the JBoss *default/deploy* directory.

**cp <filename>.war /opt/UMC/jboss/server/default/deploy**

JBoss automatically starts the Web application when a new WAR file is copied into the deploy directory.

### ***Stopping JBoss***

To stop JBoss:

1. On the host on which JBoss is installed, log in as **root** or as an authorized nonroot admin user.
2. Stop JBoss.

**/etc/init.d/jboss stop**

## Removing Web Applications

---

The way you remove a Web application depends on the Web application server that you use.

To remove a deployed Web application from JBoss:

- Remove the WAR file from the JBoss *default/deploy* directory.

## Session Timeouts for Web Applications

---

For session-based Web applications, a session is started for the Web browser when it connects to a Web server application. A session provides a timeout feature that closes the session on the server when the maximum period of inactivity has passed. The default timeout for many application servers is 30 minutes.

This timeout is reset whenever there is activity on the Web browser, such as refreshing the current page or navigating through other pages under the application's control. Merely keeping a browser window open does not keep the session open, because it does not generate any activity on the browser.

When the session closes, any application-related state must be reestablished by the Web browser. Examples include such items as redoing the login, the parameters of the session, and connection to back-end systems such as directory servers or Common Object Request Broker Architecture (CORBA) servers.

You may be able to customize the session timeout, depending on the type of Web server or Web application server that you are using. See the documentation for your Web server or Web application server for information about configuring these settings.



**NOTE:** Long timeouts or no timeouts not only result in security concerns for the browser, but also result in more resource usage on the servers to keep stale sessions.

---

The session timeout in *web.xml* used in a J2EE application server might be set as follows:

```
<web-app>
...
  <session-config>
    <session-timeout>30</session-timeout>
  </session-config>
...
</web-app>
```

## Access Controls

---

To enforce J2EE-style access controls, Web applications deployed in JBoss must contain a *WEB-INF/jboss-web.xml* file that defines a security domain as shown here:

```
<jboss-web>
<security-domain>java:/jaas/TEST_SECURITY_DOMAIN</security-domain>
</jboss-web>
```

For these Web applications, JBoss performs authentication as defined in the application's deployment descriptor, the *WEB-INF/web.xml* file. Here is the relevant sample portion of a *WEB-INF/web.xml* file:

```
<security-constraint>
  <web-resource-collection>
    <web-resource-name>TEST_WEB_RESOURCE_NAME</web-resource-name>
    <!-- Define the context-relative URL(s) to be protected -->
    <url-pattern>/*</url-pattern>
  </web-resource-collection>
  <auth-constraint>
    <role-name>TEST_ROLE_NAME</role-name>
  </auth-constraint>
</security-constraint>

<login-config>
  <auth-method>BASIC</auth-method>
  <realm-name>TEST_REALM_NAME</realm-name>
</login-config>
```

This *web.xml* file sample directs JBoss to obtain a username and password by using the HTTP BASIC pop-up. The sample shown from the *jboss-web.xml* file directs JBoss to authenticate that username and password by using the login module configured for the security domain, TEST\_SECURITY\_DOMAIN. You can edit the */opt/UMC/jboss/server/default/conf/login-config.xml* file to change the login module for a particular security domain.

If no login module is defined for TEST\_SECURITY\_DOMAIN, then the “other” security domain is used by default, as shown in this sample from the *login-config.xml* file:

```
<!--
  The default login configuration used by any security domain that
  does not have a application-policy entry with a matching name.
-->
<application-policy name = "other">
  <authentication>
    <login-module code="org.jboss.security.auth.spi.UsersRolesLoginModule" flag
= "required" />
  </authentication>
</application-policy>
```

The *org.jboss.security.auth.spi.UsersRolesLoginModule* login module authenticates usernames and passwords against the *server/default/conf/users.properties* file. The authenticated username must be a member of the role specified in the *web.xml* file. In our example earlier, this is TEST\_ROLE\_NAME.

To provide access to the Web application to user “anonymous” with password “secret” with the *jboss-web.xml* and *web.xml* files shown above, the login module requires the following information:

- From *server/default/conf/users.properties*:

anonymous=secret

- From *server/default/conf/roles.properties*:

anonymous=TEST\_ROLE\_NAME

The following Web applications do not have the *jboss-web.xml* file; you must add the file to provide J2EE-style access control:

- *./licenseServer/adminui/WEB-INF*
- *./prepaid/accountAdmin/WEB-INF*
- *./wkf/webapps/workflow/WEB-INF*

