



SRC-PE Software

Comprehensive Index

Release 1.0.x

Juniper Networks, Inc.

1194 North Mathilda Avenue
Sunnyvale, CA 94089

USA

408-745-2000

www.juniper.net

Juniper Networks, the Juniper Networks logo, NetScreen, and ScreenOS are registered trademarks of Juniper Networks, Inc. in the United States and other countries. JUNOS and JUNOSe are trademarks of Juniper Networks, Inc. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners.

Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

This product includes the following software: Fontconfig, X FreeType library, X Render extension headers, and X Render extension library, copyright © 2001, 2003 Keith Packard.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Keith Packard not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Keith Packard makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

KEITH PACKARD DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL KEITH PACKARD BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Products made or sold by Juniper Networks (including the ERX-310, ERX-705, ERX-710, ERX-1410, ERX-1440, M5, M7i, M10, M10i, M20, M40, M40e, M160, M320, and T320 routers, T640 routing node, and the JUNOS, JUNOSe, and SDX-300 software) or components thereof might be covered by one or more of the following patents that are owned by or licensed to Juniper Networks: U.S. Patent Nos. 5,473,599, 5,905,725, 5,909,440, 6,192,051, 6,333,650, 6,359,479, 6,406,312, 6,429,706, 6,459,579, 6,493,347, 6,538,518, 6,538,899, 6,552,918, 6,567,902, 6,578,186, and 6,590,785.

Copyright © 2007, Juniper Networks, Inc.
All rights reserved. Printed in USA.

SRC-PE Software Comprehensive Index, Release 1.0.x
Writing: Linda Creed, Diane Florio, Justine Kangas, Betty Lew, Helen Shaw
Editing: Fran Mues
Cover Design: Edmonds Design

Revision History
6 April 2007—Revision 1

The information in this document is current as of the date listed in the revision history.

Software License

The terms and conditions for using this software are described in the software license contained in the acknowledgment to your purchase order or, to the extent applicable, to any reseller agreement or end-user purchase agreement executed between you and Juniper Networks. By using this software, you indicate that you understand and agree to be bound by those terms and conditions.

Generally speaking, the software license restricts the manner in which you are permitted to use the software and may contain prohibitions against certain uses. The software license may state conditions under which the license is automatically terminated. You should consult the license for further details.

For complete product documentation, please see the Juniper Networks Web site at www.juniper.net/techpubs.

END USER LICENSE AGREEMENT

READ THIS END USER LICENSE AGREEMENT ("AGREEMENT") BEFORE DOWNLOADING, INSTALLING, OR USING THE SOFTWARE. BY DOWNLOADING, INSTALLING, OR USING THE SOFTWARE OR OTHERWISE EXPRESSING YOUR AGREEMENT TO THE TERMS CONTAINED HEREIN, YOU (AS CUSTOMER OR IF YOU ARE NOT THE CUSTOMER, AS A REPRESENTATIVE/AGENT AUTHORIZED TO BIND THE CUSTOMER) CONSENT TO BE BOUND BY THIS AGREEMENT. IF YOU DO NOT OR CANNOT AGREE TO THE TERMS CONTAINED HEREIN, THEN (A) DO NOT DOWNLOAD, INSTALL, OR USE THE SOFTWARE, AND (B) YOU MAY CONTACT JUNIPER NETWORKS REGARDING LICENSE TERMS.

1. The Parties. The parties to this Agreement are Juniper Networks, Inc. and its subsidiaries (collectively "Juniper"), and the person or organization that originally purchased from Juniper or an authorized Juniper reseller the applicable license(s) for use of the Software ("Customer") (collectively, the "Parties").

2. The Software. In this Agreement, "Software" means the program modules and features of the Juniper or Juniper-supplied software, and updates and releases of such software, for which Customer has paid the applicable license or support fees to Juniper or an authorized Juniper reseller. "Embedded Software" means Software which Juniper has embedded in the Juniper equipment.

3. License Grant. Subject to payment of the applicable fees and the limitations and restrictions set forth herein, Juniper grants to Customer a non-exclusive and non-transferable license, without right to sublicense, to use the Software, in executable form only, subject to the following use restrictions:

- a. Customer shall use the Embedded Software solely as embedded in, and for execution on, Juniper equipment originally purchased by Customer from Juniper or an authorized Juniper reseller.
- b. Customer shall use the Software on a single hardware chassis having a single processing unit, or as many chassis or processing units for which Customer has paid the applicable license fees; provided, however, with respect to the Steel-Belted Radius or Odyssey Access Client software only, Customer shall use such Software on a single computer containing a single physical random access memory space and containing any number of processors. Use of the Steel-Belted Radius software on multiple computers requires multiple licenses, regardless of whether such computers are physically contained on a single chassis.
- c. Product purchase documents, paper or electronic user documentation, and/or the particular licenses purchased by Customer may specify limits to Customer's use of the Software. Such limits may restrict use to a maximum number of seats, registered endpoints, concurrent users, sessions, calls, connections, subscribers, clusters, nodes, realms, devices, links, ports or transactions, or require the purchase of separate licenses to use particular features, functionalities, services, applications, operations, or capabilities, or provide throughput, performance, configuration, bandwidth, interface,

processing, temporal, or geographical limits. In addition, such limits may restrict the use of the Software to managing certain kinds of networks or require the Software to be used only in conjunction with other specific Software. Customer's use of the Software shall be subject to all such limitations and purchase of all applicable licenses.

- d. For any trial copy of the Software, Customer's right to use the Software expires 30 days after download, installation or use of the Software. Customer may operate the Software after the 30-day trial period only if Customer pays for a license to do so. Customer may not extend or create an additional trial period by re-installing the Software after the 30-day trial period.
- e. The Global Enterprise Edition of the Steel-Belted Radius software may be used by Customer only to manage access to Customer's enterprise network. Specifically, service provider customers are expressly prohibited from using the Global Enterprise Edition of the Steel-Belted Radius software to support any commercial network access services.

The foregoing license is not transferable or assignable by Customer. No license is granted herein to any user who did not originally purchase the applicable license(s) for the Software from Juniper or an authorized Juniper reseller.

4. Use Prohibitions. Notwithstanding the foregoing, the license provided herein does not permit the Customer to, and Customer agrees not to and shall not: (a) modify, unbundle, reverse engineer, or create derivative works based on the Software; (b) make unauthorized copies of the Software (except as necessary for backup purposes); (c) rent, sell, transfer, or grant any rights in and to any copy of the Software, in any form, to any third party; (d) remove any proprietary notices, labels, or marks on or in any copy of the Software or any product in which the Software is embedded; (e) distribute any copy of the Software to any third party, including as may be embedded in Juniper equipment sold in the secondhand market; (f) use any 'locked' or key-restricted feature, function, service, application, operation, or capability without first purchasing the applicable license(s) and obtaining a valid key from Juniper, even if such feature, function, service, application, operation, or capability is enabled without a key; (g) distribute any key for the Software provided by Juniper to any third party; (h) use the Software in any manner that extends or is broader than the uses purchased by Customer from Juniper or an authorized Juniper reseller; (i) use the Embedded Software on non-Juniper equipment; (j) use the Software (or make it available for use) on Juniper equipment that the Customer did not originally purchase from Juniper or an authorized Juniper reseller; (k) disclose the results of testing or benchmarking of the Software to any third party without the prior written consent of Juniper; or (l) use the Software in any manner other than as expressly provided herein.

5. Audit. Customer shall maintain accurate records as necessary to verify compliance with this Agreement. Upon request by Juniper, Customer shall furnish such records to Juniper and certify its compliance with this Agreement.

6. Confidentiality. The Parties agree that aspects of the Software and associated documentation are the confidential property of Juniper. As such, Customer shall exercise all reasonable commercial efforts to maintain the Software and associated documentation in confidence, which at a minimum includes restricting access to the Software to Customer employees and contractors having a need to use the Software for Customer's internal business purposes.

7. Ownership. Juniper and Juniper's licensors, respectively, retain ownership of all right, title, and interest (including copyright) in and to the Software, associated documentation, and all copies of the Software. Nothing in this Agreement constitutes a transfer or conveyance of any right, title, or interest in the Software or associated documentation, or a sale of the Software, associated documentation, or copies of the Software.

8. Warranty, Limitation of Liability, Disclaimer of Warranty. The warranty applicable to the Software shall be as set forth in the warranty statement that accompanies the Software (the "Warranty Statement"). Nothing in this Agreement shall give rise to any obligation to support the Software. Support services may be purchased separately. Any such support shall be governed by a separate, written support services agreement. TO THE MAXIMUM EXTENT PERMITTED BY LAW, JUNIPER SHALL NOT BE LIABLE FOR ANY LOST PROFITS, LOSS OF DATA, OR COSTS OR PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, THE SOFTWARE, OR ANY JUNIPER OR JUNIPER-SUPPLIED SOFTWARE. IN NO EVENT SHALL JUNIPER BE LIABLE FOR DAMAGES ARISING FROM UNAUTHORIZED OR IMPROPER USE OF ANY JUNIPER OR JUNIPER-SUPPLIED SOFTWARE. EXCEPT AS EXPRESSLY PROVIDED IN THE WARRANTY STATEMENT TO THE EXTENT PERMITTED BY LAW, JUNIPER DISCLAIMS ANY AND ALL WARRANTIES IN AND TO THE SOFTWARE (WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE), INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT DOES JUNIPER WARRANT THAT THE SOFTWARE, OR ANY EQUIPMENT OR NETWORK RUNNING THE SOFTWARE, WILL OPERATE WITHOUT ERROR OR INTERRUPTION, OR WILL BE FREE OF VULNERABILITY TO INTRUSION OR ATTACK. In no event shall Juniper's or its suppliers' or licensors' liability to Customer, whether in contract, tort (including negligence), breach of warranty, or otherwise, exceed the price paid by Customer for the Software that gave rise to the claim, or if the Software is embedded in another Juniper product, the price paid by Customer for such other product. Customer acknowledges and agrees that Juniper has set its prices and entered into this Agreement in reliance upon the disclaimers of warranty and the limitations of liability set forth herein, that the same reflect an allocation of risk between the Parties (including the risk that a contract remedy may fail of its essential purpose and cause consequential loss), and that the same form an essential basis of the bargain between the Parties.

9. Termination. Any breach of this Agreement or failure by Customer to pay any applicable fees due shall result in automatic termination of the license granted herein. Upon such termination, Customer shall destroy or return to Juniper all copies of the Software and related documentation in Customer's possession or control.

10. Taxes. All license fees for the Software are exclusive of taxes, withholdings, duties, or levies (collectively "Taxes"). Customer shall be responsible for paying Taxes arising from the purchase of the license, or importation or use of the Software.

11. Export. Customer agrees to comply with all applicable export laws and restrictions and regulations of any United States and any applicable foreign agency or authority, and not to export or re-export the Software or any direct product thereof in violation of any such restrictions, laws or regulations, or without all necessary approvals. Customer shall be liable for any such violations. The version of the Software supplied to Customer may contain encryption or other capabilities restricting Customer's ability to export the Software without an export license.

12. Commercial Computer Software. The Software is "commercial computer software" and is provided with restricted rights. Use, duplication, or disclosure by the United States government is subject to restrictions set forth in this Agreement and as provided in DFARS 227.7201 through 227.7202-4, FAR 12.212, FAR 27.405(b)(2), FAR 52.227-19, or FAR 52.227-14(ALT III) as applicable.

13. Interface Information. To the extent required by applicable law, and at Customer's written request, Juniper shall provide Customer with the interface information needed to achieve interoperability between the Software and another independently created program, on payment of applicable fee, if any. Customer shall observe strict obligations of confidentiality with respect to such information and shall use such information in compliance with any applicable terms and conditions upon which Juniper makes such information available.

14. Third Party Software. Any licensor of Juniper whose software is embedded in the Software and any supplier of Juniper whose products or technology are embedded in (or services are accessed by) the Software shall be a third party beneficiary with respect to this Agreement, and such licensor or vendor shall have the right to enforce this Agreement in its own name as if it were Juniper. In addition, certain third party software may be provided with the Software and is subject to the accompanying license(s), if any, of its respective owner(s). To the extent portions of the Software are distributed under and subject to open source licenses obligating Juniper to make the source code for such portions publicly available (such as the GNU General Public License ("GPL") or the GNU Library General Public License ("LGPL")), Juniper will make such source code portions (including Juniper modifications, as appropriate) available upon request for a period of up to three years from the date of distribution. Such request can be made in writing to Juniper Networks, Inc., 1194 N. Mathilda Ave., Sunnyvale, CA 94089, ATTN: General Counsel. You may obtain a copy of the GPL at <http://www.gnu.org/licenses/gpl.html>, and a copy of the LGPL at <http://www.gnu.org/licenses/lgpl.html>.

15. Miscellaneous. This Agreement shall be governed by the laws of the State of California without reference to its conflicts of laws principles. The provisions of the U.N. Convention for the International Sale of Goods shall not apply to this Agreement. For any disputes arising under this Agreement, the Parties hereby consent to the personal and exclusive jurisdiction of, and venue in, the state and federal courts within Santa Clara County, California. This Agreement constitutes the entire and sole agreement between Juniper and the Customer with respect to the Software, and supersedes all prior and contemporaneous agreements relating to the Software, whether oral or written (including any inconsistent terms contained in a purchase order), except that the terms of a separate written agreement executed by an authorized Juniper representative and Customer shall govern to the extent such terms are inconsistent or conflict with terms contained herein. No modification to this Agreement nor any waiver of any rights hereunder shall be effective unless expressly assented to in writing by the party to be charged. If any portion of this Agreement is held invalid, the Parties agree that such invalidity shall not affect the validity of the remainder of this Agreement. This Agreement and associated documentation has been written in the English language, and the Parties agree that the English version will govern. (For Canada: Les parties aux présentes confirment leur volonté que cette convention de même que tous les documents y compris tout avis qui s'y rattache, soient rédigés en langue anglaise. (Translation: The parties confirm that this Agreement and all related documentation is and will be in the English language)).

About This Guide

This preface provides the following guidelines for using the *SRC-PE Software Comprehensive Index*:

- Overview on page v
- Book Title Abbreviations on page v
- Related Juniper Networks Documentation on page vi
- Obtaining Documentation on page vii
- Documentation Feedback on page viii
- Requesting Support on page viii

Overview

The comprehensive index provides a complete index of the SRC guides, excluding the *C2000 and C4000 Hardware Guide* and the *SRC-PE CLI Command Reference*. The complete SRC documentation set is described in Table 2. We provide the comprehensive index with the documentation set on the *SRC Documentation CD*.

Book Title Abbreviations

Each entry in the index is preceded by a two-letter or three-letter abbreviation. This abbreviation denotes the title of the book in which the entry can be found. Table 1 provides a book title key of the two-letter abbreviations.

Table 1: Abbreviations and SRC Book Titles

Abbreviation	Book
AL	<i>SRC Application Library Guide</i>
CLI	<i>SRC-PE CLI User Guide</i>
GS	<i>SRC-PE Getting Started Guide</i>
IG	<i>SRC-PE Integration Guide: Network Devices, Directories, and RADIUS Servers</i>
MT	<i>SRC-PE Monitoring and Troubleshooting Guide</i>
NG	<i>SRC-PE Network Guide: SAE, Juniper Networks Routers, and NIC</i>
SG	<i>SRC-PE Solutions Guide</i>
SP	<i>SRC-PE Services and Policies Guide</i>
SS	<i>SRC-PE Subscribers and Subscriptions Guide</i>

Related Juniper Networks Documentation

Table 2 provides a list of the books in the SRC documentation set and describes the contents of each book.

Table 2: Juniper Networks C-series and SRC Technical Publications

Document	Description
Core Documentation Set	
<i>C2000 and C4000 Hardware Guide</i>	Describes the hardware platforms and how to install, maintain, replace, and troubleshoot them. The guide also includes specifications.
<i>SRC-PE Getting Started Guide</i>	Describes the SRC software and explains how to set up an initial configuration and manage a C-series platform. The guide describes how to set up and start the SRC CLI and C-Web, as well as other SRC configurations. It provides information about setting up an initial SRC configuration on a Solaris platform. The guide also describes how to upgrade the SRC software and how to use the SRC configuration tools. It includes reference material for the SRC documentation.
<i>SRC-PE CLI User Guide</i>	Describes how to use the SRC CLI, configure and monitor the platform with the CLI, and control the CLI environment. The guide also describes how to manage SRC components with the CLI.
<i>SRC-PE Network Guide: SAE, Juniper Networks Routers, and NIC</i>	Describes how to use and configure the SAE and the NIC. This guide also provides detailed information for using JUNOSe routers and JUNOS routing platforms in the SRC network.
<i>SRC-PE Integration Guide: Network Devices, Directories, and RADIUS Servers</i>	Describes how to integrate external components—network devices, directories, and RADIUS servers—into the SRC network. The guide provides detailed information about integrating specific models of the external components.
<i>SRC-PE Services and Policies Guide</i>	Describes how to work with services and policies. The guide provides an overview, configuration procedures, and management information. The guide also provides information about the SRC tools for configuring policies.
<i>SRC-PE Subscribers and Subscriptions Guide</i>	Describes how to work with residential and enterprise subscribers and subscriptions. The guide provides an overview, configuration procedures, and management information. This guide also provides information about the sample residential portals and enterprise service portals, including the Enterprise Manager Portal.

Table 2: Juniper Networks C-series and SRC Technical Publications (continued)

Document	Description
<i>SRC-PE Monitoring and Troubleshooting Guide</i>	Describes how to use logging, the SNMP agent, the SRC CLI, and the C-Web interface to monitor and troubleshoot SRC components. This guide also describes the SNMP traps.
<i>SRC-PE Solutions Guide</i>	Provides high-level instructions for SRC implementations. The guide documents the following scenarios: managing QoS services on JUNOS routers; managing subscribers in a wireless roaming environment; providing voice over IP (VoIP) services; integrating the SRC software in a PCMM environment, including the use of the Juniper Policy Server (JPS); mirroring subscriber traffic on JUNOS routers; demonstrating network resource management features in a sample IP television (IPTV) application; and demonstrating the integration of prepaid services in a sample application.
<i>SRC-PE CLI Command Reference, Volume 1</i> <i>SRC-PE CLI Command Reference, Volume 2</i>	Together constitute information about command and statement syntax; descriptions of commands, configuration statements, and options; editing level of statement options; and a history of when a command was added to the documentation.
<i>SRC-PE Comprehensive Index</i>	Provides a complete index of the SRC guides, excluding the <i>C-series Hardware Guide</i> and the <i>SRC CLI Command Reference</i> .
<i>J-Web User Interface Guide</i>	Provides general information about the J-Web interface.
Application Library	
<i>SRC Application Library Guide</i>	Describes how to install and work with applications that you can use to extend the capabilities of the SRC software. The guide documents the following applications: SRC-SG (SOAP Gateway) Web applications, applications to integrate the Juniper Networks Intrusion Detection and Protection (IDP) software into an SRC-managed environment, an application to provide endpoint security by integrating Juniper Networks Instant Virtual Extranet (IVE) Host Checker, a traffic-mirroring Web application, an application to integrate IP address managers with the SAE, an application to provide tracking and QoS control at the application level by integrating the SRC software with the Ellacoya deep packet inspection (DPI) platform, an application to control volume usage, and the SRC-ACP (Admission Control Plug-In) application.
Release Notes	
<i>SRC-PE Release Notes</i> <i>SRC Application Library Release Notes</i>	<p>In the <i>Release Notes</i>, you will find the latest information about features, changes, known problems, resolved problems, supported platforms and network devices (such as Juniper Networks routers and CMTS devices), and third-party software. If the information in the <i>Release Notes</i> differs from the information found in the documentation set, follow the <i>Release Notes</i>.</p> <p>Release notes are included in the corresponding software distribution and are available on the Web.</p>

Obtaining Documentation

To obtain the most current version of all Juniper Networks technical documentation, see the products documentation page on the Juniper Networks Web site at

<http://www.juniper.net/>

To order printed copies of this index and other Juniper Networks technical documents, or to order a documentation CD, which contains this index, contact your sales representative.

Documentation Feedback

We encourage you to provide feedback, comments, and suggestions so that we can improve the documentation to better meet your needs. Send your comments to techpubs-comments@juniper.net, or fill out the documentation feedback form at

<http://www.juniper.net/techpubs/docbug/docbugreport.html>

If you are using e-mail, be sure to include the following information with your comments:

Along with your comments, be sure to indicate:

- Document name
- Document part number
- Page number
- Software release version

Requesting Support

For technical support, open a support case using the Case Manager link at

<http://www.juniper.net/support/>

or call 1-888-314-JTAC (from the United States, Canada, or Mexico) or 1-408-745-9500 (from elsewhere).

Index

Index Key

DirX – DirX Directory Server
 Merit – Merit AAA 4.22E
 OID – Oracle Internet Directory
 RAD – RAD-Series AAA RADIUS Server
 SPE – Steel-Belted Radius/SPE
 Sun – Sun ONE Directory Server

Symbols

! regular expression operator CLI-71, GS-165
 \$ regular expression operator CLI-71, GS-165
 () regular expression operator CLI-71, GS-165
 * in completion list CLI-27
 * regular expression operator GS-165
 + in completion list CLI-27
 + regular expression operator GS-165
 + * in completion list CLI-27
 . regular expression operator GS-165
 > in completion list CLI-27
 [] regular expression operator CLI-71, GS-165
 ^ regular expression operator CLI-71, GS-165
 | (pipe) filter for command output CLI-70

A

aaaCheck
 Merit IG-145, IG-151
 RAD IG-165
 aaaDeny
 Merit IG-145, IG-151
 RAD IG-158, IG-165
 aaaReply
 Merit IG-145, IG-151
 RAD IG-158, IG-165
 access control information
 DirX directory server IG-78
 eTrust Directory IG-58
 Oracle Internet Directory IG-64, IG-66
 Sun ONE Directory Server IG-71
 access control scheme
 activating access
 operator IG-115
 subscription operator IG-115
 binding IG-107
 cachedAuthentication profile IG-108
 common access rights IG-116
 directories IG-106
 directory entries IG-105
 directory-specific IG-117

DirX directory server IG-117
 lock subtree IG-111
 mutex group objects IG-113
 network subtree IG-112
 parameter subtree IG-110
 permissions IG-106
 policy subtree IG-110
 RADIUS profile IG-109
 service, policy, and global parameter objects IG-114
 sspServiceProfile IG-108
 subscriber, retailer, and service profiles IG-112
 substitution access IG-116
 Sun ONE Directory Server IG-118
 system management IG-111
 UmcConfiguration IG-108
 umcRadius Person IG-109
 umcUser IG-109
 user class IG-106
 user subtree IG-114
 workflow subtree IG-113
 access DNs NG-283
 access lines SS-5, SS-12
 description SS-4, SS-5, SS-11
 access policy, examples SP-369, SP-381
 DHCP
 Policy Editor SP-382
 SRC CLI SP-370
 PPP
 Policy Editor SP-384
 SRC CLI SP-372
 access privilege levels
 permission options GS-162
 user accounts GS-172
 access services SP-34
 adding
 Policy Editor SP-35
 configuring subscriptions
 SDX Admin SS-261
 access subscribers SS-10
 configuring, SDX Admin SS-236
 accesses
 configuring subscriptions
 SRC CLI SS-292
 accessing
 Prepaid Account Administration application SG-203
 account server, prepaid services demo SG-198
 manual configuration SG-201
 publishing object references SG-200
 script configuration SG-200

- starting.....SG-201
- stopping.....SG-202
- accounting
 - applications.....GS-4
 - basic RADIUS accounting plug-in.....SS-152, SS-192
 - custom RADIUS accounting plug-ins.....SS-152, SS-192
 - description.....GS-7
 - flat file accounting plug-ins.....SS-152, SS-192
 - flexible RADIUS accounting plug-ins.....SS-152, SS-192
 - SAE, description.....NG-10
- accounting log file
 - Merit.....IG-151
 - RAD.....IG-166
 - SPE.....IG-137
- accounts
 - administering with Prepaid Account Administration
 - application.....SG-204
- aci attribute (Sun).....IG-71
- ACP. *See* SRC-ACP
- action classes in the sample residential portal.....SS-302
- action congestion points.....AL-203
 - configuring.....AL-237, AL-311
 - monitoring
 - C-Web interface.....AL-270
 - SRC CLI.....AL-257
- action threshold, service schedules
 - overview.....SP-92
 - setting
 - SDX Configuration Editor.....SP-114
 - SRC CLI.....SP-100
- actions. *See* policy actions
- active configuration.....CLI-4
- Adaptive Services PIC.....SP-142
 - See also* JUNOS ASP policy rules
- add-on packages
 - description.....GS-257
 - directory types.....GS-16
 - DirX directory server.....IG-78
 - eTrust Directory.....IG-57
 - migration.....GS-322
 - Oracle Internet Directory.....IG-64
 - Sun ONE Directory Server.....IG-70–IG-71
- address pools
 - assigned IP subscribers
 - configuring.....SG-127, SG-140
- address pools. *See* IP address pools.....NG-62, NG-86, SG-79
- admin command.....GS-265
- admin permission.....GS-162
- admin-control permission.....GS-162
- administration portal
 - traffic mirroring.....AL-84
- administration user interface (SPE).....IG-138
- administrative users.....GS-246
- admintool command.....AL-6, GS-262, GS-267
- Admission Control Plug-In. *See* SRC-ACP
- Advanced Services Gateway. *See* SRC-SG
- agents. *See* NIC
- aggregate services.....SP-4, SP-47, SP-58–SP-70
 - adding
 - SDX Admin.....SP-63
 - SRC CLI.....SP-15
 - before you configure
 - SDX Admin.....SP-62
 - SRC CLI.....SP-14
 - fragment services.....SP-10, SP-58
 - infrastructure services.....SP-19, SP-71
 - mandatory services.....SP-10, SP-59
 - Python expressions.....SP-17, SP-68
 - redundancy.....SP-11, SP-59
 - sessions.....SP-11, SP-59
 - activation.....SP-11, SP-59
 - deactivation.....SP-12, SP-60
 - monitoring.....SP-12, SP-60
 - timers, configuring
 - SDX Configuration Editor.....SP-69
 - SRC CLI.....SP-18
- alarms, license server.....GS-104
- all permission.....GS-162
- allocating bandwidth to applications not controlled
 - by SRC-ACP.....AL-205
- announcements at system login.....GS-177
- APIs (application programming interfaces)
 - CORBA plug-in SPI.....GS-30
 - CORBA remote API.....GS-31, NG-9
 - description.....GS-8
 - documentation.....GS-315, SS-336
 - Dynamic Service Activator.....AL-43–AL-53
 - NIC.....NG-263
 - provided with SAE.....NG-8
 - SAE core API.....GS-31, NG-8
 - SRC-ACP.....AL-209
- application manager
 - role, in PCMM environment.....SG-38
- application programming interfaces. *See* APIs
- application protocols, managing.....SS-491–SS-496
- application-level tracking and QoS control. *See* DPI
- applications
 - executing with SRC-ACP.....AL-203
 - external for use with SRC-ACP.....AL-203, AL-206
 - IDP E-Mailer.....AL-165
- apply-groups statement, JUNOS routing platforms.....SP-212, SP-284
- architecture
 - enterprise service portal.....SS-425
 - SRC software.....GS-3
- arguments for scripts and methods.....AL-15
- ASG (Advanced Services Gateway). *See* SRC-SG
- assigned IP subscribers
 - PCMM network.....SG-48, SG-79, SG-85
 - address pools.....SG-127, SG-140
 - IP address pools.....SG-48
 - setting timeouts.....SG-36
 - third-party devices.....IG-6, IG-22
 - IP address pools.....IG-6, IG-22
 - voice over IP.....SG-35

- assigning
 - edge congestion points to subscribers ...AL-235, AL-308
 - interfaces to backbone congestion points.....AL-239, AL-316
 - interfaces to subscribers.....AL-235, AL-308
 - ATM access network, using with SRC-ACP.....AL-203
 - attacks
 - pending service activation, managing.....AL-131
 - pending service deactivation, managing.....AL-132
 - requiring action, managing.....AL-130
 - with activated services, managing.....AL-134
 - attribute value pairs
 - Merit.....IG-145, IG-151
 - RAD.....IG-158
 - Attribute/name section, LDAP authentication (SPE)....IG-132
 - attributes
 - AAA
 - MeritIG-151
 - RADIG-165
 - JUNOS-specific
 - integration.....IG-129, IG-148
 - MeritIG-144, IG-148, IG-151
 - RADIG-161, IG-165, IG-166
 - LDAP
 - subscriptions, forAL-49
 - See also* LDAP schema
 - Attributes section, customizing authentication
 - file (SPE)IG-137
 - authenticating gateway clientsAL-24
 - authentication
 - configuration example.....GS-187
 - credentials (SPE).....IG-138
 - log file, customizing (SPE)IG-137
 - multiple methodsGS-182
 - NTP authentication keys.....GS-121
 - RADIUS
 - configuring.....GS-179, GS-180
 - exampleGS-187
 - shared user accounts.....GS-186, GS-187
 - TACACS+, configuring.....GS-179, GS-181
 - template accounts
 - local user.....GS-187
 - named.....GS-186
 - overviewGS-185
 - remote usersGS-186
 - See also* user accounts
 - authentication order
 - configuring.....GS-183, GS-184
 - overview.....GS-182
 - removing authentication methodGS-185
 - authentication plug-ins
 - configuring
 - SDX Configuration EditorSS-160
 - SRC CLISS-203
 - typesSS-130
 - authentication/authorization transfer vectors (AATVs)
 - Merit.....IG-144
 - RAD.....IG-157
 - authfile file
 - Merit.....IG-148
 - RAD.....IG-161
 - authorization plug-ins
 - configuring
 - SDX Configuration EditorSS-160
 - SRC CLISS-203
 - typesSS-130
 - authorizing and tracking services.....AL-206
- B**
- B2B environmentsAL-13
 - backbone congestion pointsAL-220, AL-284
 - configuringAL-239, AL-315
 - configuring for servicesAL-239, AL-314
 - defining applications inAL-203
 - derivingAL-205
 - DNs ofAL-205
 - monitoring
 - C-Web interface.....AL-268
 - SRC CLIAL-256
 - running applications fromAL-237, AL-311
 - backbone networkAL-201, AL-236, AL-310
 - background bandwidthAL-205
 - backing up
 - DirX directory.....IG-84
 - Sun ONE directory.....IG-74
 - backup directoryGS-221
 - bandwidth
 - allocating to applications not controlled by
 - SRC-ACPAL-205
 - backgroundAL-205
 - configuring
 - for services.....AL-236, AL-238, AL-309, AL-314
 - for subscribers.....AL-234, AL-306
 - downstreamAL-202
 - upstreamAL-202
 - bandwidth on demand. *See* BoD
 - Base variable (SPE)IG-132
 - base-dn, configuringGS-225
 - basic RADIUS accounting plug-inSS-152, SS-192
 - configuring
 - SDX Configuration EditorSS-158
 - SRC CLISS-196
 - basic RADIUS authentication plug-in.....SS-161, SS-203
 - configuring
 - SDX Configuration EditorSS-162
 - SRC CLISS-205
 - BEEP TLS connectionsGS-189
 - BEEP, JUNOS routing platforms.....NG-4
 - configuring port
 - SDX Configuration EditorNG-145
 - SRC CLING-114
 - connection.....NG-110, NG-136
 - binary directory (RAD)IG-156
 - Bind
 - LDAP authentication (SPE).....IG-130
 - request (SPE)IG-130, IG-134

- binding
 - access control.....IG-107
 - BindName
 - LDAP authentication (SPE)IG-130
 - LDAP server (SPE)IG-131
 - SRC application (SPE)IG-132
 - user password attribute (SPE).....IG-132
 - BindPassword
 - LDAP authentication (SPE)IG-130
 - LDAP server (SPE)IG-131
 - Blocks Extensible Exchange Protocol. *See* BEEP
 - BoD (bandwidth on demand)
 - servicesSS-376, SS-388–SS-395
 - subscriptionsSS-474–SS-520
 - boot server, NTPGS-118
 - Bootstrap section, LDAP authentication (SPE)IG-130
 - broadcast
 - synchronizing NTPGS-123
 - broadcast mode.....GS-120
 - browser requirements (SPE)IG-124
 - business partner responsibilities
 - Dynamic Service ActivatorAL-18
 - Subscriber Manager.....AL-62
 - business partnersAL-15
 - business-to-business environmentsAL-13
- C**
- C2000 platformGS-3
 - cable modem termination system. *See* CMTS devices
 - cacerts files, LDAPSIG-87
 - cachedAuthentication and access controlsIG-108
 - callback interface.....SS-419
 - candidate configurationCLI-4
 - captive portal
 - implementing.....SS-338
 - preventing access to resourcesSS-338, SS-345
 - using with next-hop action
 - Policy Editor.....SP-340
 - SRC CLISP-262
 - CDs
 - SRC software CDAL-3
 - SRC software distribution.....GS-246
 - certificate authority (CA)NG-115, NG-148
 - certificate files, LDAPS.....IG-87
 - Class
 - MeritIG-151
 - RADIG-166
 - SPEIG-137
 - class of service. *See* CoS
 - classification scripts
 - conditionsSS-64
 - glob matchingSS-68
 - joining.....SS-68
 - regular expression matching.....SS-69
 - configuring
 - SDX AdminSS-98
 - SRC CLISS-66
 - congestion point classification
 - configuring.....AL-242
 - criteria.....AL-242, AL-244
 - descriptionAL-241
 - how it worksAL-241
 - targetsAL-241, AL-244
 - criteria
 - definition.....SS-96
 - glob matchingSS-99
 - joining.....SS-99
 - regular expression matchingSS-100
 - descriptions.....SS-63, SS-95
 - DHCP classification, C-series platform
 - conditionsSS-87
 - configuring.....SS-86
 - descriptionSS-64
 - targetsSS-89
 - DHCP classification, Solaris platform
 - configuring.....SS-117
 - criteria.....SS-118
 - descriptionSS-96
 - targetsSS-119
 - interface classification, C-series platform
 - conditionsSS-72
 - configuring.....SS-70
 - descriptionSS-63
 - examples.....SS-74
 - how it worksSS-64
 - targetsSS-74
 - interface classification, Solaris platform
 - configuring.....SS-104
 - criteria.....SS-104
 - descriptionSS-95
 - examples.....SS-107
 - how it worksSS-96
 - targetsSS-106
 - structure
 - SDX AdminSS-98
 - SRC CLISS-66
 - subscriber classification, C-series platform
 - condition.....SS-79
 - configuring.....SS-76
 - descriptionSS-63
 - DHCP options.....SS-82
 - enterprise subscriber exampleSS-84
 - how it worksSS-65
 - static IP subscriber example.....SS-83
 - subscriber group exampleSS-84
 - targetsSS-83
 - subscriber classification, Solaris platform
 - configuring.....SS-108
 - criteria.....SS-109
 - descriptionSS-96
 - DHCP options.....SS-112
 - enterprise subscriber exampleSS-115
 - how it worksSS-97
 - static IP subscriber example.....SS-114
 - subscriber group exampleSS-115
 - targetsSS-114
 - wholesaler/retailer exampleSS-116

- target, C-series platform
 - definition SS-64
 - expressions SS-67
 - types SS-67
- target, Solaris platform
 - definition SS-96
 - expressions SS-98
 - types SS-98
- classify-traffic condition SP-152
 - application protocol
 - defining, Policy Editor SP-314
 - defining, SRC CLI SP-244
 - map expressions, Policy Editor SP-315
 - map expressions, SRC CLI SP-247
 - configuring
 - Policy Editor SP-297–SP-321
 - SRC CLI SP-218–SP-248
 - destination grouped network, configuring
 - Policy Editor SP-303
 - SRC CLI SP-226
 - destination network, configuring
 - Policy Editor SP-303
 - SRC CLI SP-225
 - expanded classifiers SP-153
 - configuring SG-194
 - configuring, Policy Editor SP-298
 - configuring, SRC CLI SP-220
 - extended classifiers SP-159
 - configuring, Policy Editor SP-299
 - configuring, SRC CLI SP-220
 - ICMP conditions, setting
 - Policy Editor SP-310
 - SRC CLI SP-238
 - IGMP conditions, setting
 - Policy Editor SP-310
 - SRC CLI SP-239
 - IP protocol, setting
 - Policy Editor SP-307
 - IPSec conditions, setting
 - Policy Editor SP-310
 - SRC CLI SP-240
 - JUNOS filter conditions, setting
 - Policy Editor SP-312
 - SRC CLI SP-243
 - match direction, setting
 - Policy Editor SP-302
 - SRC CLI SP-222
 - multiple classifiers SP-153
 - network protocol, setting
 - Policy Editor SP-302
 - packet length, setting
 - Policy Editor SP-306
 - SRC CLI SP-227
 - PCMM I02 and I03 SP-159
 - configuring, Policy Editor SP-299
 - configuring, SRC CLI SP-220
 - port definitions, overview
 - Policy Editor SP-299
 - SRC CLI SP-221
 - protocol conditions with parameters, setting
 - SRC CLI SP-231
 - protocol conditions with ports, setting
 - SRC CLI SP-228
 - protocol conditions, setting
 - SRC CLI SP-227
 - source grouped network, configuring
 - Policy Editor SP-303
 - SRC CLI SP-224
 - source network, configuring
 - Policy Editor SP-303
 - source network, setting
 - SRC CLI SP-223
 - TCP conditions, setting
 - Policy Editor SP-310
 - SRC CLI SP-235
 - ToS byte conditions, setting
 - Policy Editor SP-309
 - SRC CLI SP-242
- clear permission GS-162
- clearing SOAP messages AL-42
- CLI
 - command hierarchy CLI-5
 - command history CLI-31
 - command mode CLI-4
 - configuration mode
 - command completion CLI-36
 - commands CLI-52
 - entering CLI-55
 - exiting CLI-55
 - hierarchy CLI-30, CLI-54
 - navigation commands CLI-30
 - overview CLI-4, CLI-51
 - running operational mode commands CLI-29
 - statement description CLI-53
 - symbols in statement lists CLI-27, CLI-60
 - verifying configurations CLI-65
 - editing level CLI-82
 - environment settings CLI-85
 - help CLI-10, CLI-33, CLI-34
 - interface elements CLI-21
 - keyboard sequences CLI-25, CLI-77
 - messages CLI-22
 - modes
 - changing CLI-28, CLI-29
 - overview CLI-4
 - operating systems CLI-3
 - overview CLI-3, CLI-7
 - password CLI-84
 - platform-specific components CLI-31
 - prerequisites CLI-9
 - privilege levels CLI-28
 - prompt strings CLI-84
 - starting CLI-10
 - tutorial CLI-9
 - working directory CLI-85
- client mode, NTP GS-118
- client type 1, PCMM SG-40
- client type 2, PCMM SG-41

- clients
 - gateway.....AL-32
 - adding to directory.....AL-28
 - authenticating.....AL-24
 - developing.....AL-43–AL-53, AL-70, AL-71
 - managing.....AL-43–AL-53, AL-71, AL-72
 - testing.....AL-35–AL-42
 - SRC SOAP Gateway.....AL-13
- CMTS devices
 - adding objects to directory
 - SDX Admin.....SG-81
 - SRC CLI.....SG-77
 - adding virtual router objects to directory
 - SDX Admin.....SG-83
 - SRC CLI.....SG-78
 - configuration statements.....SG-77, SG-78
 - role.....SG-38
- CMTS locator
 - monitoring
 - C-Web interface.....SG-155
 - SRC CLI.....SG-149
- command output
 - MORE prompt.....CLI-24
 - number of lines.....CLI-72
 - pagination.....CLI-75
 - saving to a file.....CLI-75
 - XML format, displaying.....CLI-72
 - See also* regular expressions
- commands
 - access to.....GS-164
 - categories.....CLI-41
 - completion.....CLI-36, CLI-85
 - configuration mode.....CLI-52
 - filenames in.....CLI-46
 - keytool.....IG-87
 - operational mode.....CLI-42
 - options.....CLI-26
 - types.....CLI-25
 - URLs in.....CLI-46
- commit check command.....CLI-65
- commit command.....CLI-52, CLI-66
- commit-and-quit command.....CLI-29, CLI-66
- Common Information Model (CIM).....IG-49
- Common Object Request Broker Architecture. *See* CORBA
- Common Open Policy Service. *See* COPS
- community manager
 - configuring, third-party devices
 - SDX Configuration Editor.....IG-34
 - SRC CLI.....IG-12
- component interactions
 - DHCP
 - initial login.....SS-23
 - persistent login.....SS-26
 - subscriber account login.....SS-25
 - subscriber logout.....SS-28
 - enterprise subscribers
 - login.....SS-32
 - remote session activation.....SS-38
- JUNOS routing platforms and SAE.....NG-4
- PPP
 - login.....SS-19
 - logout.....SS-21
 - static IP subscribers.....SS-29
 - subscription activation.....SS-34
 - subscription deactivation.....SS-36
- component software.....GS-263
 - installing.....GS-155, GS-264
 - upgrading.....GS-155
- compress command.....GS-267
- config command.....GS-335
- configuration
 - backup.....CLI-88
 - changes by multiple users.....CLI-67
 - committing.....CLI-29, CLI-66
 - default.....CLI-94
 - deleting statements.....CLI-61
 - displaying current configuration.....CLI-57
 - enable LDAP host (SPE).....IG-126
 - example.....CLI-54
 - files (SPE).....IG-125, IG-126
 - loading.....CLI-88, CLI-94, CLI-99
 - local.....CLI-87
 - merge.....CLI-95
 - modifying.....CLI-56
 - procedure (SPE).....IG-126, IG-127
 - replacement.....CLI-96, CLI-97
 - rollback.....CLI-19, CLI-100
 - slot.....CLI-87
 - statements. *See* configuration statements
 - storage.....CLI-87
 - verifying.....CLI-65
- configuration directory
 - Merit.....IG-148
 - RAD.....IG-156
- configuration files
 - attributes.....CLI-91
 - overview.....CLI-89
 - preparation to load.....CLI-92
- configuration group, JUNOS routing platforms.....NG-110, NG-127, NG-136, NG-163
- configuration hierarchy.....CLI-5
- configuration level in Enterprise Manager Portal.....SS-466
- configuration manager, instantiating for NIC.....NG-264
- configuration mode *See* CLI.....CLI-30
- configuration namespace.....AL-15
- configuration statements
 - access to.....GS-164
 - deleting.....CLI-61
 - overview.....CLI-26, CLI-60
 - symbols in statements.....CLI-27
- configuration tool. *See* local configuration tool
- configure command.....CLI-55
- configure permission.....GS-162
- configuring
 - backbone congestion points.....AL-237, AL-239, AL-311, AL-314, AL-315
 - backbone network management
 - with SRC-ACP.....AL-236, AL-310

- bandwidths and congestion points for
 - subscribersAL-234, AL-306
- bandwidths for services.....AL-236, AL-238, AL-309, AL-314
- congestion pointsAL-234, AL-306
- CORBA interfaces for SRC-ACP.....AL-226, AL-291
- eventing propertiesAL-301
- gateway client for PCsAL-41
- SAE for SRC-ACPAL-219, AL-283, SG-171
- SRC-ACP..... AL-214–AL-240, AL-280, AL-283–AL-286
- SRC-ACP propertiesAL-221–AL-232, AL-286–AL-293
- Subscriber Manager.....AL-64–AL-69
- congestion point applications
 - SPI for ACPAL-237, AL-310
- congestion point classificationAL-204
- congestion point classification scripts. *See* classification scripts
- congestion point expressions.....AL-248, AL-317
- congestion point profilesAL-204
 - changing.....AL-321
 - congestion point expressionsAL-248, AL-317
 - defining.....AL-247, AL-316
 - removing.....AL-321
- congestion pointsAL-202
 - configuringAL-234, AL-306
 - defining applications inAL-203
 - deriving.....AL-203
 - deriving from profileAL-204
 - managingAL-205
 - modifying.....AL-252, AL-323
 - monitoringAL-260
 - retrieving information about.....AL-206
- congestionPoints attributeAL-314
- consolidated installation
 - redundancy schemes.....GS-241
- consolidated installation on Solaris platforms
 - component distribution scenario. *See* deployment scenarios
- content rules.....IG-55
- control permission.....GS-162
- controlled load service, FlowSpecSP-161
- COPS (Common Open Policy Service)
 - connection with JUNOS routersNG-60, NG-82
 - configuring SAE, SDX Configuration Editor .. NG-90
 - configuring SAE, SRC CLING-64
 - disabling on routerNG-73, NG-106
 - enabling on router.....NG-72, NG-105
 - COPS-PR versus COPS XDR.....NG-4
- DHCP interactions
 - initial loginSS-24
 - logoutSS-28
 - persistent login.....SS-27
 - subscriber account login.....SS-25
- interface startup interactions.....SS-22
- JUNOS router connection.....NG-4
- PPP interactions
 - loginSS-20
 - logoutSS-21
- static IP subscriber interactionsSS-29
- subscription activation interactionsSS-36
- subscription deactivation interactions.....SS-37
- CORBA (Common Object Request Broker Architecture)
 - IOR location.....NG-242
 - naming server for NICNG-185
 - object reference in external plug-insSS-145
 - plug-in interface
 - enterprise service portalSS-426–SS-427
 - reference for SAE
 - JUNOSNG-142
 - JUNOSeNG-88
 - PCMMSG-86
 - third-party devices.....IG-31
 - remote APING-9, SS-336
- CORBA interfaces
 - SRC-ACPAL-208, AL-226, AL-291
- CORBA-based plug-in SPI. *See* plug-ins, external
- CoS (class of service).....SP-141
 - ToS byte, setting
 - Policy EditorSP-309
 - SRC CLISP-242
- count filterCLI-72
- credentials
 - authentication (SPE)IG-138
 - bind to LDAP server (SPE)IG-131
 - LDAP authentication (SPE).....IG-130
- crontab file.....IG-95, IG-100, SS-412
- C-series platforms
 - boot messages, viewing
 - C-Web interface.....MT-103
 - SRC CLIMT-94
 - configuration prerequisitesGS-43
 - deployment considerations.....GS-40
 - description.....GS-3
 - directoriesCLI-43
 - files.....CLI-43
 - initial configuration.....GS-45
 - installing component software.....GS-155
 - interfaces.....GS-62
 - monitoring
 - C-Web interface.....MT-99
 - SRC CLIMT-93
 - removing component software.....GS-155
 - restoring software snapshot.....GS-155
 - software packagesGS-151
 - software snapshotGS-152
 - SRC componentsGS-39
 - static routesGS-66
 - status.....47
 - system date, viewingMT-101
 - system information, viewing
 - C-Web interface.....MT-100
 - SRC CLIMT-93
 - upgrading software.....GS-152, GS-153, GS-155
 - version47
- cursor, movingCLI-77
- custom RADIUS accounting plug-insSS-152, SS-192
 - configuring
 - SDX Configuration EditorSS-159
 - SRC CLISS-200

- custom RADIUS authentication plug-ins..... SG-27, SS-161, SS-203
 - configuring
 - SDX Configuration Editor..... SS-164
 - SRC CLI..... SS-209
 - customized interface modules..... NG-9
 - C-Web interface
 - configuration statements..... GS-56
 - configuring
 - HTTP access..... GS-58
 - HTTPS access..... GS-57
 - elements..... MT-88
 - getting Help..... MT-90
 - layout..... MT-87
 - logging out..... GS-60
 - monitoring options..... MT-84
 - navigating..... MT-90
 - overview..... GS-21, GS-55
 - password, changing..... GS-60
 - starting..... GS-60
 - starting the interface..... MT-87
 - username, changing..... GS-60
- D**
- data directory (RAD)..... IG-156
 - data integrators
 - adding VPNs..... IG-100, SS-406
 - configuring..... IG-95
 - deactivating invalid subscriptions to VPNs..... IG-102, SS-411
 - description..... IG-91
 - developing..... IG-94
 - executing..... IG-100
 - getting help..... IG-93
 - logging properties..... IG-95
 - order of processors..... IG-96
 - planning..... IG-94
 - processors
 - Database Reader..... IG-96
 - description..... IG-92
 - Enterprise Audit File Reader..... IG-98
 - LDAP Reader..... IG-97
 - LDAP Writer..... IG-99
 - suite, installing..... IG-94
 - XML File Reader..... IG-98
 - XML File Writer..... IG-99
 - Data over Cable Service Interface Specifications.
 - See* DOCSIS protocol
 - data security, Policy Editor..... SP-165
 - database
 - files
 - installation (SPE)..... IG-125
 - previous installations (SPE)..... IG-126
 - integrating data into directory..... IG-92
 - JDBC drivers..... IG-94
 - Database Reader..... IG-96
 - datastream format..... GS-267
 - date on system..... GS-115
 - DCU (destination class usage)..... SS-398
 - deep packet inspection. *See* DPI
 - default policies..... SP-143
 - example
 - Policy Editor..... SP-381
 - SRC CLI..... SP-369
 - installing on router..... SP-144
 - reloading on router..... SP-145
 - default retailer authentication plug-ins
 - configuring
 - SDX Configuration Editor..... SS-185
 - SRC CLI..... SS-225
 - default retailer DHCP authentication plug-ins
 - configuring
 - SDX Configuration Editor..... SS-186
 - SRC CLI..... SS-225
 - default SRC installation directory..... GS-263
 - default.properties files..... GS-285
 - delete command..... CLI-52, CLI-61
 - deleting
 - gateway clients..... AL-32
 - scripts..... AL-32
 - demonstration application, prepaid services..... SG-197
 - denial-of-service attacks..... SS-348
 - deploying
 - Host Check Result portal..... AL-100
 - IDP captive portal..... AL-189, AL-193
 - IDP E-Mailer..... AL-167, AL-172
 - Prepaid Account Administration application..... SG-203
 - deployment scenarios
 - C-series platforms..... GS-40, GS-41
 - enterprise service portal..... SS-427
 - Solaris platforms..... GS-233, GS-234, GS-235, GS-240, GS-242
 - SRC software..... GS-234
 - deriving congestion points..... AL-203
 - DES (directory eventing system)
 - general properties..... GS-302
 - JNDI properties..... GS-301
 - overview..... GS-221
 - properties..... GS-228
 - sample configuration..... GS-306
 - standard properties..... GS-301
 - destination class usage..... SS-398
 - developing gateway clients..... AL-70-AL-71
 - device drivers
 - JUNOS
 - configuring, SDX Configuration Editor..... NG-144
 - configuring, SRC CLI..... NG-113
 - viewing state, C-Web interface..... NG-132
 - viewing state, SRC CLI..... NG-130
 - viewing statistics, C-Web interface..... NG-133, NG-134
 - viewing statistics, SRC CLI..... NG-130, NG-131
 - JUNOSe
 - configuring, SDX Configuration Editor..... NG-90
 - configuring, SRC CLI..... NG-64
 - viewing state, C-Web interface..... NG-77
 - viewing state, SRC CLI..... NG-75
 - viewing statistics, C-Web interface..... NG-78, NG-79
 - viewing statistics, SRC CLI..... NG-76

- simulated, configuring.....MT-29
 - SDX Configuration EditorMT-33
 - SRC CLIMT-29
- viewing on SAE
 - C-Web interfaceMT-134
 - SRC CLIMT-110
- DHCP (Dynamic Host Configuration Protocol)
 - access policy example
 - Policy EditorSP-382
 - SRC CLISP-370
 - address assignment.....SS-132
 - classification scripts. *See* classification scripts
 - optionsSS-90, SS-120
 - profilesSS-92, SS-123
 - subscribers
 - login process.....SS-22–SS-27
 - logout process.....SS-28
- dictionary files with JUNOS^e parameters
 - Merit.....IG-147
 - RAD.....IG-161
 - SPE.....IG-129
- differentiated QoSGS-8
- Differentiated Services code point, ToS byte
 - Policy EditorSP-309
 - SRC CLISP-242
- digital certificates. *See* security
- directed accounting (SPE)IG-137
- directed authentication (SPE)IG-136
- directories on C-series platformCLI-43
- directories, partitioning.....AL-301
- directory
 - access control scheme.....IG-105–IG-119
 - access rightsIG-47
 - clientGS-15
 - configuring
 - redundancy.....GS-221
 - type.....GS-306
 - connection to Subscriber ManagerAL-65
 - default SRC installation.....GS-263
 - deleting entries.....GS-306
 - descriptionGS-10
 - enterprise service portalSS-426
 - eventing and failover, description.....GS-16
 - exception handling, Policy EditorSP-164
 - failoverGS-221
 - finding new entries.....GS-306
 - LDAP version 3 compatibilityGS-16
 - managing problems.....GS-222
 - multimaster replicationNG-272
 - prepackaged integrationGS-16
 - primaryGS-221
 - provisioningIG-81
 - RADIUSGS-32
 - reading dataIG-92
 - redundancyIG-46
 - retrieving changed data.....GS-221
 - schema.....IG-49–IG-55
 - secondary (backup)GS-221
 - services for SRC-ACP.....AL-230, AL-298
 - subscribers for SRC-ACP.....AL-228, AL-295
 - supported directory serversIG-47
 - synchronizingSP-164
 - transferring data.....IG-91
 - updates to.....IG-46
 - Workflow application.....GS-29
 - See also* LDAP
- directory blacklist, deleting.....NG-53
- directory connection propertiesGS-227
- directory eventing propertiesAL-301
- directory eventing system. *See* DES
- Directory Information Shadowing ProtocolGS-236
- directory migration
 - cloning the directory serverGS-323
 - DirXGS-323
 - Sun ONE.....GS-324
 - completion
 - DirXGS-327
 - Sun ONE.....GS-327
 - configuration fileGS-325
 - DirX slave directories.....GS-320
 - host preparationGS-322
 - installing directory packages.....GS-322, GS-325
 - scriptGS-318, GS-326
 - shadowed environment
 - DirXGS-320
 - managingGS-320
 - Sun ONE.....GS-321
 - updating the host.....GS-328
- directory server
 - cloningGS-323
 - deployment with remote SAESS-427
 - supportedGS-250
 - third-partyGS-16
 - Workflow application, high-availability
 - deployment.....AL-486
 - See also* DirX directory server; eTrust Directory; Oracle Internet Directory; Sun ONE Directory Server
- Directory Service Protocol.....GS-236
- directory shadowsGS-236
- DirX directory server
 - access control scheme.....IG-117
 - add-on packageGS-16, IG-78
 - backing up directoryIG-84
 - cloning the directory serverGS-323
 - deployment with remote SAESS-427
 - directory userIG-79
 - dirx user environment.....IG-82, IG-83
 - installing.....IG-80
 - integrating with SRC software.....IG-78–IG-81
 - integrationGS-16
 - loading sample data.....IG-81
 - obtainingIG-79
 - restoring directory databaseIG-84
 - slave directories, migrating.....GS-320
 - standards.....IG-78
 - startingIG-82, IG-83
 - stoppingIG-83
 - superuser environment.....IG-83
 - uninstalling.....IG-82
 - Workflow application.....AL-484

- dirxadm (DirX) GS-320
- DirXmetahub IG-78, IG-81
- disable command CLI-103
- DISP (Directory Information Shadowing Protocol) GS-236
- distinguished name. *See* DN
- distributed installation
 - reliability GS-237
 - scalability GS-237
 - simplified management and security GS-237
- distributed installation on Solaris platforms GS-235
- DIT (Directory Information Tree)
 - content rules IG-55
 - structure rules IG-55
- dln1 Chassis object class IG-53
- DN (distinguished name)
 - NIC resolution NG-283
- DNs
 - backbone congestion points AL-205
 - edge congestion points AL-203
- DOCSIS policy actions SP-154
 - configuring
 - Policy Editor SP-323
 - SRC CLI SP-250
- DOCSIS protocol SG-39
- Document Object Model. *See* DOM
- document type definitions. *See* DTDs
- DOM (Document Object Model) IG-96
- domain maps
 - reloading on SAE NG-53
- domain name parsing
 - configuring, property file SS-60
- domains
 - IP service edge SG-43
 - IP subscriber edge SG-43
 - radio frequency SG-43
- downstream bandwidth AL-202
- downstreamBackgroundRate attribute AL-304
- downstreamProvisionedRate attribute AL-304, AL-306
- downstreamSyncRate attribute AL-306
- DPI (deep packet inspection)
 - AOL subscriptions, activating AL-339
 - benefits AL-328
 - collecting accounting data AL-331
 - size limit, setting AL-338
 - configuring
 - Ellacoya DPI platform AL-341–AL-343
 - IPSCS, provisioning AL-341
 - parameters AL-337
 - script services AL-334–AL-339
 - service logic engine (SLE) AL-342
 - SLE server, IP address or hostname AL-338
 - SRC software AL-334–AL-341
 - subscriber prefix AL-339
 - subscriptions AL-340
 - virtual router AL-339
 - Ellacoya Networks DPI components AL-329
 - e30 Switch AL-329
 - IP Service Control System (IPSCS) AL-329
 - Remote Method Invocation (RMI) protocol AL-329
 - service logic engine (SLE) AL-329
- integration overview AL-329
- loading sample data AL-333
- overview AL-327
- script service AL-329
 - JAR files AL-337
- service activation and deactivation AL-332
- service bundles AL-330
 - domain AL-338
 - provisioning AL-342
- service offers AL-330
 - provisioning AL-342
- subscriber login and logout AL-332
- subscriber/IP address binding AL-331
- subscriber/service offer binding AL-331
- subscribers
 - authentication username AL-338
 - identifying AL-338
 - password AL-338
- synchronization
 - SRC software and Ellacoya system AL-331
 - system clocks AL-343
- traffic-accounting profiles (TAPs) AL-330, AL-342
- UQMS (Usage Quota Management System) AL-329
- draft RFCs GS-370
- drop profile maps
 - configuring
 - Policy Editor SP-357
 - SRC CLI SP-276
- drop probability, setting
 - Policy Editor SP-358
 - SRC CLI SP-276
- fill level, setting
 - Policy Editor SP-358
 - SRC CLI SP-276
- DSCP (Differentiated Services code point), ToS byte
 - Policy Editor SP-309
 - SRC CLI SP-242
- DSP (Directory Service Protocol) GS-236
- DTDs (document type definitions), data integrators IG-92
- dtterm command GS-255
- duplicate entries in SDX Admin GS-350
- dynamic properties AL-15
- dynamic RADIUS authorization requests
 - RADIUS packets, defining SG-166
- Dynamic Service Activator
 - adding scripts and clients to directory AL-28
 - API AL-43–AL-53
 - configuring
 - access to methods and scripts AL-26, AL-28
 - connections to directory AL-22
 - general properties AL-25
 - logging properties AL-25, AL-32
 - properties for clients and scripts AL-29
 - gateway client for PCs AL-39–AL-42
 - gateway extension
 - description AL-15
 - example AL-165
 - installing AL-22
 - Mbeans AL-34
 - methods AL-43

- monitoringAL-34–AL-35
 - overview.....AL-17–AL-20
 - redundancyAL-20
 - sample data.....AL-32
 - SOAP fault codesAL-50
 - testingAL-35–AL-42
 - Web application gateway clientAL-36–AL-38
 - dynamic Web pages.....GS-7
- E**
- edge congestion points
 - assigning to subscribers.....AL-235, AL-308
 - deriving.....AL-203
 - DNs of.....AL-203
 - monitoring
 - C-Web interfaceAL-265
 - SRC CLIAL-254
 - edge network.....AL-201, AL-233, AL-304
 - edge network management, configuringAL-233, AL-304
 - edit commandCLI-52, CLI-56
 - editing level, SDX Configuration EditorGS-354
 - effective period, service schedulesSP-94
 - Ellacoya Networks, deep platform inspection. *See* DPI
 - embedded AdminServer authorization plug-inSS-187
 - enable command.....CLI-102
 - end-to-end services.....SG-43
 - enterprise
 - descriptionSS-4, SS-11
 - hierarchySS-5, SS-12
 - service parametersSS-420
 - subscriptionsSS-5, SS-12
 - Enterprise Audit File ReaderIG-98
 - Enterprise Manager Portal
 - application protocols, managing.....SS-492–SS-496
 - BoD subscriptions.....SS-474–SS-520
 - configuration levelSS-466
 - deployment settingsSS-435
 - directory eventingSS-451
 - firewall exception rules
 - stateful firewallsSS-508
 - stateless firewallsSS-498
 - firewall subscriptions.....SS-496–SS-513
 - fixed addresses for outgoing traffic.....SS-520
 - helpSS-465
 - NAT
 - IP addressSS-513, SS-515
 - rules for trafficSS-517
 - NAT Address Management PortalSS-441
 - NAT rulesSS-516, SS-520
 - overview.....SS-418, SS-466
 - policiesSS-375–SS-398
 - public IP addresses, configuring
 - incoming traffic.....SS-518
 - outgoing traffic.....SS-517
 - schedules.....SS-467–SS-474
 - servicesSS-375–SS-398
 - Enterprise Service Portal audit plug-inSS-452–SS-457
 - logs.....IG-92
 - using with VPN Subscription DeactivatorSS-411
 - enterprise service portals
 - accessingSS-424
 - architectureSS-425
 - communication protocolsSS-426
 - configuring directory connectionsSS-433
 - data, displayingSS-459
 - deploying.....SS-441
 - description.....GS-26
 - improving performance.....SS-419
 - installing.....SS-432–SS-441
 - IT Manager audit plug-in sample.....SS-454–SS-457
 - locating in SRC software distributionSS-417
 - logging properties.....SS-450
 - managers.....SS-460, SS-463
 - NIC proxySS-451
 - operators, managing.....SS-463
 - overviewSS-415
 - performance.....SS-419
 - planningSS-428
 - prerequisites.....SS-423, SS-431, SS-459, SS-525, SS-539
 - propertiesSS-442
 - remote SAE properties.....SS-451
 - search basesSS-449
 - server description.....SS-426
 - service directory connection.....SS-446
 - subscriber directory connection.....SS-443
 - value substitutionSS-422
 - value substitution for policy parametersSS-422
 - See also* Enterprise Manager Portal
 - enterprise subscribers.....SS-3, SS-9
 - adding
 - SRC CLISS-283
 - adding, SDX AdminSS-246
 - enterprise subscribers, login process.....SS-32
 - enterprise tag library.....SS-416, SS-417
 - environment settings, CLICLI-85
 - command completionCLI-85
 - editing levelCLI-82
 - prompt stringCLI-84
 - screen dimensions.....CLI-83, CLI-84
 - terminal language.....CLI-83
 - terminal type.....CLI-83
 - working directoryCLI-85
 - equipment registration
 - deletingNG-54
 - description.....SS-301
 - viewing on SAE
 - C-Web interface.....MT-137
 - SRC CLIMT-114
 - See also* sample residential portal
 - error codes
 - gateway client for PCsAL-42
 - Subscriber ManagerAL-71, AL-72
 - ERX VSASP-41, SP-45
 - /etc/services file (Merit)IG-145
 - eTrust Directory
 - add-on packageGS-16, IG-57
 - installing.....IG-59
 - integrating with SRC software.....IG-59

- Juniper SDX eTrust Directory
 - displaying status IG-61
 - starting IG-60
 - stopping IG-61
 - load script IG-57, IG-60
 - loading sample data IG-60
 - setup.sh script IG-58, IG-59
 - event adapter, reconfiguring AL-585
 - event messages. *See* logging MT-7
 - event notification
 - DHCP server AL-465, SG-167
 - IP address manager AL-465, SG-167
 - RADIUS server AL-465, SG-167
 - event notification, PCMM network AL-465, SG-167
 - configuration statements SG-58
 - description SG-49
 - properties, configuring
 - SDX Configuration Editor SG-70
 - SRC CLI SG-58
 - event notification, third-party devices
 - configuring properties
 - SDX Configuration Editor IG-36
 - SRC CLI IG-14
 - description IG-7, IG-23
 - event publishers
 - configuring
 - property file SS-149
 - SDX Configuration Editor SS-184
 - SRC CLI SS-224
 - default retailer authentication, configuring
 - SDX Configuration Editor SS-185
 - SRC CLI SS-225
 - default retailer DHCP authentication, configuring
 - SDX Configuration Editor SS-186
 - SRC CLI SS-225
 - description SS-130
 - retailer-specific SS-188, SS-227
 - service-specific SS-187, SS-227
 - virtual router-specific SS-188, SS-227
- events, IT manager audit SS-452
- events, publishing AL-219, AL-284, SG-173
- except filter CLI-73
- exclusions to service schedule SP-96
 - defining
 - SDX Admin SP-120, SP-122
 - SRC CLI SP-103
- exit command CLI-29, CLI-52
- expanded classifiers SP-153
 - configuring SG-194
 - Policy Editor SP-298
 - SRC CLI SP-220
- expressions
 - map, application protocol conditions
 - Policy Editor SP-315
 - SRC CLI SP-247
 - parameter definitions SP-406–SP-411
- extended classifiers, PCMM SP-159
 - configuring
 - Policy Editor SP-299
 - SRC CLI SP-220
- external applications
 - displaying information from AL-259
 - interaction with NIC NG-263
 - monitoring
 - C-Web interface AL-274
- external database (SPE) IG-129
- external plug-ins
 - configuring
 - SDX Configuring Editor SS-144
 - SRC CLI SS-138
 - configuring SRC-ACP as AL-201
 - See also* plug-ins
- extranet clients
 - adding to VPNs
 - Enterprise Manager portal SS-409
 - LDAP clients SS-409
 - SDX Admin SS-409
 - removing from VPNs SS-411
- ## F
- failover directories GS-221
 - failover parameters, SAE NG-55
 - fault recovery, SRC-ACP AL-208
 - feature sets AL-4
 - feature sets for installation GS-264
 - field permission GS-162
 - file commands CLI-43
 - file format translation GS-267
 - file system format GS-267
 - file transfer, verifying GS-267
 - files
 - ACP data AL-223, AL-287
 - ipnat.conf SS-364
 - saving command output to CLI-75
 - specifying names in commands CLI-46
 - WEB-INF/jboss-web.xml SS-306
 - WEB-INF/portalBehavior.properties SS-306
 - WEB-INF/struts-config.xml SS-306, SS-309
 - WEB-INF/tiles-defs.xml SS-306, SS-311
 - WEB-INF/web.xml SS-306
 - filter actions SP-154
 - configuring
 - Policy Editor SP-328
 - SRC CLI SP-254
 - filtered traffic statistics MT-181, MT-184
 - find filter CLI-73
 - firewall filter SP-142
 - firewall permission GS-162
 - firewall ports for SRC-related components AL-9, GS-274
 - firewall services
 - configuring SS-377, SS-380
 - description SS-496
 - managing in Enterprise Manager Portal. SS-496–SS-513
 - policies for SS-379
 - router support SS-376
 - firewall-control permission GS-162

- flat file accounting plug-ins SS-152, SS-192
 - configuring
 - SDX Configuration Editor SS-153
 - SRC CLI SS-193
 - configuring headers
 - SDX Configuration Editor SS-156
 - SRC CLI SS-194
 - flexible RADIUS accounting plug-ins SS-152, SS-192
 - attributes, defining
 - SDX Configuration Editor SS-177
 - SRC CLI SS-215
 - configuring SS-198
 - SDX Configuration Editor SS-158
 - RADIUS packets, defining SS-176, SS-215
 - SDX Admin SS-149
 - flexible RADIUS authentication plug-ins SS-161, SS-203
 - attributes, defining
 - examples SS-182, SS-222
 - SDX Configuration Editor SS-177
 - SRC CLI SS-215
 - configuring SG-27, SS-163
 - SRC CLI SS-207
 - RADIUS packets, defining
 - SDX Admin SS-149
 - SDX Configuration Editor SS-176
 - SRC CLI SS-215
 - setting responses
 - SDX Configuration Editor SS-183
 - SRC CLI SS-223
 - FlowSpec actions SP-154
 - configuring
 - Policy Editor SP-329
 - SRC CLI SP-255
 - folders
 - default SRC installation GS-263
 - SDX Admin GS-343
 - folders for installed software AL-4
 - format translation, file GS-267
 - forward actions SP-154
 - configuring
 - Policy Editor SP-332
 - SRC CLI SP-257
 - forwarding class actions SP-154
 - configuring
 - Policy Editor SP-333
 - SRC CLI SP-257
 - forwarding preferences SS-393, SS-395
 - fragment services SP-10, SP-58
 - configuring
 - SDX Admin SP-65
 - SRC CLI SP-15
- G**
- GalMgmt MBean AL-34
 - GalOpMgmt MBean AL-35
 - gates, PCMM SP-159
 - gateSpec actions SP-154
 - configuring
 - Policy Editor SP-334
 - SRC CLI SP-258
 - gateway
 - connecting to AL-36
 - SRC AL-13–AL-14
 - gateway extension AL-15
 - generate.sh script (DirX) IG-81
 - getting help, data integration IG-93
 - Gigabit Ethernet interfaces, configuring GS-62
 - global parameter objects and access
 - control scheme IG-114
 - global parameters SP-187
 - configuring
 - Policy Editor SP-205
 - SRC CLI SP-200
 - predefined SP-194
 - viewing with SRC CLI SP-199
 - runtime SP-194
 - summary table SP-204
 - types SP-188
 - viewing in Policy Editor SP-203
 - graphical installation mode GS-258
 - GRE tunnel interfaces GS-64
 - groups, NIC hosts NG-179, NG-222
 - guaranteed service, FlowSpec SP-162
 - gzip command GS-267
- H**
- hard-disk space requirements
 - Merit IG-144
 - RAD IG-156
 - SPE IG-124
 - help command CLI-52
 - hierarchy for scripts and clients AL-21
 - history command CLI-52
 - history, CLI commands CLI-31
 - Host Check Result portal AL-95–AL-100
 - deploying AL-100
 - properties AL-97
 - Host values (SPE) IG-131
 - HostCheckServlet for Host Check Result portal AL-95
 - hosted internal plug-in AL-220, AL-284
 - hosted plug-ins. *See* plug-ins
 - hostid command GS-74
 - hosts
 - transferring software packages GS-267
 - See also* NIC hosts
 - HTTP proxy SS-345, SS-347
 - HTTP with Workflow application GS-30
 - HTTPS connections GS-189
- I**
- identifiers
 - inserting in sequential lists CLI-63
 - renaming CLI-63
 - identifying subscribers AL-47
 - idle timeout values, login classes GS-166

- Idle-Timeout IG-151, IG-166
- IDP (Intrusion Detection and Protection) integration
 - applications GS-25
- IDP captive portal AL-185–AL-193
- IDP E-Mailer application AL-165–AL-172
- ifconfig command SS-365
- infrastructure services SP-4, SP-19, SP-20, SP-47, SP-71–SP-72
- initialize.cp flat file (DirX) IG-78
- insert command CLI-52, CLI-63
- install.sh script (SPE) IG-124, IG-127
- installation
 - procedure (Merit) IG-144
 - scripts (SPE) IG-125, IG-126
 - software CD (SPE) IG-124
 - uninstallation GS-268
- installation on Solaris platforms
 - components GS-263, GS-264
 - designating nonroot users GS-265
 - feature sets GS-264
 - graphical mode GS-258
 - installation folders GS-263, GS-264
 - installation sets GS-260
 - IP Filter GS-266
 - logging the session GS-255
 - modes GS-257
 - package names for features GS-264
 - packages GS-265
 - patches GS-251
 - procedure GS-255
 - silent mode GS-257
 - starting the installation program GS-262
 - system resource limits GS-265
 - Web applications GS-309
- installing GS-263
 - Dynamic Service Activator AL-22–AL-23
 - gateway client for PCs AL-39
 - sample data AL-32
 - Solaris packages AL-6
 - SRC-ACP AL-5
 - Subscriber Manager AL-64–AL-68
 - Web application gateway client AL-36
 - Web applications AL-7
 - Workflow application AL-5
- installing software
 - enterprise service portals SS-432–SS-441
 - Merit IG-144
 - RAD IG-156
 - SPE IG-124
- Instant Virtual Extranet. *See* IVE
- instlic command GS-90, GS-92, GS-93
- integrating data into directory IG-48, IG-92
- interactions between SRC-ACP and other
 - components AL-206–AL-207
- interface classification scripts
 - reloading on SAE NG-53
- interface classification scripts. *See* classification scripts
- interface modules, SAE NG-9
- interface-control permission GS-162
- interfaces
 - callback SS-419
 - C-series platforms GS-62
 - Gigabit Ethernet, configuring GS-62
 - information, viewing
 - C-Web interface MT-190
 - SRC CLI MT-187
 - permission GS-162
 - tunnel, configuring GS-64
- interfaces, assigning to backbone congestion
 - points AL-239, AL-316
- interim accounting, configuring on SAE
 - SDX Configuration Editor SS-43, SS-52
- interim update interval SG-199
- Interlink RAD-Series RADIUS Server GS-32
- internal plug-ins
 - configuring
 - SDX Configuring Editor SS-143
 - SRC CLI SS-137
- internal plug-ins. *See* plug-ins
- internationalization of SDX Admin GS-351
- interoperable object reference. *See* IOR
- Intrusion Detection and Prevention (IDP) integration
 - idpsdx.py script AL-187, AL-188, AL-195, AL-198
 - idpsdx.sh script AL-195
 - integration tasks AL-149
 - mirroring traffic to IDP
 - overview AL-145, AL-146
 - scopes AL-157
 - services AL-159–AL-160
 - subscriber sessions AL-147, AL-163
 - policy-routing traffic to IDP
 - overview AL-145, AL-146
 - scopes AL-150
 - services AL-152–AL-156
 - subscriber sessions AL-147, AL-163
 - prerequisites AL-142
 - RecordServlet AL-187
 - sample implementation AL-143
 - services in response to incidents AL-193
 - Surveillance Director
 - configuration AL-173–AL-183
 - overview AL-146
- See also* IDP captive portal; IDP E-Mailer application
- invalid subscriptions to VPNs IG-102
- IOR (interoperable object references)
 - external plug-ins SS-145
 - managing SAE
 - JUNOS, SDX Admin NG-142
 - JUNOSe, SDX Admin NG-88
 - PCMM SG-86
 - third-party devices IG-31
 - router initialization scripts NG-68, NG-95, NG-123, NG-157
 - SNMP file locations MT-55
- IP address managers
 - logging in subscribers
 - event notification method AL-465, SG-167

- IP address pools
 - assigned IP subscribersSG-48
 - assigned IP subscribers, configuring
 - SDX AdminSG-85
 - SRC CLISG-79
 - local address pools, configuring
 - SDX Admin NG-86, SG-85
 - SRC CLI NG-62, SG-79
 - static pools, configuring
 - SDX Admin NG-87, SG-86
 - SRC CLI NG-63, SG-79
 - syntaxSG-85, SG-140
 - updating for JUNOSe VRs NG-99–NG-102
 - poolRepublish NG-100
 - SDX Admin NG-100
- IP addresses
 - acknowledging release SS-527
 - assigning in NAT Address Management Portal... SS-525, SS-526
 - NAT services..... SS-513, SS-515
- IP Filter SS-338, SS-364
 - installation orderGS-266
 - installation prerequisiteGS-254
- IP Security. *See* IPsec
- IP Service Control System (IPSCS). *See* DPI
- IP service, life-cycle processGS-4
- IP-in-IP tunneling SS-339
- ipnat.conf file SS-364
- IP-over-IP tunnel interfacesGS-64
- IPsec
 - between SAE and other applicationsSG-91–SG-102
 - changing configurationSG-102
 - configuration prerequisites for SAESG-94
 - configuring for SAESG-93, SG-95
 - keys
 - automatic key management.....SG-93
 - overviewSG-92
 - supported.....SG-92
 - overview.....SG-91
 - testing connectionSG-103
- iptables Linux tool
 - monitoring
 - C-Web interface MT-184
 - SRC CLI MT-181
- IPTV applicationGS-26
 - configuringSG-169
 - installing.....SG-168
- ISP service in sample residential portal SS-302, SS-304
- IT manager
 - audit plug-in
 - configuring SS-454
 - events SS-452
 - operators, managing SS-460, SS-463
- IVE (Instant Virtual Extranet) Host Checker integration
 - applicationGS-25
- IVE (Instant Virtual Extranet) integration
 - HostCheckServletAL-95
 - prerequisites.....AL-92
 - properties.....AL-97
 - sample implementation.....AL-93
- services in response to complianceAL-101
 - See also* Host Check Result portal
- J**
 - J2EE application server GS-35
 - J2SE patches GS-251
 - JacORB, for NIC
 - configuring
 - default ORB for JRE NG-251
 - properties on redundant NIC hosts.....NG-278
 - Web application NG-252
 - Web application server..... NG-253
 - JRE package..... NG-251
 - Jakarta Struts Web application framework..... SS-301
 - Java Database Connectivity. *See* JDBC
 - Java development environment, Tomcat SS-340, SS-539
 - Java garbage collection, running NG-53
 - Java Management Extension. *See* JMX
 - Java Naming and Directory Interface. *See* JNDI
 - Java Runtime Environment, NIC proxy NG-251
 - Java Virtual Machine, for NIC proxy..... NG-251
 - Java Web server
 - application deployment GS-157
 - overview GS-157
 - starting GS-158
 - stopping GS-158
 - Javadoc documentation for sample residential
 - portal SS-336
 - java-heap-size, configuring GS-225
 - JBoss
 - installing Web applications SS-312, SS-431
 - installing Web applications inside..... AL-8, GS-310
 - removing Web applications GS-311
 - removing Web applications from.....AL-9
 - JDBC (Java Database Connectivity) drivers IG-94
 - JMX (Java Management Extension) agentAL-34
 - JMX (Java Management Extension) software NG-258
 - JNDI (Java Naming and Directory
 - Interface)..... GS-222, GS-301
 - JPS (Juniper Policy Server)
 - application manager-to-policy server interface,
 - configuring..... SG-115
 - application manager-to-policy server interface,
 - monitoring
 - C-Web interface..... SG-152, SG-153
 - SRC CLI SG-148
 - architecture SG-106
 - CMTS devices, monitoring
 - C-Web interface..... SG-154
 - CMTS locator, monitoring
 - C-Web interface..... SG-155
 - SRC CLI SG-149
 - installing on Solaris platforms..... SG-133
 - JPS state, monitoring SG-148
 - local configuration, applying on Solaris
 - platforms SG-134
 - logging, configuring SG-114
 - logging, modifying..... SG-114

- message flows, monitoring
 - C-Web interface SG-156
 - SRC CLI SG-149
- message handler, monitoring
 - C-Web interface SG-155
 - SRC CLI SG-149
- monitoring
 - C-Web interface SG-151
 - Solaris platforms SG-136, SG-145
 - SRC CLI SG-131, SG-147
- NTP configuration
 - applying on Solaris platforms SG-134
 - modifying local time on Solaris platforms SG-134
- operational status SG-131, SG-136
- overview SG-105
- policy server-to-CMTS interface, configuring SG-121
- policy server-to-CMTS interface, monitoring
 - C-Web interface SG-153, SG-154
 - SRC CLI SG-148
- policy server-to-RKS interface, configuring SG-117
- policy server-to-RKS interface, monitoring
 - C-Web interface SG-157
 - SRC CLI SG-148
- server process, monitoring
 - C-Web interface SG-151
 - SRC CLI SG-147
- starting
 - Solaris platforms SG-135
 - SRC CLI SG-131
- stopping
 - Solaris platforms SG-136
 - SRC CLI SG-131
- subscriber address mappings, configuring SG-124
- subscriber configuration, modifying SG-124
- JSP (Java Server Pages) technology
 - Web application server GS-35
- JSP tag library. *See* enterprise tag library
- Juniper Networks database
 - changing modes GS-139
 - community mode
 - adding Juniper Networks database GS-137
 - configuring GS-136
 - configuration example GS-141
 - configuration statements GS-135
 - data recovery GS-139
 - high availability GS-41
 - loading sample data GS-140
 - neighbors GS-134
 - overview GS-133
 - redundancy GS-135
 - roles
 - changing secondary to primary GS-138
 - overview GS-134
 - standalone mode GS-136
 - verifying configuration GS-141
- Juniper Networks dictionary files
 - Merit IG-147
 - RAD IG-161
 - SPE IG-129
- Juniper Networks Professional Services IG-93
- Juniper Policy Server. *See* JPS
- Juniper SDX eTrust Directory. *See* eTrust Directory
- JUNOS ASP policy rules SP-150
 - NAT actions SP-155
 - configuring, Policy Editor SP-338
 - configuring, SRC CLI SP-261
 - network, specifying SP-226
 - Policy Editor SP-305
 - SRC CLI SP-224, SP-226
 - stateful firewall actions, configuring
 - Policy Editor SP-361
 - SRC CLI SP-279
- JUNOS filter policy rules SP-150
 - conditions, setting
 - Policy Editor SP-312
 - SRC CLI SP-243
- JUNOS policer policy rules SP-150
 - policer actions SP-155
 - configuring, Policy Editor SP-345
 - configuring, SRC CLI SP-266
- JUNOS port mirror policy rules
 - traffic mirror actions SP-155
- JUNOS routing platforms
 - accessing router CLI NG-126, NG-160
 - BEEP connection NG-4
 - configuring port, SDX Configuration Editor NG-145
 - configuring port, SRC CLI NG-114
 - configuration groups NG-110, NG-127, NG-136, NG-163
 - configuring to interact with SAE NG-126, NG-162
 - CoS (Class of Service) SS-388
 - default virtual router NG-110, NG-136
 - disabling interactions with SAE NG-128, NG-163
 - enabling interactions with SAE NG-128, NG-163
 - forwarding preferences SS-395
 - managing traffic SS-376
 - monitoring interactions with SAE NG-128, NG-164
 - policies
 - basic BoD SS-390
 - BOD SS-391
 - BoD and VPNs SS-397
 - firewall SS-377–SS-386
 - NAT SS-386
 - policy features
 - Adaptive Services PIC SP-142
 - CoS SP-141
 - firewall filter SP-142
 - NAT, description SP-142
 - policing, description SP-142
 - policy sharing SP-145
 - rate-shaping SP-150
 - stateful firewall, description SP-142
 - provisioning services
 - prerequisites SS-377
 - router objects, adding
 - SDX Admin NG-137–NG-139
 - SRC CLI NG-111
 - routing preferences SS-393
 - SAE interactions NG-4

- scalabilityGS-6
 - servicesSS-398
 - basic BoDSS-390
 - BoDSS-392
 - BoD and VPNsSS-397
 - firewallSS-377–SS-386
 - NATSS-386
 - SRC software processNG-110, NG-136
 - statements for integration
 - port-numberNG-127, NG-162
 - server-addressNG-127, NG-162
 - source-addressNG-127, NG-163
 - troubleshootingNG-129, NG-164
 - VR objects, adding individually
 - SDX AdminNG-139–NG-144
 - SRC CLING-112
 - JUNOS scheduler policy rulesSP-150
 - actionsSP-155
 - configuring, Policy EditorSP-354
 - configuring, SRC CLISP-275
 - QoS conditions, configuring
 - Policy EditorSP-319
 - SRC CLISP-248
 - See also* drop profile maps
 - JUNOS shaping policy rulesSP-150
 - JUNOSE RADIUS client
 - MeritIG-151
 - RADIG-166
 - JUNOSE routers
 - accessing router CLING-72, NG-103
 - COPS connectionNG-4
 - configuring, SDX Configuration EditorNG-90
 - configuring, SRC CLING-64
 - integration overviewNG-60, NG-82
 - monitoring interactions with SAENG-73, NG-106
 - policies
 - basic BoDSS-390
 - BODSS-391
 - policy features
 - packet filteringSP-143
 - packet forwardingSP-143
 - policy routingSP-143
 - policy sharingSP-145
 - QoS classification and markingSP-143
 - rate limitingSP-143
 - quality of service (QoS)SS-388
 - router objects, adding
 - SDX AdminNG-82
 - SRC CLING-60
 - scalability with SRC softwareGS-6
 - services
 - basic BoDSS-390
 - BoDSS-392
 - SNMP communities, configuring
 - SDX Configuration EditorNG-94
 - SRC CLING-67
 - SNMP server
 - configuring on routerNG-66, NG-93
 - SRC clientNG-60, NG-82
 - startingNG-72, NG-105
 - stoppingNG-73, NG-106
 - troubleshootingNG-74, NG-107
 - VR objects
 - adding individually, SDX AdminNG-85–NG-90
 - adding individually, SRC CLING-62
 - discovering, SDX AdminNG-82
 - discovering, SRC CLING-60
 - JVM (Java virtual machine), for NIC proxyNG-251
- K**
- keyboard sequences at MORE promptCLI-69
 - keytool commandIG-87
- L**
- language, setting with SDX AdminGS-351
 - LDAP
 - attributesIG-55
 - integration overviewIG-45–IG-47
 - models
 - policySP-156
 - servicesSP-34
 - models subscriptionsSS-231
 - See also* directory; LDAPS
 - LDAP (Lightweight Directory Access Protocol). *See* directory; directory server
 - LDAP access. *See* SAE (service activation engine), configuring
 - LDAP authentication
 - AATV
 - MeritIG-144
 - RADIG-157
 - Attribute/name section (SPE)IG-132
 - Bind (SPE)IG-130
 - bind credentials (SPE)IG-130
 - BindName (SPE)IG-130
 - Bootstrap section (SPE)IG-130
 - configuring
 - MeritIG-148
 - SPEIG-129
 - enabling
 - SPEIG-126
 - file, sections (SPE)IG-129
 - Request section (SPE)IG-134
 - Response section (SPE)IG-134
 - Search/name section (SPE)IG-132
 - Server section (SPE)IG-131
 - server/serverName section (SPE)IG-131
 - Settings section (SPE)IG-130
 - LDAP authentication plug-inSS-161, SS-204
 - configuring
 - SDX Configuration EditorSS-166
 - SRC CLISS-212
 - LDAP configuration
 - interface (SPE)IG-137
 - RADIG-165
 - LDAP database (SPE)IG-134

- LDAP directory
 - Merit IG-144, IG-148
 - SPE IG-136
- LDAP features
 - Merit IG-144
 - RAD IG-157
- LDAP host (SPE) IG-126
- LDAP libraries (SPE) IG-127
- LDAP models
 - operators SS-234
 - subscribers SS-229
- LDAP Reader IG-97
- LDAP schema
 - services AL-309
 - SRC-ACP AL-304–AL-309
- LDAP server
 - Merit IG-146
 - SPE IG-128, IG-130
- LDAP Writer IG-99
- LDAP. *See* directory
- ldapauth.aut file (SPE) IG-129
- LDAPS
 - authentication and connection sequence IG-85
 - cacerts files IG-87
 - certificate files IG-87
 - configuring
 - directory server IG-86
 - overview IG-86
 - SAE components IG-88, IG-89
 - directory connections IG-48
 - disabling connection for SAE components IG-89
 - enabling connection for SAE components IG-88
 - overview IG-85
- LDIF (LDAP Data Interchange Format) files GS-15, IG-48, IG-56
- leases for licenses. *See* license server
- licchk command GS-93
- license
 - master GS-92
 - obtaining GS-74
 - pilot license
 - description GS-73
 - installing, C-series platform GS-75
 - installing, Solaris platform GS-75, GS-91
 - server license
 - configuration properties GS-81
 - description GS-73
 - installing, C-series platforms GS-77
 - installing, Solaris platforms GS-92
 - location GS-101
 - overview GS-99
 - types GS-73
 - upgrading software GS-92
 - verifying GS-93
 - viewing on SAE
 - C-Web interface MT-132
 - SRC CLI MT-112
- license manager
 - client fields, SDX Configuration Editor GS-97
 - configuration statements GS-77
 - configuring
 - SDX Configuration Editor GS-94
 - SRC CLI GS-78
 - directory access fields, SDX Configuration Editor GS-94
- license server
 - accessing directory data GS-106
 - alarms GS-104
 - cleaning log files GS-102
 - customizing GS-81, GS-103–GS-109
 - errors GS-100
 - general properties GS-107
 - lease renewal GS-101
 - license allocation GS-101
 - license release GS-101
 - license requests GS-100
 - license switching GS-102
 - location, configuring GS-108
 - management commands GS-86
 - SAE failover GS-102
 - SNMP traps GS-104
 - troubleshooting GS-109
- license string
 - SPE IG-124, IG-126
- Lightweight Data Interchange Format (LDIF) (Merit) IG-151
- Lightweight Directory Access Protocol. *See* LDAP
- limit command GS-265
- limiting subscribers plug-in SS-161, SS-204
 - configuring
 - SDX Configuration Editor SS-161
 - SRC CLI SS-204
- listeners, defining SS-419
- load balancing
 - NIC GS-41
 - SPE IG-131
- load command CLI-52
- load factory-default command CLI-94
- load merge command CLI-95
- load override command CLI-96
- load replace command CLI-98
- load set command CLI-94, CLI-99
- local configuration tool AL-280
 - description GS-335
 - GUI elements GS-336
- local parameters SP-187
 - configuring
 - Policy Editor SP-208
 - SRC CLI SP-201
 - parameter folder SP-205
 - summary table SP-209
 - types SP-188
 - viewing in Policy Editor SP-204
- local password authentication GS-186
- local properties
 - basic properties, configuring GS-225
 - configuration
 - SRC CLI GS-223, GS-225, GS-226, GS-227
 - verifying GS-230

- configuration statements GS-224
 - directory connection properties, configuring GS-227
 - directory location of SRC data, configuring GS-226
 - lock subtree and access control scheme IG-111
 - log files
 - license server GS-102
 - log.txt log file (DirX) IG-81
 - logging
 - configuration in SDX Configuration Editor MT-18, MT-19
 - configuration statements MT-12
 - file folders MT-12
 - file logging, configuring
 - SDX Configuration Editor MT-21
 - SRC CLI MT-12
 - files MT-20, MT-21
 - filters MT-23
 - installation session GS-255, GS-256
 - log files
 - deleting MT-24
 - rotation MT-10
 - messages
 - categories MT-8
 - filters MT-8, MT-9
 - format MT-16
 - severity levels MT-8
 - overview MT-7
 - properties
 - data integrators IG-95
 - enterprise service portal SS-450
 - redirect server SS-360, SS-372
 - solpkg.log GS-256
 - solpkg_Uninstall.log GS-269
 - system log, configuring
 - SDX Configuration Editor MT-22
 - SRC CLI MT-14
 - system logging fields, SDX Configuration Editor .. MT-23
 - uninstallation session GS-269
 - See also* system log server
 - logging properties
 - configuring for SRC-ACP AL-221, AL-286
 - Dynamic Service Activator AL-25, AL-32
 - login announcements, system GS-177
 - login classes
 - configuration GS-168
 - configuration examples GS-170, GS-171
 - configuration prerequisites GS-167
 - configuration statements GS-167
 - configuration verification GS-169
 - default classes GS-164
 - idle timeout values GS-166
 - options GS-162
 - overview GS-161
 - predefined GS-164
 - privilege levels
 - commands GS-164
 - configuration statements GS-164
 - options GS-162
 - login events, description SS-16
 - login names NG-283
 - login process
 - assigned IP subscribers, PCMM SG-48
 - assigned IP subscribers, third-party
 - devices IG-6, IG-22
 - enterprise SS-32
 - event notification method, PCMM SG-50
 - event notification method, third-party devices IG-7, IG-23
 - residential SS-17
 - DHCP SS-22-SS-27
 - PPP SS-18-SS-20
 - See also* logout process, residential
 - summary SS-16
 - login registration
 - configuring
 - SDX Configuration Editor SS-55
 - SRC CLI SS-46
 - deleting NG-54
 - viewing on SAE
 - C-Web interface MT-136
 - SRC CLI MT-113
 - LogLevel (SPE) IG-130
 - logout process, residential
 - DHCP SS-28
 - PPP SS-21
 - See also* login process
 - logs, Enterprise Service Portal audit plug-in IG-92
 - loss priority actions SP-154
 - configuring
 - Policy Editor SP-336
 - SRC CLI SP-259
- M**
- maintenance permission GS-162
 - Manageable JavaBeans. *See* MBeans
 - managers
 - configuring
 - SRC CLI SS-287
 - control over all retailers SS-7
 - management privileges SS-6
 - subscribers and subscriptions SS-6
 - managing
 - backbone network with SRC-ACP AL-236, AL-310
 - congestion points AL-205
 - edge network with SRC-ACP AL-233, AL-304
 - gateway clients AL-70-AL-71
 - SAE via external applications AL-13, AL-19
 - services via external application AL-13, AL-61
 - subscribers via external applications AL-13, AL-61
 - Workflow application via external application AL-13
 - map expressions
 - application protocol conditions
 - Policy Editor SP-315
 - SRC CLI SP-247
 - substitutions SP-408
 - mark actions SP-154
 - configuring
 - Policy Editor SP-337
 - SRC CLI SP-260

- master directory GS-236
 - master license GS-92
 - MBeans AL-34–AL-35
 - md5sum command GS-267
 - menu bar, SDX Admin GS-340–GS-342
 - Merit AAA server
 - Oracle Internet Directory integration, with IG-63
 - Merit RADIUS GS-32
 - Merit server
 - command syntax IG-146, IG-154
 - testing IG-154
 - messages
 - broadcast messages, NTP GS-123
 - CLI CLI-22
 - multicast messages, NTP GS-124
 - severity levels for logging GS-128
 - meta agent IG-81
 - Meta Data tab in SDX Admin GS-346
 - metacontroller IG-81
 - metadirectory store IG-81
 - methods
 - access to AL-28
 - Dynamic Service Activator AL-43
 - MIBs
 - monitoring with SNMP agent MT-47, MT-54
 - migration. *See* directory migration
 - models for workflow AL-479
 - modes, installation on Solaris platforms GS-257
 - modifying congestion points AL-252, AL-323
 - monitoring
 - backbone congestion points AL-220, AL-284
 - Dynamic Service Activator AL-34–AL-35
 - NIC proxies AL-35
 - SRC-ACP AL-322
 - C-Web interface AL-263
 - SRC CLI AL-254–AL-262
 - Monitoring Agent
 - application GS-34
 - configuring AL-467
 - properties AL-467
 - installing AL-467
 - intercepting DHCP messages AL-466
 - intercepting RADIUS accounting messages AL-466
 - monitoring AL-471
 - overview AL-465
 - stopping AL-470
 - monitoring tools
 - C-Web interface MT-83
 - overview MT-3
 - SRC CLI MT-83
 - monitors
 - configuring NIC NG-277
 - MORE filter CLI-75
 - MORE prompt CLI-69
 - multicast
 - NTP messages GS-124
 - multihop environment SS-339
 - multimaster directory replication NG-272
 - multiple classifiers, policies SP-153
 - mutex group SP-25, SP-79
 - access control scheme IG-113
 - adding
 - SDX Admin SP-79
 - SRC CLI SP-26
 - adding to service scopes SP-85
- N**
- namespace, configuration AL-15
 - naming syntax IG-48
 - NAS ID, configuring for SAE GS-149
 - NAS port ID AL-203
 - NAT (Network Address Translation)
 - rules SS-520
 - services for Enterprise Manager Portal SS-386
 - services, IP address SS-513, SS-515, SS-526
 - types SS-516
 - VPNs SS-399, SS-406
 - See also* NAT Address Management Portal
 - NAT (Network Address Translation) policies SP-142
 - actions SP-155
 - configuring, Policy Editor SP-338
 - configuring, SRC CLI SP-261
 - application protocol condition
 - defining, Policy Editor SP-314
 - defining, SRC CLI SP-244
 - map expressions, Policy Editor SP-315
 - map expressions, SRC CLI SP-247
 - NAT Address Management Portal
 - acknowledging IP address release SS-527
 - assigning IP addresses SS-526
 - deployment settings SS-435
 - Enterprise Manager Portal SS-441
 - overview SS-525
 - navigation pane, SDX Admin GS-343
 - NetScreen-Security Manager integration
 - thm.py script AL-135
 - thm.sh script AL-135
 - Net-SNMP master agent GS-254, GS-287
 - installing GS-299
 - monitoring GS-300
 - starting GS-300
 - stopping GS-300
 - supported GS-254
 - using GS-299
 - network permission GS-162
 - network Address Translation. *See* NAT
 - network and access control scheme IG-112
 - network information collector. *See* NIC
 - network interfaces AL-233, AL-237, AL-304, AL-310
 - network publisher. *See* NIC NG-224
 - Network Time Protocol. *See* NTP
 - networkInterface object class AL-304
 - networkInterfaceRef attribute AL-306
 - new directory entries GS-306

- next-hop actions SP-155
 - captive portal feature
 - Policy Editor SP-340
 - SRC CLI SP-262
 - configuring
 - Policy Editor SP-340
 - SRC CLI SP-262
- next-interface actions SP-155
 - configuring
 - Policy Editor SP-342
 - SRC CLI SP-264
- next-rule actions SP-155
 - configuring
 - Policy Editor SP-344
 - SRC CLI SP-265
- NIC (network information collector)
 - agents, viewing
 - C-Web interface MT-171
 - SRC CLI MT-160
 - API NG-263
 - communities NG-271, NG-274
 - configuration prerequisites
 - C-series platforms NG-190
 - Solaris platforms NG-208
 - configuration statements NG-188
 - configuration, changing NG-204
 - configuration, verifying NG-203
 - CORBA naming server NG-185
 - data mapping NG-177, NG-324
 - default operating properties, viewing NG-192
 - description GS-14
 - Dynamic Service Activator AL-19
 - enterprise service portals, with SS-419
 - factory interface NG-263, NG-264
 - hosts, viewing
 - C-Web interface MT-167
 - SRC CLI MT-158
 - IP address pool SG-140
 - IP address pools, configuring
 - SRC CLI SG-79
 - SDX Admin SG-85
 - load balancing GS-41
 - local IP address pools SG-89
 - log files NG-282
 - logging
 - changing configuration NG-196
 - default NG-196
 - monitoring
 - C-Web interface MT-167
 - SRC CLI MT-157
 - monitors NG-272
 - configuring NG-277
 - example NG-353
 - starting NG-279
 - stopping NG-280
 - network publisher
 - configuration file NG-224
 - input directory NG-230
 - output file NG-230
 - overview NG-224
 - prerequisites NG-224
 - running NG-229
 - troubleshooting NG-229
 - operating properties, changing NG-192
 - overview GS-14, NG-175
 - planning implementation NG-181
 - realms
 - configuring NG-298
 - overview NG-284
 - replication
 - configuring NG-222
 - NG-194
 - groups NG-179, NG-212, NG-222
 - overview NG-179
 - SAE plug-in agents NG-201, NG-219
 - resolution data, troubleshooting MT-164
 - resolution data, viewing
 - C-Web interface MT-170
 - SRC CLI MT-161, MT-162
 - resolution performance NG-247
 - resolution processes GS-14, NG-283, NG-284
 - resolvers
 - constraints NG-287
 - overview NG-178
 - viewing data mappings NG-324
 - restarting NG-204
 - roles NG-284
 - starting NG-191, NG-279
 - statistics, viewing
 - C-Web interface MT-168
 - SRC CLI MT-158, MT-159
 - stopping NG-203
 - testing NG-203, NG-253
 - any key NG-242
 - test data NG-241
 - troubleshooting resolution processes NG-324
 - viewing
 - configuration NG-328
 - host log NG-282
 - host status NG-222
 - monitor log NG-282
 - monitor status NG-280
- See also other NIC entries*
- NIC agents
 - configuration overview NG-184
 - consolidator NG-300, NG-301
 - consolidator agent NG-301
 - directory, changes, managing NG-295
 - directory, configuring
 - SRC CLI NG-197
 - directory, reviewing configuration NG-303
 - overview NG-178
 - properties NG-313, NG-314
 - restarting NG-204
 - SAE plug-in
 - configuration, reviewing NG-307, NG-309
 - sae plug-in agents, configuring NG-199
 - XML NG-316, NG-317, NG-323

- NIC configuration scenarios
 - changingNG-205, NG-222
 - SRC CLI NG-195
 - Multipop NG-355
 - OnePop NG-328
 - OnePopAcctId NG-340
 - OnePopAllRealms NG-351
 - OnePopDnSharedlp NG-347
 - OnePopDynamiclp NG-334, SG-89, SG-90
 - OnePopLogin NG-342
 - OnePopPcmm NG-332
 - OnePopPrimaryUser NG-345
 - OnePopSharedlp NG-336
 - OnePopStaticRouteIp NG-223, NG-338
 - OnePopStaticRouteIp NG-202
 - overview NG-182, NG-328
 - PCMM environment, in SG-89, SG-90
 - static-dn NG-205
- NIC hosts
 - configuration prerequisites NG-190, NG-208
 - configuring NG-208–NG-222, NG-321, NG-322
 - groups NG-179, NG-212, NG-222
 - logging NG-322
 - overview NG-178
 - redundancy
 - configuring NG-271–NG-279
 - configuring JacORB properties NG-278
 - example NG-351–NG-354
 - overview NG-271
 - starting NG-191, NG-221
 - stopping NG-203, NG-204, NG-221
- NIC locators
 - configuration NG-323
 - external applications NG-261, NG-262
 - overview NG-176, NG-177
- NIC proxies
 - cache, configuring
 - SDX Configuration Editor NG-247
 - SRC CLI NG-238
 - configuration overview NG-233
 - configuration prerequisites NG-236
 - Dynamic Service Activator AL-28
 - enterprise service portals SS-451
 - instantiating NG-266
 - JacORB NG-251
 - logging NG-265
 - monitoring AL-35, NG-258
 - NIC replication, configuring
 - SDX Configuration Editor NG-249
 - SRC CLI NG-239
 - optimizing performance NG-280
 - ORB version NG-251
 - overview NG-177
 - prerequisites NG-234
 - proxy stub NG-255
 - removing instances NG-268
 - replication NG-244, NG-249, NG-255
 - requirements NG-263
 - resetting MBeans NG-259
 - resolution information, configuring
 - SDX Configuration Editor NG-245
 - SRC CLI NG-237
 - resolution requests NG-266
- NIC resolvers
 - restarting NG-204
- nicDump program NG-324
- NicProxyMgmt MBean AL-35
- non-real-time polling service SP-157
- nonroot user vs. root user GS-246
- normal services. *See* value-added services
- NRTPS (non-real-time polling service) SP-157
- NTP (Network Time Protocol)
 - authentication
 - configuration GS-121
 - configuration statements GS-121
 - authentication keys GS-121
 - boot server GS-118
 - broadcast mode GS-120
 - client mode GS-118
 - configuration GS-117
 - configuration statements GS-116
 - listening
 - broadcast messages GS-123
 - multicast messages GS-124
 - modes GS-115, GS-117
 - monitoring
 - C-Web interface MT-177
 - SRC CLI MT-175, MT-176
 - overview GS-115
 - statistics, viewing
 - C-Web interface MT-178
 - SRC CLI MT-176
 - symmetric active mode GS-119

O

- object classes IG-51–IG-54
 - See also* LDAP schema
- object interdependence, SDX Admin GS-350
- object references, publishing SG-200
- object state manager for the Web. *See* OSMW
- object state manager. *See* OSM
- objects
 - creating with SDX Configuration Editor GS-359
 - exporting to directory GS-359
 - importing into SDX Configuration Editor GS-357
 - performing transactions with OSM AL-479
 - state machine AL-479
 - transactional AL-479
 - umcTransactionalLock AL-479
 - umcWorkflow AL-479
- on-demand services GS-4, GS-7
- online help *See* CLI, help
- open interfaces GS-8
- operating system requirements
 - Merit IG-144
 - RAD IG-156
 - SPE IG-124

- operation
 - Dynamic Service ActivatorAL-18
 - SRC-ACP, configuringAL-223, AL-287
 - Subscriber ManagerAL-62
- operational modeCLI-4
- operator login classGS-164
- operators
 - activating accessIG-115
 - adding
 - SDX AdminSS-253
 - control over all retailersSS-234
 - LDAP modelSS-234
 - management privilegesSS-13, SS-233
 - subscribers and subscriptionsSS-12, SS-232
- operators in regular expressionsCLI-71
- operators in substitution expressionsSP-408–SP-411
- operators, regular expressionGS-165
- Oracle Internet Directory
 - add-on packageGS-16, IG-64
 - directory settingsIG-66
 - installingIG-65
 - integrating with SRC softwareIG-64–IG-66
 - integrationGS-16
 - load scriptIG-64, IG-66
 - loading sample dataIG-66
 - Merit AAA server, andIG-63
 - password configurationIG-64
- ORB (object request broker), NIC proxyNG-280
- order, processes in data integratorsIG-96
- OSM (object state manager)AL-62
 - executing transactionsAL-570
 - extensible markup language (XML)GS-30
 - interface with workflow engineAL-571
 - life cycle managementAL-569
 - transactions on objectsAL-569
 - See also* Workflow application
- OSMW (object state manager for the Web)AL-65, AL-571
 - connections to Subscriber ManagerAL-65
 - interactions with Subscriber ManagerAL-63
 - transactionsAL-63
- OSS integrationGS-6
- outsourced servicesSP-34
 - adding
 - Policy EditorSP-36
 - configuring subscriptionsSS-258
 - retailer ISP, strategy (SPE)IG-132
- P**
 - packages, Solaris. *See* Solaris packages
 - packet filtering, JUNOS routersSP-143
 - packet forwarding, JUNOS routersSP-143
 - packet loss priority. *See* loss priority actions
 - packet mirroring, configuringSG-160
 - PacketCable Multimedia Specifications. *See* PCMM
 - PacketCable Multimedia. *See* PCMM
 - parameter value acquisitionSP-399–SP-412
 - exampleSP-412
 - multiple subscriptionsSP-402
 - single subscriptionsSP-400
 - See also* substitutions
 - parameter values, setting in servicesSP-8
 - parameters
 - acquisition path and substitutionsSS-420
 - definingSP-403
 - definitionSP-399
 - fixingSP-400
 - global. *See* global parameters
 - local. *See* local parameters
 - ranking sourcesSP-400
 - runtime. *See* runtime parameters
 - sample enterprise service portalSS-537
 - subtree and access control schemeIG-110
 - typesSP-188
 - See also* substitutions
 - partitioned directoriesAL-301
 - password, authentication credentials (SPE)IG-138
 - PasswordCase (SPE)IG-130
 - PasswordFormat (SPE)IG-130
 - passwords
 - RADIUSGS-180
 - shared userGS-186
 - shared user accountsGS-187
 - user accountsGS-174
 - patches
 - installationGS-251
 - J2SEGS-251
 - SolarisAL-5, GS-251
 - PCIM (Policy Core Information Model)IG-53
 - PCMM (PacketCable Multimedia)
 - application manager, roleSG-38
 - client type 1SG-40
 - client type 2SG-41
 - CMTS device, roleSG-38
 - configuring SAE
 - SDX Configuration EditorSG-65
 - SRC CLISG-53
 - creating sessionsSG-48
 - descriptionSG-38–SG-42
 - DOCSIS protocolSG-39
 - end-to-end QoS architectureSG-43
 - end-to-end servicesSG-43
 - integrating SRC softwareSG-37
 - IP service edge domainSG-43
 - IP subscriber edge domainSG-43
 - logging in subscribers
 - assigned IP methodSG-48
 - event notification methodSG-49
 - overviewSG-48
 - NIC configuration forSG-89
 - overviewSG-37
 - policy server, roleSG-38
 - provisioning end-to-end servicesSG-45
 - record-keeping serverSG-38
 - RF domainSG-37
 - SAESG-47
 - SAE communitiesSG-51
 - SAE connectionNG-5
 - service flowsSG-39

- session store SG-52
- single-phase resource reservation model... SG-40, SG-41
- SRC software in
 - description SG-42
 - traffic profiles SG-43
- videoconferencing example SG-45
- video-on-demand example SG-46
- PCMM device driver
 - configuration statements SG-54
 - configuring
 - SDX Configuration Editor SG-66
 - SRC CLI SG-54
- PCMM policies
 - classifiers SP-159
 - client type 1 support SP-158
 - conditions and actions supported SP-152
 - DOCSIS parameters SP-160
 - configuring, Policy Editor SP-323
 - configuring, SRC CLI SP-250
 - extended classifiers SP-159
 - configuring, Policy Editor SP-299
 - configuring, SRC CLI SP-220
 - FlowSpec parameters SP-161
 - configuring, Policy Editor SP-329
 - configuring, SRC CLI SP-255
 - controlled load service SP-161
 - guaranteed service SP-162
 - request specification (RSpec) SP-161
 - traffic specification (TSpec) SP-161
- gate SP-159
- gateSpec parameters, configuring
 - Policy Editor SP-334
 - SRC CLI SP-258
- I02 and I03 classifiers SP-159
 - configuring, Policy Editor SP-299
 - configuring, SRC CLI SP-220
- marking packets SP-162
- proxied QoS with policy push SP-158
- service class name SP-161
 - configuring, Policy Editor SP-360
 - configuring, SRC CLI SP-278
- service flow scheduling types SP-156
- SessionClassId SP-159
- traffic profiles SP-160
- PCMM record-keeping server plug-in
 - configuration statements SG-60
 - configuring
 - SDX Configuration Editor SG-71
 - SRC CLI SG-60
 - description SG-52
- PDA (personal digital assistant) to display portal GS-27
- performance
 - enterprise service portals SS-419
 - NIC proxy NG-280
- permanent service SP-4, SP-88
 - configuring
 - Policy Editor SP-88
 - SRC CLI SP-7
- permissions GS-162
- permissions in access control lists IG-106
- pilot license. *See* license
- pkgadd command GS-267
- pkgrm command GS-268
- pkgtrans command GS-267
- planning
 - data integration IG-94
- plug-ins
 - activating service sessions SS-135
 - architecture NG-6
 - audit plug-in, configuring SS-454
 - authentication
 - configuring, SDX Configuration Editor SS-160
 - configuring, SRC CLI SS-203
 - authorization SP-101, SP-115
 - configuring, SDX Configuration Editor SS-160
 - configuring, SRC CLI SS-203
 - basic RADIUS accounting SS-152, SS-192
 - configuring, SDX Configuration Editor SS-158
 - configuring, SRC CLI SS-196
 - basic RADIUS authentication SS-161, SS-203
 - configuring, SDX Configuration Editor SS-162
 - configuring, SRC CLI SS-205
 - configuring
 - SDX Configuration Editor SS-141
 - creating subscriber sessions SS-134
 - custom RADIUS accounting SS-152, SS-192
 - configuring, SDX Configuration Editor SS-159
 - configuring, SRC CLI SS-200
 - custom RADIUS authentication SS-161, SS-203
 - configuring SS-164
 - configuring, SRC CLI SS-209
 - defining RADIUS packets
 - SDX Admin SS-149
 - SDX Configuration Editor SS-176
 - SRC CLI SS-215
 - DHCP address assignment SS-132
 - embedded AdminServer authorization SS-187
 - event publishers. *See* event publishers
 - external NG-7
 - configuring in SAE property file SS-148
 - configuring, SDX Configuration Editor SS-144
 - configuring, SRC CLI SS-138
 - CORBA object reference SS-145
 - flat file accounting SS-152, SS-192
 - configuring, SDX Configuration Editor SS-153
 - configuring, SRC CLI SS-193
 - flexible RADIUS accounting SS-152, SS-192
 - configuring SS-198
 - configuring, SDX Configuration Editor SS-158
 - flexible RADIUS authentication SS-161, SS-203
 - configuring, SDX Configuration Editor SS-163
 - configuring, SRC CLI SS-207
 - hosted NG-7
 - hosted internal plug-in AL-220, AL-284
 - instances, creating SS-143
 - internal NG-6, SS-130
 - authorization SS-130
 - configuring in SAE property file SS-148
 - configuring RADIUS peers, SDX Configuration Editor SS-175

- configuring RADIUS peers, SRC CLI SS-190
 - configuring, SDX Configuration Editor SS-143
 - configuring, SRC CLI SS-137
 - customizing RADIUS packets SS-132
 - how they work SS-129
 - pool SS-129
 - RADIUS attributes, SDX Configuration Editor SS-177
 - RADIUS attributes, SRC CLI SS-215
 - tracking SS-131
- LDAP authentication SS-161, SS-204
 - configuring, SDX Configuration Editor SS-166
 - configuring, SRC CLI SS-212
- limiting subscribers SS-161, SS-204
 - configuring, SDX Configuration Editor SS-161
 - configuring, SRC CLI SS-204
- listeners SS-419
- PCMM record-keeping server plug-in SG-52
- prepaid plug-in SG-202
- SRC-ACP AL-201
- state synchronization
 - configuring, SDX Configuration Editor SS-146
 - configuring, SRC CLI SS-139
- tracking
 - configuring, SDX Configuration Editor SS-152
 - configuring, SRC CLI SS-192
 - service sessions SS-135
 - subscriber sessions SS-134
 - virtual routers, SDX Admin NG-88, NG-143
 - virtual routers, SRC CLI NG-63, NG-113
- types NG-6
 - See also* Enterprise Service Portal audit plug-in
- point of presence. *See* POP
- policer actions SP-155
 - configuring
 - Policy Editor SP-345
 - SRC CLI SP-266
- policies
 - basic BoD SS-390
 - BoD SS-391
 - BoD and VPNs SS-397
 - defining parameters in repository SP-399
 - management GS-7
 - NAT SS-386
 - parameters SS-422
 - storing and retrieving SP-186
 - viewing on SAE
 - C-Web interface MT-133
 - SRC CLI MT-112
- Policies, Services, and Subscribers CLI. *See* SRC CLI
- policing policies
 - described SP-142
 - example
 - Policy Editor SP-388
 - SRC CLI SP-376
- policy actions SP-148
 - combining SP-155
 - configuring SP-249–SP-282, SP-321–SP-365
- DOCSIS SP-154
 - configuring, Policy Editor SP-323
 - configuring, SRC CLI SP-250
- filter SP-154
 - configuring, Policy Editor SP-328
 - configuring, SRC CLI SP-254
- FlowSpec SP-154
 - configuring, Policy Editor SP-329
 - configuring, SRC CLI SP-255
- forward SP-154
 - configuring, Policy Editor SP-332
 - configuring, SRC CLI SP-257
- forwarding class SP-154
 - configuring, Policy Editor SP-333
 - configuring, SRC CLI SP-257
- gateSpec SP-154
 - configuring, Policy Editor SP-334
 - configuring, SRC CLI SP-258
- loss priority SP-154
 - configuring, Policy Editor SP-336
 - configuring, SRC CLI SP-259
- mark SP-154
 - configuring, Policy Editor SP-337
 - configuring, SRC CLI SP-260
- NAT SP-155
 - configuring, Policy Editor SP-338
 - configuring, SRC CLI SP-261
- next hop SP-155
 - configuring, Policy Editor SP-340
 - configuring, SRC CLI SP-262
- next interface SP-155
 - configuring, Policy Editor SP-342
 - configuring, SRC CLI SP-264
- next rule SP-155
 - configuring, Policy Editor SP-344
 - configuring, SRC CLI SP-265
- policer SP-155
 - configuring, Policy Editor SP-345
 - configuring, SRC CLI SP-266
- policy rules supported SP-150
- QoS profile attachment SP-155
 - configuring, Policy Editor SP-347
 - configuring, SRC CLI SP-268
- rate limit SP-155
 - configuring, Policy Editor SP-348
 - configuring, SRC CLI SP-269
- reject SP-155
 - configuring, Policy Editor SP-352
 - configuring, SRC CLI SP-273
- routing instance SP-155
 - configuring, Policy Editor SP-353
 - configuring, SRC CLI SP-274
- scheduler SP-155
 - configuring, Policy Editor SP-354
 - configuring, SRC CLI SP-275
- service class name SP-155
 - configuring, Policy Editor SP-360
 - configuring, SRC CLI SP-278

stateful firewall.....	SP-155	premium service	
configuring, Policy Editor.....	SP-361	Policy Editor.....	SP-391
configuring, SRC CLI.....	SP-279	SRC CLI.....	SP-378
traffic class.....	SP-155	tiered Internet service	
configuring, Policy Editor.....	SP-362	Policy Editor.....	SP-385
configuring, SRC CLI.....	SP-280	SRC CLI.....	SP-373
traffic mirror.....	SP-155	policy folders.....	SP-149
configuring, Policy Editor.....	SP-363	configuring	
configuring, SRC CLI.....	SP-281	Policy Editor.....	SP-286
traffic-shape.....	SP-155	SRC CLI.....	SP-213
configuring, Policy Editor.....	SP-365	policy groups.....	SP-149
configuring, SRC CLI.....	SP-282	configuring	
types.....	SP-154	Policy Editor.....	SP-287
policy components.....	SP-146	SRC CLI.....	SP-214
policy decision point, description.....	SP-147	deleting from directory.....	SP-366
Policy Editor.....	SP-147	purging from directory.....	SP-366
policy enforcement point, description.....	SP-148	summary table.....	SP-289
policy engine.....	SP-147	policy list sharing.....	SP-145
policy repository.....	SP-148	policy lists.....	SP-149
policy conditions.....	SP-148	configuring	
policy rules supported.....	SP-150	Policy Editor.....	SP-290
types.....	SP-152	SRC CLI.....	SP-214
<i>See also</i> classify-traffic condition; QoS condition		sharing.....	SP-145
Policy Editor		summary table.....	SP-292
accessing routers.....	NG-103, NG-160	policy management.....	GS-17
concurrency control.....	SP-165	policy objects	
copying objects.....	SP-178	access control.....	IG-114
customizing properties.....	SP-173	adding policy groups in directory.....	SP-366
cutting objects.....	SP-177	modifying in directory.....	SP-366
data security.....	SP-165	organization.....	SP-149
deleting objects.....	SP-178	policy overview	
description.....	GS-18	actions. <i>See</i> policy actions	
directory connection fields.....	SP-167	collecting accounting statistics.....	SP-146
drag and drop.....	SP-177	conditions. <i>See</i> classify-traffic condition; QoS condition	
exception handling in directory.....	SP-164	default policies. <i>See</i> default policies	
filtering searches.....	SP-175	installing policies on router.....	SP-144
finding objects.....	SP-176	network perspective diagram.....	SP-145
icons, navigation pane.....	SP-172	policy object organization.....	SP-149
internationalizing.....	SP-185	router features supported.....	SP-141
keys, customizing.....	SP-164	service policies. <i>See</i> service policies	
modifying policies.....	SP-177	sharing policies.....	SP-145
multiple operators.....	SP-165	policy repository, description.....	SP-148
nonroot users.....	SP-164	policy rules.....	SP-149
pasting objects.....	SP-178	actions supported.....	SP-150
printing policy objects.....	SP-174	conditions supported.....	SP-150
redoing operations.....	SP-174	configuring	
reloading objects.....	SP-179	Policy Editor.....	SP-293
sample window.....	GS-18	SRC CLI.....	SP-215
selecting multiple objects.....	SP-177	JUNOS Adaptive Services PIC (ASP). <i>See</i> JUNOS ASP	
sorting policy objects.....	SP-186	policy rules	
starting.....	SP-167	JUNOS filter. <i>See</i> JUNOS filter policy rules	
storing and retrieving policies.....	SP-186	JUNOS policer. <i>See</i> JUNOS policer policy rules	
summary tables.....	SP-183	JUNOS scheduler. <i>See</i> JUNOS scheduler policy rules	
undoing operations.....	SP-174	JUNOS shaping. <i>See</i> JUNOS shaping policy rules	
policy engine.....	SP-147	precedence	
policy examples		Policy Editor.....	SP-294
access policy		SRC CLI.....	SP-216
Policy Editor.....	SP-381	summary table.....	SP-296
SRC CLI.....	SP-369	types.....	SP-150

- policy servers
 - adding application manager groups
 - SDX Admin SG-138
 - SRC CLI SG-126
 - adding objects to directory
 - SDX Admin SG-142
 - SRC CLI SG-128
 - role, in PCMM architecture SG-38
 - specifying application managers
 - SDX Admin SG-138
 - SRC CLI SG-126
 - specifying SAE communities
 - SDX Admin SG-138
 - SRC CLI SG-126
- policy subtree and access control scheme IG-110
- Policy Web Admin
 - connecting to directory SG-22
 - launching SG-21
 - querying directory SG-23
 - searching for QoS Policy data SG-20
- poolRepublish command
 - executing NG-100
 - prerequisites NG-99
 - troubleshooting NG-102
 - variables NG-101
- POP (point of presence)
 - master directory and directory shadows GS-236
- port mirroring. *See* traffic mirroring
- portals
 - Host Check Result portal AL-95
 - IDP captive portal AL-185
 - testing MT-37
 - Traffic Mirroring Administration AL-84
- ports
 - RADIUS server GS-180
 - SRC-related components AL-9, GS-274
 - UDP
 - Merit IG-145
 - RAD IG-158
 - SPE IG-128
- PPP
 - access policy example
 - Policy Editor SP-384
 - SRC CLI SP-372
- PPP subscribers
 - login process SS-18–SS-20
 - logout process SS-21
 - Web login SS-18
- precedence
 - policy rules
 - Policy Editor SP-294
 - SRC CLI SP-216
 - subscriptions SS-376
- predefined login classes GS-164
- premium service, example
 - Policy Editor SP-391
 - SRC CLI SP-378
- Prepaid Account Administration application GS-21, GS-26, SG-197, SG-203
 - accessing SG-203
 - administering accounts SG-204
 - configuring SG-203
 - deploying WAR file SG-203
- prepaid plug-in configuration SG-202
- prepaid services demonstration application ... GS-26, SG-197
 - account server SG-198
 - components SG-197
 - configuring SG-199
 - configuring prepaid services SG-203
 - installing SG-199
 - interim update interval SG-199
 - SAE configuration SG-202
 - time-based prepaid services SG-198
 - volume-based prepaid services SG-198
- preparation time, service schedules
 - overview SP-92
 - setting
 - SDX Configuration Editor SP-114
 - SRC CLI SP-100
- preventing
 - service activation AL-206
 - subscriptions to services AL-65
- prevention, use of unauthorized resources SS-338, SS-345
- primary directory GS-221
- priorityList NG-240
- privilege levels GS-162, GS-164
- privilege levels for CLI CLI-28
- privileges
 - IT managers SS-416
- processors for data integration IG-92
- product features GS-6, GS-8
- project, creating in SDX Configuration Editor GS-356
- ProLDAP AATV
 - LDAP directory (Merit) IG-145
 - Merit IG-145
 - RAD IG-158, IG-161, IG-162
 - server configuration (Merit) IG-148
- ProLDAP process (Merit) IG-145
- prompt strings for CLI CLI-84
- properties
 - processors in data integrators IG-95
 - remote SAE properties SS-451
 - SRC-ACP AL-221–AL-232, AL-286–AL-293
 - subscriber information SS-443, SS-449
 - WEB-INF/portalBehavior.properties SS-307
- property files
 - data integrators IG-95
 - default.properties GS-285
 - SAE and directory attributes GS-285
- protocols
 - communication SS-426
 - routing SS-399, SS-406
- proxied QoS with policy push SP-158
- proxy HTTP SS-345, SS-347
- proxy request management SS-339, SS-345
- public addresses, VPNs SS-399, SS-406
- public SOAP interfaces AL-43, AL-70

public wireless LAN applications..... SS-339
 publishing events.....AL-219, AL-284, SG-173
 Python installation prerequisite GS-254

Q

QoS (quality of service)
 classification and marking..... SP-143
 condition SP-152
 configuring, Policy Editor SP-319
 configuring, SRC CLI SP-248
 PCMM cable networks. *See* PCMM policies
 PCMM environments
 description SG-37
 end-to-end QoS architecture..... SG-43
 extending to service edge domain..... SG-44
 extending to subscriber edge domain SG-44
 providing at application level. *See* DPI
 QoS profile attachment actions SP-155
 configuring, Policy Editor SP-347
 configuring, SRC CLI SP-268
 QoS profile, configuring
 Policy Editor..... SP-348
 SRC CLI SP-268
 searching for policies in directory.....SG-17, SG-20
 QoS profiles, JUNOS routers
 how tracking works SG-2
 managing dynamically SG-2–SG-7
 updating directory, using
 qosProfilePublish SG-14
 SDX Admin SG-14
 QoS profile-tracking plug-in
 configuring
 SDX Configuration Editor SG-10
 description SG-2
 QoS tracking plug-in SS-152, SS-192
 quality of service. *See* QoS
 quit command..... CLI-52

R

RADIUS
 address for SAE GS-149
 description GS-32
 first-time installations (SPE).....IG-124
 master directory and directory shadows GS-237
 OSS integration GS-6
 previous installations (SPE).....IG-125
 profiles and access control scheme IG-109
 server and equipment registration SS-304
 server compliant RFCs GS-32
 server with ISP service SS-304
 subscriber management..... GS-7
 vendor-specific attributes for wireless ISP
 roaming..... SG-27
 versions supported..... GS-251
 See also Merit RADIUS; RAD-Series RADIUS Server;
 Steel-Belted Radius/SPE server
 RADIUS accounting
 Merit IG-145

RADIUS attributes
 defining in RADIUS plug-ins
 SDX Configuration Editor SS-177
 SRC CLI SS-215
 dictionary files
 Merit IG-147
 RAD IG-161
 SPE IG-129
 examples, defining in RADIUS plug-ins
 SDX Configuration Editor SS-182
 SRC CLI SS-222
 incoming from Access-Request (SPE) IG-134
 values, Merit..... IG-151
 RADIUS authentication
 Merit..... IG-145
 RAD..... IG-161
 SPE..... IG-129
 See also authentication
 RADIUS client
 configuration
 Merit IG-153
 RAD IG-168
 SPE IG-138
 UDP ports
 Merit IG-145
 RAD IG-158
 SPE IG-127
 vendor
 Merit IG-153
 RAD IG-167
 RADIUS client library, custom RADIUS plug-ins SS-132
 RADIUS packets, customizing in plug-ins SS-132
 RADIUS peers
 configuring in plug-ins
 SDX Configuration Editor SS-175
 SRC CLI SS-190
 RADIUS plug-ins
 authentication SS-161, SS-203
 UDP port SS-174, SS-215
 See also plug-ins
 RADIUS process..... IG-124
 Merit..... IG-146
 SPE..... IG-125, IG-128
 RADIUS profiles
 configuring (Merit) IG-151
 Merit..... IG-151
 RAD..... IG-165
 RADIUS protocol, transaction-based (SPE) IG-127
 RADIUS server
 configuring
 Merit IG-153
 RAD IG-167
 SPE IG-137
 displaying status
 Merit IG-147
 starting
 Merit IG-146
 RAD IG-159
 SPE IG-128

- stopping
 - Merit IG-147
 - RAD IG-159
 - SPE IG-128
- testing installation (RAD) IG-168
- RADIUS services SP-34
 - adding
 - Policy Editor SP-38–SP-47
 - and ERX VSA SP-41, SP-45
 - configuring subscriptions SS-264
 - VSAs (vendor-specific attributes),
configuring SP-41–SP-47
 - RADIUS shared secret
 - Merit IG-153
 - RAD IG-167, IG-168
 - radius.ini file (SPE) IG-128
 - RAD-Series RADIUS Server GS-32
 - installation IG-156
 - syntax description IG-168
 - testing IG-168
 - RAD-Series Server Manager IG-159
- RAM requirements
 - Merit IG-144
 - RAD IG-156
 - SPE IG-124
- randomPick NG-240
- RAS client, configuring (SPE) IG-140
- rate-limit actions SP-155
 - configuring
 - Policy Editor SP-348
 - SRC CLI SP-269
 - example
 - Policy Editor SP-386
 - SRC CLI SP-374
- rate-limiting, with multiple classifiers SP-153
- read-only login class GS-164
- realm
 - administration (RAD) IG-164
 - configuration file (SPE) IG-136
 - syntax (Merit) IG-149
 - See also* NIC realms
- realm name
 - authentication (RAD) IG-161
 - description (RAD) IG-162
 - directed authentication (SPE) IG-136
- real-time polling service. *See* RTPS
- record servlet for SRC-TMP AL-125
- record-keeping server. *See* RKS
- RecordServlet for IDP captive portal AL-187
- redirect server
 - configuration prerequisites SS-351
 - configuration statements SS-350
 - configuring
 - C-series platform SS-351
 - Solaris platform SS-363
 - directory connection SS-353
 - failover SS-348
 - file extensions SS-356
 - logging SS-360, SS-372
 - number of requests SS-354
 - protection against denial-of-service attacks SS-348
 - redundancy SS-347, SS-348
 - statistics, viewing
 - C-Web interface MT-183
 - SRC CLI MT-181
 - traffic definition SS-354
- redrawing screen CLI-78
- redundancy
 - consolidated configuration, for GS-241
 - directory GS-221
 - Dynamic Service Activator AL-20
 - redirect server SS-347
 - SRC-ACP AL-207
 - Web-based deployment, workflow system AL-489
- references
 - draft RFCs GS-370
 - non-RFC software standards GS-370
 - RFCs GS-369
 - URLs, third-party GS-370
- regional data centers, consolidated installation GS-240
- regionalized installation on Solaris platforms GS-238
- registering subscribers AL-61
- regular expressions
 - displaying first match CLI-73
 - displaying matching output CLI-74
 - disregarding nonmatching output CLI-73
 - operators GS-165
 - overview CLI-71
 - usage guidelines GS-165
- reject actions SP-155
 - configuring
 - Policy Editor SP-352
 - SRC CLI SP-273
- reliability, distributed installation GS-237
- removing
 - Solaris packages AL-6
 - Web applications AL-9
- rename command CLI-52, CLI-63
- request license import master-license file-name
command GS-77
- request restart command CLI-48
- Request section, LDAP authentication (SPE) IG-134
- request system halt command CLI-48
- request system reboot CLI-49
- requirements, Solaris platforms GS-247
- reset permission GS-162
- resetting MBean counters AL-34
- residential portal
 - description GS-26
 - developing SS-300
 - directory eventing and failover GS-16
 - overview SS-299, SS-335
 - PDAs GS-27
 - prerequisites for development SS-335
 - RADIUS authentication for login SS-305
 - security SS-339
 - See also* sample residential portal

- residential subscribersSS-3, SS-9
 - adding
 - SDX Admin SS-242
 - SRC CLI SS-279
 - login process. *See* login process
 - resolution processes
 - DN to SAE reference..... NG-347, NG-351, NG-359
 - IP address to login name NG-342
 - IP address to SAE referenceNG-328, NG-336, NG-347, NG-351, NG-356
 - login name to SAE reference NG-342
 - resource checking, after installation..... GS-249
 - Response section, LDAP authentication (SPE)IG-134
 - restart command CLI-103
 - restoring
 - DirX directory database.....IG-84
 - Sun ONE directory database.....IG-75
 - retailer ISP
 - directed authentication.....IG-136
 - realm name (SPE).....IG-136
 - retailer use of SRC network AL-13
 - retailers
 - access control.....IG-112
 - subscribersSS-3, SS-9
 - adding, SDX Admin SS-236
 - adding, SRC CLI SS-276
 - retrieving directory changes GS-221
 - RFCsGS-369, GS-370
 - RKS (record-keeping server)
 - peers, configuration statements SG-59
 - peers, configuring in plug-ins
 - SDX Configuration EditorSG-74
 - SRC CLISG-59
 - plug-in SG-52
 - plug-in, configuration statements SG-63
 - plug-in, configuring
 - SDX Configuration EditorSG-71
 - SRC CLISG-60
 - role in PCMM environment SG-38
 - roaming wireless environmentSG-25–SG-32
 - roles
 - NIC NG-284
 - security AL-24
 - substitutions SP-405
 - rollback command..... CLI-18, CLI-52
 - root account GS-176
 - root user vs. nonroot user..... GS-246
 - roundRobin NG-240
 - round-robin method
 - MeritIG-149
 - SPEIG-131
 - router initialization scripts
 - iorPublisherNG-68, NG-95
 - JUNOSNG-123, NG-157
 - configuring location, SDX Configuration Editor NG-159
 - configuring location, SRC CLI NG-125
 - exampleNG-125, NG-158
 - JUNOSe NG-68, NG-95
 - configuring location, SDX Configuration Editor NG-98
 - configuring location, SRC CLI NG-70
 - example NG-70, NG-97
 - poolPublisher NG-68, NG-95
 - specifying for NIC NG-186, NG-208
 - router interfaces
 - viewing on SAE
 - C-Web interface MT-135
 - SRC CLI MT-111
 - router object
 - adding for third-party devices
 - SDX Admin IG-26
 - SRC CLI IG-10
 - router subscribers SS-4, SS-10
 - adding
 - SDX Admin SS-251
 - SRC CLI SS-286
 - routers
 - accessing router CLI NG-72, NG-103
 - adding JUNOS routing platforms
 - SDX Admin NG-136–NG-144
 - SRC CLI NG-110
 - adding JUNOSe
 - SDX Admin NG-82–NG-90
 - SRC CLI NG-60
 - integrating JUNOS routing platform NG-110, NG-136
 - integrating JUNOSe..... NG-60, NG-82
 - routing instance actions..... SP-155
 - configuring
 - Policy Editor SP-353
 - SRC CLI SP-274
 - routing instances SS-396
 - VPNs SS-400, SS-407
 - routing permission..... GS-162
 - routing scheme SS-399, SS-406
 - routing table, viewing
 - C-Web interface..... MT-189
 - SRC CLI MT-186
 - routing-control permission..... GS-163
 - RTPS (real-time polling service)..... SP-157
 - configuring SP-250, SP-323
 - Policy Editor SP-323
 - SRC CLI SP-250
 - rules, NAT SS-520
 - run command..... CLI-52
 - runtime parameters
 - viewing with SRC CLI SP-202
- S**
- SAE (service activation engine)
 - accounting..... NG-10
 - APIs. *See* APIs
 - BEEP connection, JUNOS routing platforms..... NG-4
 - classification scripts. *See* classification scripts
 - configuration, viewing
 - C-Web interface MT-129
 - SRC CLI MT-109

- configuring as an application manager
 - Solaris platforms SG-137
 - SRC CLI SG-125
- configuring for SRC-ACP AL-219, AL-283, SG-171
- configuring to monitor backbone congestion points AL-220, AL-284
- COPS
 - JUNOSe router connection NG-4
- deleting directory blacklist NG-53
- description GS-8, GS-13
- directory blacklist, viewing
 - C-Web interface MT-130
 - SRC CLI MT-110
- disabling interactions with JUNOS routing platform NG-128, NG-163
- enabling interactions with JUNOS routing platform NG-128, NG-163
- failover parameters NG-55
- identifying SS-417
- idle timeout SG-32
- JUNOS routing platform client NG-126, NG-162
- login events SS-15
- login process. *See* login process
- logout process. *See* logout process
- managing via external applications AL-13, AL-19
- monitoring GS-274
- monitoring interactions
 - JUNOS routing platform NG-128, NG-164
 - JUNOSe routers NG-73, NG-106
- NIC replication, configuring
 - SDX Configuration Editor NG-219
 - SRC CLI NG-201
- overview NG-3–NG-12
- PCMM environment NG-5, SG-47
- plug-ins *See* plug-ins
- property file
 - configuring external plug-ins SS-148
 - configuring internal and hosted plug-ins SS-148
- redundancy. *See* SAE communities
- reloading configuration NG-52
- role NG-3
- router initialization scripts. *See* router initialization scripts
- security properties IG-88
- session store
 - C-series platforms NG-22
 - Solaris platforms NG-41
- SNMP information, viewing
 - C-Web interface MT-143
 - SRC CLI MT-121
- starting GS-273
 - Solaris platforms GS-273
 - SRC CLI GS-149
 - SRC client on JUNOSe router NG-72, NG-105
- stopping
 - Solaris platforms GS-274
 - SRC CLI GS-150
 - SRC client on JUNOSe router NG-73, NG-106
- verifying status GS-150
- See also* license server
- SAE (service activation engine), configuring
 - accepting login names with different formats
 - property file SS-60
- BEEP connection
 - SDX Configuration Editor NG-145
 - SRC CLI NG-114
- community manager
 - SDX Configuration Editor SG-69
 - SRC CLI SG-57
- COPS connection
 - SDX Configuration Editor NG-90
 - SRC CLI NG-64
- directory eventing, SAE configuration data
 - SDX Configuration Editor NG-40
 - SRC CLI NG-20
- event notification API properties
 - SDX Configuration Editor SG-70
 - SRC CLI SG-58
- groups GS-146
- initial properties
 - configuration statements GS-147
 - directory properties GS-280
 - general properties GS-283
 - local configuration tool GS-279
 - overview, SRC CLI GS-145
 - portal address GS-282
 - property files GS-285
 - RADIUS properties GS-282
- interim accounting
 - SDX Configuration Editor SS-52
 - SRC CLI SS-43
- IOR
 - JUNOS NG-142
 - JUNOSe NG-88
 - PCMM SG-86
 - third-party devices IG-31
- IPSec SG-93
- LDAP access, SDX Configuration Editor
 - device data NG-40
 - directory data NG-29
 - persistent login cache data NG-37
 - persistent session cache repository NG-40
 - policy data NG-35
 - service data NG-33
 - subscriber data NG-30
- LDAP access, SRC CLI
 - device data NG-20
 - directory data NG-13
 - persistent login cache data NG-18
 - policy data NG-17
 - service data NG-16
 - subscriber data NG-14
- loading subscriptions, RADIUS authorization
 - property file SS-58
- login registration
 - SDX Configuration Editor SS-55
 - SRC CLI SS-46

- multiple logins from same IP address
 - SDX Configuration Editor SS-54
 - SRC CLI SS-45
- NAS ID GS-149
- PCMM device driver
 - SDX Configuration Editor SG-66
 - SRC CLI SG-54
- property file
 - modifying with SDX Admin SS-57
 - modifying with text editor SS-58
- RADIUS address GS-149
- reduce reported session time
 - SDX Configuration Editor SS-53
 - SRC CLI SS-44
- router initialization script location
 - SDX Configuration Editor NG-98, NG-159
 - SRC CLI NG-70, NG-125
- serialized data compression
 - SDX Configuration Editor NG-48
 - SRC CLI NG-27
- session job manager
 - SDX Configuration Editor NG-50
 - SRC CLI NG-28
- session reactivation timers
 - SDX Configuration Editor SS-56
 - SRC CLI SS-46
- session store
 - SDX Configuration Editor NG-43
 - SRC CLI NG-23
- simulated router driver
 - SRC CLI MT-29
 - SDX Configuration Editor MT-33
- SNMP communities
 - C-series platforms NG-66
 - Solaris Platforms NG-93
- time for MAC address in cache
 - SDX Configuration Editor SS-50
 - SRC CLI SS-41
- unauthenticated user DN
 - SDX Configuration Editor SS-51
 - SRC CLI SS-43
- virtual portal address SS-337
- See also* SAE (service activation engine)
- SAE communities
 - configuration overview
 - SRC CLI SG-57
 - configuration statements SG-57
 - configuring
 - SDX Configuration Editor SG-69
 - configuring manager
 - SDX Configuration Editor SG-69
 - SRC CLI SG-57
 - configuring, third-party devices
 - Solaris platforms IG-32
 - SRC CLI IG-12
 - defining members
 - SDX Admin SG-84
 - SRC CLI SG-79
 - description SG-51
 - third-party devices IG-4, IG-20
- SAE remote interface
 - customized interface modules NG-9
- sample data IG-56
- deep packet inspection (DPI) AL-333
- description GS-15
- Dynamic Service Activator AL-32
- installing AL-32
- loading
 - DirX directory server IG-81
 - eTrust Directory IG-60
 - Juniper Networks database GS-140
 - Oracle Internet Directory IG-66
 - Sun ONE Directory Server IG-73
 - Subscriber Manager AL-69
- sample data integrators IG-100
- sample enterprise service portal
 - configuring SS-442–SS-452
 - configuring connection to directory SS-433
 - customizing SS-433
 - privileges SS-416
 - data, displaying SS-460
 - managing services SS-531–SS-533
 - monitoring
 - service sessions SS-535
 - subscriptions SS-533
 - networks for departments SS-536, SS-537
 - overview SS-417
 - parameters SS-537
 - service parameters SS-534
- sample residential portal
 - action classes SS-302
 - behaviors SS-302
 - customizing SS-313
 - developing portal based on the
 - sample SS-340, SS-539
 - development tools SS-336
 - equipment registration SS-302, SS-304, SS-328
 - installing SS-312
 - login SS-316
 - model components SS-302
 - overview SS-315, SS-336
 - personal digital assistant (PDA) SS-333
 - prerequisites SS-312
 - schedules SS-323
 - service activation SS-322
 - services
 - management SS-318
 - schedules SS-323
 - subscriptions SS-327
 - usage
 - information SS-321
 - view components SS-302
 - Web application framework SS-301
- save command CLI-52
- scalability, distributed installation GS-237

- scheduleAuth plug-in..... SP-101, SP-115
- scheduler actions..... SP-155
 - configuring
 - Policy Editor..... SP-354
 - SRC CLI..... SP-275
 - See also* drop profile maps
- schema, loading
 - DirX directory server..... IG-78
 - Oracle Internet Directory..... IG-64
 - Sun ONE Directory Server..... IG-71
- scopes. *See* service scopes
- screen
 - dimensions..... CLI-83, CLI-84
 - redrawing..... CLI-78
- script command..... GS-256
- script services..... SP-20, SP-72
 - adding
 - SDX Admin..... SP-76–SP-78
 - SRC CLI..... SP-24
 - DPI integration..... AL-334
 - example
 - ScriptService SPI in Java..... SP-23, SP-75
 - ScriptService SPI in Jython..... SP-22, SP-74
 - for third-party devices..... IG-5, IG-21
 - ScriptService interface..... SP-21, SP-73
- scripts
 - access to..... AL-28
 - adding to directory..... AL-28
 - defining access constraints..... AL-31
 - deleting..... AL-32
 - examples..... AL-42
 - generate (DirX)..... IG-78
 - idpsdx.py..... AL-187, AL-188, AL-195, AL-198
 - idpsdx.sh..... AL-195
 - install.sh (SPE)..... IG-125
 - load (eTrust Directory)..... IG-57
 - load (OID)..... IG-64, IG-66
 - load (Sun)..... IG-73
 - running on SAE..... AL-19
 - setup.sh (eTrust Directory)..... IG-58
 - thm.py..... AL-125, AL-135
 - thm.sh..... AL-135
 - vpndatamgt..... IG-95
 - Workflow application..... GS-29
- SDX Admin
 - content pane..... GS-346
 - data conversion to Unicode Transformation
 - Format-8..... GS-351
 - deleting an entry..... GS-349
 - description..... GS-18
 - directory eventing and failure..... GS-16
 - general operating procedures..... GS-347
 - GUI panes example..... GS-19
 - icons
 - navigation pane..... GS-344
 - toolbar..... GS-342
 - layout..... GS-339
 - limitations..... GS-350
 - menu bar..... GS-340–GS-342
 - Meta Data tab..... GS-346
 - modifying an entry..... GS-348
 - navigation pane..... GS-343
 - Options menu, configuration parameters..... GS-341
 - pop-up menus..... GS-347
 - redo..... GS-348
 - save and revert command..... GS-349
 - setting language..... GS-351
 - starting..... GS-338
 - text search..... GS-350
 - toolbar..... GS-342
 - undo..... GS-348
 - virtual deletion of object..... GS-349
- SDX Configuration Editor
 - configuration items
 - creating..... GS-360
 - deleting..... GS-360
 - description..... GS-19, GS-353
 - directory connection..... GS-355
 - editing level..... GS-354
 - exporting objects to directory..... GS-359
 - GUI elements..... GS-360
 - importing objects from directory..... GS-357
 - objects, creating..... GS-359
 - project, creating..... GS-356
 - starting..... GS-354
 - using..... GS-357–GS-360
- SDX RADIUS client (Merit)..... IG-151
- Search requests (SPE)..... IG-130, IG-134
- Search/name section, LDAP authentication (SPE)..... IG-132
- secondary directory..... GS-221
- secret permission..... GS-163
- secret-control permission..... GS-163
- security
 - configuring for gateway clients..... AL-24
 - digital certificates..... GS-189
 - clearing certificates..... GS-190, GS-194
 - clearing requests..... GS-194
 - prerequisites..... GS-190
 - requesting certificates..... GS-190, GS-191
 - requesting certificates through SCEP..... GS-192
 - viewing certificates..... GS-190
 - residential portal..... SS-339
- security certificates
 - information, viewing
 - C-Web interface..... MT-104
 - SRC CLI..... MT-97
- security permission..... GS-163
- security-control permission..... GS-163
- sending traffic to VPNs..... SS-490
- serial port, C-series platform..... GS-62
- serialized data compression, configuring
 - SDX Configuration Editor..... NG-48
 - SRC CLI..... NG-27
- server license. *See* license
- Server Manager
 - password (RAD)..... IG-157
 - user (RAD)..... IG-157
- Server section, LDAP authentication (SPE)..... IG-131
- Server/name, LDAP authentication (SPE)..... IG-130

- server/serverName section, LDAP
 - authentication (SPE).....IG-131
- service activation.....SS-419
- service activation engine. *See* SAE
- service class name actions.....SP-155
 - configuring
 - Policy Editor.....SP-360
 - SRC CLI.....SP-278
- service flow scheduling typesSP-156
- service flows.....SG-39
- service logic engine (SLE). *See* DPI
- service objects, access controlIG-114
- service parameters, enterprise.....SS-420
- service permission.....GS-163
- service policiesSP-143
 - installing on routerSP-144
 - removing from router.....SP-144
- service providers
 - access control.....IG-112
- service schedules
 - action threshold, setting
 - SDX Configuration EditorSP-114
 - SRC CLI.....SP-100
 - authorization schedules, configuring
 - SDX AdminSP-115
 - SRC CLI.....SP-101
 - changing
 - SDX AdminSP-125
 - configuring
 - SDX AdminSP-116–SP-125
 - SRC CLI.....SP-102–SP-107
 - Enterprise Manager Portal, inSS-467–SS-474
 - examples
 - SDX AdminSP-126, SP-131, SP-137
 - SRC CLI.....SP-107, SP-109, SP-111
 - exclusions, defining
 - SDX AdminSP-120, SP-122
 - SRC CLI.....SP-103
 - guidelines.....SP-97
 - overviewSP-91
 - action thresholdSP-92
 - authorization schedules.....SP-93
 - configuring.....SP-96
 - effective periodSP-94
 - event-based schedulesSP-92
 - exclusionsSP-96
 - one-time eventsSP-95
 - preparation timeSP-92
 - recurring events.....SP-95
 - state-based schedules.....SP-93
 - planning.....SP-97
 - preparation time, setting
 - SDX Configuration EditorSP-114
 - SRC CLI.....SP-100
 - sample residential portal, inSS-324
- service scopesSP-27, SP-82
 - adding
 - SDX AdminSP-83
 - SRC CLI.....SP-28
 - adding to mutex groups
 - SDX AdminSP-85
 - assigning services
 - SDX AdminSP-84
 - SRC CLI.....SP-29
 - assigning subscribers
 - SDX AdminSP-82, SS-240
 - SRC CLI.....SP-27
 - assigning VRs
 - SDX AdminSP-82
 - SRC CLI.....SP-27
 - configuring
 - SDX AdminSP-83
 - SRC CLI.....SP-28
 - deletingSP-90
 - example
 - SDX AdminSP-86
 - SRC CLI.....SP-30
 - multiple scopes, defining
 - SRC CLI.....SP-27
 - SDX AdminSP-82
- service sessions
 - activate-on-loginSS-38, SS-135
 - activating and trackingSS-135
 - activating with Web applicationSS-33
 - enterprise, remote activation.....SS-38
- service-control permission.....GS-163
- services
 - access. *See* access services
 - activate-onlySP-31, SP-88
 - adding access
 - Policy Editor.....SP-35
 - adding aggregate
 - SDX AdminSP-63
 - SRC CLI.....SP-15
 - adding infrastructure
 - SDX AdminSP-71
 - SRC CLI.....SP-20
 - adding normal
 - SDX AdminSP-48
 - SRC CLI.....SP-5
 - adding outsourced
 - Policy Editor.....SP-36
 - adding RADIUS
 - Policy Editor.....SP-38
 - adding script services
 - SDX AdminSP-76
 - SRC CLI.....SP-24
 - adding value-added
 - Policy Editor.....SP-47
 - aggregate. *See* aggregate services
 - assigning to service scopes
 - SDX AdminSP-84
 - SRC CLI.....SP-29
 - automatic activation.....SP-4, SP-88
 - basic BoDSS-388, SS-391
 - BoDSS-392, SS-393, SS-474
 - configuring bandwidth forAL-236, AL-238, AL-309, AL-314
 - configuring prepaidSG-203

- deleting SP-89
 - scopes SP-90
 - using SDX Admin SP-89
 - using tools other than SDX Admin SP-90
- infrastructure. *See* infrastructure services
- JUNOS routing platforms SS-398
 - BoD and VPNs SS-397
 - NAT SS-386
- LDAP schema for SRC-ACP AL-309
- managing via external application AL-13
- modifying SP-89
- monitoring
 - C-Web interface AL-267
 - SRC CLI AL-255
- mutually exclusive SP-25, SP-79
- on demand GS-7
- outsourced. *See* outsourced services
- overview
 - C-series platform SP-4
 - Solaris platform SP-34
- premium service example
 - Policy Editor SP-391
 - SRC CLI SP-378
- preventing activation AL-206
- preventing subscription to AL-65
- RADIUS. *See* RADIUS services
- reloading on SAE NG-52
- restricting availability SP-27, SP-82
- restricting simultaneous activation SP-25, SP-79
- sample enterprise service portal, managing SS-531
- script. *See* script services
- setting parameter values SP-8
- subscribing to via external application AL-61
- tiered Internet example
 - Policy Editor SP-385
 - SRC CLI SP-373
- time-based SG-198
- value-added. *See* value-added services
- viewing on SAE
 - C-Web interface MT-131
 - SRC CLI MT-114
- voice over IP (VoIP) SG-33
- volume-based SG-198
- See also* firewall services
- session job manager, configuring
 - SDX Configuration Editor NG-50
 - SRC CLI NG-28
- session store
 - configuring, SDX Configuration Editor
 - compressing session objects NG-48
 - device driver NG-43
 - global parameters NG-47
 - configuring, SRC CLI
 - compressing session objects NG-27
 - device driver NG-23
 - global parameters NG-26
 - C-series platforms NG-22
 - in PCMM environment SG-52
 - in third-party networks IG-4, IG-20
 - Solaris platforms NG-41
- SessionClassId, PCMM policies SP-159
- Session-Timeout
 - Merit IG-151
 - RAD IG-166
- set cli complete-on-space command CLI-85
- set cli directory command CLI-43, CLI-85
- set cli language command CLI-83
- set cli level command CLI-83
- set cli password command CLI-84
- set cli prompt command CLI-84
- set cli screen-length command CLI-83
- set cli screen-width command CLI-84
- set cli terminal command CLI-83
- set command CLI-52, CLI-56
- Settings section, LDAP authentication (SPE) IG-130
- shaping rate. *See* traffic shaping
- shared secret (RAD) IG-157
- shared user accounts GS-186, GS-187
- shell permission GS-163
- show cli authorization command CLI-86
- show cli command CLI-85
- show cli history command CLI-31
- show cli level command CLI-83
- show command CLI-52
- show component command 47, CLI-101
- show configuration command CLI-57
- show system information command 47
- silent installation file (Sun) IG-70
- silent installation mode, Solaris platforms GS-257
- simulated router driver, configuring
 - SDX Configuration Editor MT-29, MT-33
 - SRC CLI MT-29
- simulated subscribers
 - logging in on SAE MT-38
 - logging out MT-38
- single phase resource reservation model, PCMM SG-40, SG-41
- single-hop environment SS-339
- single-host installation, Solaris platforms GS-234, GS-242
- sites SS-4, SS-5, SS-11, SS-12
 - subscriber SS-3, SS-9
 - adding, SDX Admin SS-249
 - adding, SRC CLI SS-285
- SNMP
 - configuring
 - server on JUNOSe router NG-93
 - retrieving information from network devices IG-18, IG-41
- SNMP agent
 - access control, configuring on C-series platforms
 - community strings GS-209, GS-210
 - named views GS-211
 - SNMP groups GS-212
 - SNMPv3 users GS-207
 - VACM GS-210
- components MT-59
 - adding MT-62
 - deleting MT-65
 - fields MT-63
- configuration statements GS-198, GS-204

- configuring
 - C-series platforms GS-199, GS-206
 - Solaris platforms GS-287
 - SRC CLI GS-199, GS-206
- description GS-22, GS-197, GS-287
- directory connection parameters, configuring
 - Solaris platforms GS-289
 - SRC CLI GS-202
- hierarchy and objects MT-57
- IOR file locations MT-55
- Java Runtime Environment, configuring
 - Solaris platforms GS-296
 - SRC CLI GS-204
- local properties, configuring
 - Solaris platforms GS-288
 - SRC CLI GS-199
- logging
 - severity levels GS-290
- logging, configuring
 - Solaris platforms GS-290
 - SRC CLI GS-203
- master agent communication, configuring
 - Solaris platforms GS-295
- master agent on Solaris platforms
 - commands GS-299
 - SNMP versions GS-299
- monitoring
 - Solaris platforms GS-298
 - SRC CLI GS-217
- named views, defining
 - C-series platforms GS-211
- Net-SNMP master agent GS-254, GS-287
- notification targets, configuring
 - C-series platforms GS-215
 - SRC CLI GS-215
- starting
 - Solaris platforms GS-298
 - SRC CLI GS-216
- stopping
 - Solaris platforms GS-298
 - SRC CLI GS-217
- subagent to master agent GS-287
- subfolders
 - adding MT-61
 - deleting MT-61
 - overview MT-59
- system information, configuring
 - SRC CLI GS-206
- system management configurations
 - adding MT-61
 - deleting MT-61
 - overview MT-58
- trap history, configuring
 - Solaris platforms GS-296
 - SRC CLI GS-200
- viewing information on SAE
 - C-Web interface MT-143
 - SRC CLI MT-121
- watchdog program, configuring
 - Solaris platforms GS-296
- See also* SNMP traps
- SNMP communities
 - configuring on SAE
 - SDX Configuration Editor NG-93
 - SRC CLI NG-66
- snmp control permission GS-163
- snmp permission GS-163
- SNMP server
 - configuring on JUNOS router NG-66
- SNMP traps
 - adding MT-66
 - alarm state transitions MT-82
 - configuring MT-50, MT-51
 - deleting MT-69
 - event traps
 - configuring MT-51
 - defined MT-48, MT-60
 - list and description MT-81–MT-82
 - pane in SDX Admin MT-68
 - license server GS-104
 - notification targets, configuring
 - C-series platforms GS-215
 - notifications
 - defined MT-49, MT-60
 - overview MT-48, MT-60
 - performance traps
 - accounting MT-74
 - authentication MT-75
 - configuring MT-50
 - defined MT-48, MT-60
 - JPS MT-80
 - NIC MT-76
 - pane in SDX Admin MT-67
 - policy engine MT-79
 - redirect server MT-79
 - router driver MT-77
 - SAE MT-73
 - SRC-ACP MT-80
 - system management MT-79
 - workflow MT-78
- SOAP
 - clients AL-40
 - fault codes AL-50
 - interfaces, public AL-43, AL-70
 - messages AL-42
 - operations AL-34
 - properties AL-43, AL-70
 - requests AL-19, AL-35, AL-62
 - sniffer AL-42
- software
 - CD installation (SPE) IG-124
 - CD, SRC AL-3
- software standards
 - draft RFCs GS-370
 - non-RFC standards GS-370
 - RFCs GS-369

- Solaris
 - packagesGS-264
 - installingAL-4, AL-6
 - removingAL-6
 - transferring to other hostsGS-267
 - UMCpdemoSG-197
 - patchesAL-5, GS-251
- source class usage (SCU)SS-398
- SQL queriesIG-94
- SRC Admission Control Plug-In. *See* SRC-ACP
- SRC CLI
 - directory connections
 - configuration statementsGS-50
 - configuringGS-50
 - verifying configurationGS-52
 - overviewGS-49
 - Policies, Services, and Subscribers CLI
 - passwordGS-54
 - startingGS-54
 - starting
 - C-series platformGS-53
 - Solaris platformGS-53
- SRC client, JUNOS e routers
 - configuringNG-60, NG-82
 - startingNG-72, NG-105
 - stoppingNG-73, NG-106
- SRC components
 - config commandGS-335
 - descriptionGS-9
 - diagramGS-4
 - disablingCLI-102
 - enablingCLI-102
 - high availabilityGS-41
 - information, viewing
 - C-Web interfaceMT-102
 - SRC CLIMT-94
 - installationGS-263
 - managingCLI-46
 - restartingCLI-48, CLI-103
 - statusCLI-101
- SRC networkAL-64
- SRC ownersAL-15
 - Dynamic Service ActivatorAL-18
 - Subscriber ManagerAL-62
- SRC single-hop requirementSS-339
- SRC SOAP Gateway. *See* SRC-SG
- SRC software
 - configuration prerequisites, C-series platformsGS-43
 - configuring
 - C-series platformsGS-44, GS-45
 - consolidated installationGS-240
 - deployment scenariosGS-233–GS-243
 - descriptionGS-3
 - distributed installationGS-235
 - features and benefitsGS-6, GS-8
 - financial advantagesGS-6
 - installing component
 - C-series platformGS-155
 - limits for system resourcesGS-265
 - OSS integrationGS-6
 - rebootingCLI-49
 - removing component
 - C-series platformGS-155
 - Solaris platformGS-268
 - services
 - descriptionGS-3
 - single-host installation, Solaris platformsGS-242
 - snapshot on C-series platformGS-152, GS-155
 - stoppingCLI-48
 - upgrading
 - C-series platformGS-152, GS-153, GS-155
- SRC software process, JUNOS routing platformsNG-110, NG-136
 - disablingNG-128, NG-163
 - reenablingNG-128, NG-163
- SRC Threat Mitigation Portal. *See* SRC-TMP
- SRC Volume-Tracking Application. *See* SRC-VTA
- SRC-ACP (SRC Admission Control Plug-In)AL-233, AL-304
 - APIAL-209
 - ATM access networkAL-203
 - authorizing and tracking servicesAL-206
 - backbone network management, configuringAL-236, AL-310
 - classification scripts
 - configuringAL-232, AL-303
 - configuringAL-214–AL-240, AL-280, AL-283–AL-316
 - congestion pointsAL-202, AL-220, AL-284
 - congestion points, removing unusedAL-252
 - congestion points, updating referencesAL-252
 - connections to services directory, configuringAL-230, AL-298
 - connections to subscribers' directory,
 - configuringAL-228, AL-295
 - CORBA interfaces, configuringAL-226, AL-291
 - data filesAL-223, AL-287
 - data files, reorganizingAL-251
 - description ofAL-201
 - directory eventing, configuringAL-301
 - event publishers, configuringAL-219, AL-284, SG-173
 - external applicationsAL-203, AL-206
 - external plug-in for SAE, configuringAL-201
 - fault recoveryAL-208
 - groups, configuringAL-214, AL-215
 - information from external applications,
 - displayingAL-259
 - installingAL-5
 - interactions with other componentsAL-206–AL-207
 - LDAP schemaAL-304–AL-309
 - logging properties, configuringAL-221, AL-286
 - monitoringAL-322
 - C-Web interfaceAL-263
 - SRC CLIAL-254–AL-262
 - operation, configuringAL-223, AL-287
 - overviewGS-32
 - preventing service activationAL-206
 - propertiesAL-221–AL-232, AL-286–AL-293
 - redundancyAL-207
 - configuringAL-227, AL-292
 - SAE, configuring forAL-219, AL-283, SG-171
 - startingAL-251, AL-322

- state synchronization AL-208
 - configuring AL-227, AL-294
- stopping AL-251, AL-322
- subscribers, monitoring AL-254, AL-264
- supporting multiple SAEs AL-205
- using multiple SRC-ACPs AL-205
- SRC-SG (SRC SOAP Gateway) AL-13–AL-14
 - clients AL-13
 - developing AL-43–AL-53, AL-70, AL-71
 - managing AL-43–AL-53, AL-71, AL-72
 - testing AL-35–AL-42
 - description GS-22
 - Subscriber Manager GS-23
 - Web application AL-15
- SRC-TMP (SRC Threat Mitigation Portal) AL-125–AL-135
 - configuring AL-119, AL-126
 - deploying AL-120, AL-126
 - managing attacks AL-125, AL-129
 - pending service activation AL-131
 - pending service deactivation AL-132
 - requiring action AL-130
 - with activated services AL-134
 - running AL-128
- SRC-VTA (SRC Volume-Tracking Application)
 - accounts
 - calculating interim interval AL-399
 - calculating usage AL-400
 - deleting information with administrator portal AL-445
 - description AL-348
 - getting balances AL-400
 - initial balance, setting AL-389
 - interim accounting interval, setting AL-393–AL-397
 - managing with portals AL-349, AL-439–AL-450
 - managing with VTA Configuration Manager AL-385
 - purchasing with subscriber portal AL-449
 - replenishing with administrator portal AL-445
 - service AL-348
 - subscriber AL-348
 - suspending with subscriber portal AL-449
 - updating with actions AL-397
 - updating with scripts AL-387
 - usage metric, setting AL-390–AL-392
 - viewing with administrator portal AL-444
 - actions AL-353
 - running scripts AL-418
 - updating accounts AL-397
 - architecture AL-350
 - behaving service AL-348
 - bought account AL-348
 - bought quota AL-348
 - example AL-358
 - bucket account AL-348
 - example AL-451
 - configuring. *See* VTA Configuration Manager
 - connections to SRC components AL-350
 - database engine processor AL-353
 - configuring AL-385–AL-401
 - e-mail notifications, sending AL-401–AL-405
 - event attributes AL-351
 - event handlers AL-352
 - configuring AL-422–AL-425
 - events AL-351
 - account update AL-351
 - callback AL-351
 - configuring AL-421
 - tracking events from SAE AL-351
 - example
 - bucket VTA AL-451
 - limiting subscriber access AL-357
 - how it works AL-350–AL-359
 - initially configuring AL-362
 - installing AL-362
 - interval accounting interval, setting AL-393–AL-397
 - JavaScript programs AL-362
 - mail processor AL-353
 - configuring AL-401–AL-405
 - misbehaving service AL-348
 - network resource usage, determining AL-391
 - NIC with the SRC-VTA AL-373
 - operation process AL-355
 - overview AL-347–AL-350
 - periodic account AL-348
 - periodic quota AL-348
 - example AL-358
 - processors AL-353
 - providing volume-based services AL-349
 - quota service AL-348
 - activation upon deposit AL-373
 - related configuration tasks AL-363–AL-375
 - database accounts AL-363
 - deployment descriptors AL-365
 - EJB adapter plug-in AL-369
 - identifying subscribers, SAEs, and sessions AL-356
 - J2EE application server AL-364
 - J2EE application server client libraries AL-367
 - loading configurations from directory AL-367
 - NIC AL-374
 - NIC proxies AL-375
 - sending SAE tracking events to SRC-VTA AL-369
 - services and policies AL-366
 - subscribers and subscriptions AL-367
 - tracking plug-ins, enterprise subscribers AL-373
 - renaming VTAs AL-376
 - SAE events AL-351
 - sending to SRC-VTA AL-369
 - SAE proxy processor AL-354
 - configuring AL-405–AL-411
 - script runner processor AL-354
 - configuring AL-411–AL-420
 - scripts
 - account update AL-387
 - external AL-411, AL-415
 - JavaScript programs AL-411
 - running AL-418
 - sessions AL-349
 - closing AL-400

- subscriber login with IP address AL-374
- testing VTA configuration with administrator
 - portal AL-445
 - threshold AL-348
 - troubleshooting database deadlocks AL-366
 - usage metric, configuring AL-390–AL-392
 - validating configurations AL-437
- SSH (secure shell)
 - connection to remote host GS-195
- SSL (secure sockets layer). *See* LDAPS
- SSP services. *See* value-added services
- sspServiceProfile and access control scheme IG-108
- standards
 - draft RFCs GS-370
 - non-RFC software standards GS-370
 - RFCs GS-369
- starting
 - gateway client for PCs AL-40
 - SRC-ACP AL-251, AL-322
- state synchronization
 - SRC-ACP AL-208
- state synchronization plug-in interface
 - configuring
 - SRC CLI SS-139
 - SDX Configuration Editor SS-146
- stateful firewall policies SP-142
 - actions SP-155
 - configuring, Policy Editor SP-361
 - configuring, SRC CLI SP-279
 - application protocol conditions
 - defining, Policy Editor SP-314
 - defining, SRC CLI SP-244
 - map expressions, Policy Editor SP-315
 - map expressions, SRC CLI SP-247
- statements. *See* configuration statements
- static IP subscribers, login process SS-29–SS-31
- static properties AL-15
- static routes, configuring GS-66
- static routing SS-399, SS-406
- statistics, SRC-ACP
 - monitoring
 - C-Web interface AL-276
- Steel-Belted Radius/SPE server GS-32
- Steel-Belted Radius/SPE, software requirements IG-124
- stopping SRC-ACP AL-251, AL-322
- structure rules IG-55
- subfolders, managing in SDX Admin GS-343
- subscriber
 - management, description GS-7
 - wireless environment SG-26
- subscriber classification scripts. *See* classification scripts
- subscriber folders SS-4, SS-10
 - adding
 - SDX Admin SS-240
 - SRC CLI SS-278
- Subscriber Manager AL-13
 - configuring AL-64–AL-69
 - error codes AL-71, AL-72
 - installing AL-64–AL-68
 - interactions with OSMW AL-63
 - overview AL-61–AL-63
 - sample data AL-69
- subscriber permission GS-163
- subscriber sessions
 - activating with Web application SS-34
 - creating and tracking SS-134
 - deactivating with Web application SS-36
 - enterprise, creating and activating SS-32
 - logging in MT-38
 - logging out MT-42
 - viewing on SAE
 - C-Web interface MT-138
 - SRC CLI MT-117, MT-118, MT-119, MT-120
- subscriber-control permission GS-163
- subscribers
 - access SS-10
 - access control scheme IG-112
 - adding
 - SDX Admin SS-236–SS-252
 - SRC CLI SS-275–SS-287
 - assigning interfaces to AL-235, AL-308
 - billing SS-398
 - configuring bandwidths and congestion
 - points for AL-234, AL-306
 - directory connection properties SS-443, SS-449
 - enterprise
 - adding, SDX Admin SS-246
 - adding, SRC CLI SS-283
 - identifying AL-47
 - inheriting properties SS-235, SS-274
 - inheriting subscriptions SS-235, SS-274
 - IP addresses NG-283
 - LDAP model SS-229
 - login names NG-283
 - managing via external application AL-13, AL-61
 - monitoring
 - C-Web interface AL-264, AL-273
 - SRC CLI AL-254, AL-259
 - password encryption SS-235
 - provisioned and actual bandwidths AL-206
 - registering AL-61
 - residential SS-3, SS-9
 - adding, SDX Admin SS-242
 - adding, SRC CLI SS-279
 - retailer SS-3, SS-9
 - adding, SDX Admin SS-236
 - adding, SRC CLI SS-276
 - router SS-4, SS-10
 - adding, SDX Admin SS-251
 - adding, SRC CLI SS-286
 - service scopes, assigning
 - SDX Admin SS-240
 - sites SS-3, SS-9
 - adding, SDX Admin SS-249
 - adding, SRC CLI SS-285
 - types SS-3, SS-9
- subscriptions SS-4, SS-10, SS-230
 - access, configuring
 - SDX Admin SS-261
 - SRC CLI SS-292

- activating access for operatorsIG-115
- activation order, specifying
 - SDX Admin SS-231
 - SRC CLI SS-274
- attributes forAL-49
- enterprise hierarchy SS-423
- hierarchySS-5, SS-12
- LDAP model SS-231
- multiple per subscriberSS-258, SS-292
- outsourced services, configuring SS-258
- password encryption SS-235
- priority SS-376
- RADIUS, configuring SS-264
- reloading on SAE NG-53
- sample enterprise service portal, creating SS-531
- value-added services, configuring SS-255
- substitutions
 - accessIG-116
 - aggregate services, configuring SP-17, SP-68
 - comments SP-405
 - adding SP-411
 - configuring SP-55, SS-269
 - definition SP-400
 - exceptions, raising SP-407
 - expressions SP-406–SP-411
 - IPv4 addresses SP-407
 - keywords SP-408
 - lists, formatting SP-408
 - maps, formatting SP-408
 - numbers, formatting SP-407
 - operators SP-408–SP-411
 - ranges SP-407
 - separators SP-408
 - strings, formatting SP-407
 - subordinate expressions SP-406
 - syntax SP-406
 - formatting SP-405–SP-411
 - map expressions SP-408
 - mathematical expressions SP-406–SP-411
 - parameter acquisition path SS-420
 - roles SP-405
 - sample enterprise portal SS-537
 - types SP-405
 - use SS-421
 - validation SP-412
 - See also* parameters
- sudo command GS-246
- Sun ONE Directory Server
 - access controlIG-118
 - add-on package IG-70–IG-71
 - backing up directoryIG-74
 - cloning the directory server GS-324
 - enterprise service portal SS-427
 - installingIG-72
 - integrating with SRC software IG-71–IG-73
 - integration GS-16
 - load scriptIG-73
 - loading sample dataIG-73
 - obtainingIG-71
 - product descriptionIG-69
 - restarting IG-74
 - restoring directory IG-75
 - silent installation feature IG-70
 - startingIG-73
 - stopping IG-74
 - superuser environment (DirX) IG-83
 - super-user login class GS-164
 - swmtool commandAL-6
 - symbols in statements CLI-27
 - symmetric active mode, NTP GS-119
 - syntax for directory entries IG-48
 - sysconf command GS-354
 - sysdef command GS-265
 - system authentication. *See* authentication
 - system log server
 - configuration prerequisites GS-129
 - configuration statements GS-129
 - message groups GS-128
 - message severity levels GS-128
 - messages
 - file GS-129
 - file locations GS-129
 - server GS-130
 - user notification GS-131
 - overview GS-127
 - system logging. *See* logging
 - system login GS-177
 - system management
 - access control scheme IG-111
 - system permission GS-163
 - system requirements
 - Merit IG-144
 - RAD IG-156
 - SPE IG-124
 - system requirements for gateway client for PCsAL-39
 - system requirements, Solaris platforms GS-247
 - system resources, SRC processes GS-265
 - system-control permission GS-163
- T**
 - TACACS + authentication. *See* authentication
 - TargetNumber (SPE) IG-131
 - targets. *See* classification scripts
 - tariff models GS-7
 - tee command GS-256
 - Telnet connection to remote host GS-195
 - template authentication accounts GS-185
 - terminal type CLI-83
 - test script (Merit) IG-154
 - test user password (RAD) IG-157
 - testing
 - components that use NIC NG-253
 - Dynamic Service ActivatorAL-35–AL-42
 - third-party devices
 - creating sessions IG-5, IG-21
 - initialization scripts IG-15, IG-37
 - integrating into SRC network
 - Solaris platform IG-19–IG-42
 - SRC CLI IG-3–IG-18

- logging in subscribers
 - assigned IP method IG-6, IG-22
 - event notification method IG-7, IG-23
 - overview IG-5, IG-21
 - provisioning with script services IG-5, IG-21
 - router objects, adding
 - SDX Admin IG-26
 - SRC CLI IG-10
 - SAE communities IG-4, IG-20
 - VR objects, adding
 - SDX Admin IG-28
 - SRC CLI IG-11
 - third-party URLs GS-370
 - threads
 - configuring for COPS NG-93
 - configuring for sessions
 - SDX Configuration Editor NG-50
 - SRC CLI NG-28
 - viewing on SAE
 - C-Web interface MT-138
 - SRC CLI MT-116
 - threat mitigation
 - managing attacks with the SRC-TMP AL-129
 - pending service activation AL-131
 - pending service deactivation AL-132
 - requiring action AL-130
 - with activated services AL-134
 - Threat Mitigation Application
 - configuration tool AL-115
 - configuring AL-115
 - database configuration AL-110
 - deploying AL-120
 - initially configuring AL-108
 - installing AL-108
 - prerequisites AL-106
 - record servlet AL-125
 - related configuration tasks AL-109–AL-124
 - sample implementation AL-107
 - services in response to incidents AL-121
 - thm.py script AL-125
 - Threat Mitigation Portal. *See* SRC-TMP
 - tiered Internet service, example
 - Policy Editor SP-385
 - SRC CLI SP-373
 - time zone GS-114
 - Tomcat installation (RAD) IG-156
 - Tomcat, as Java development
 - environment SS-340, SS-539
 - toolbar, SDX Admin GS-342
 - top command CLI-52
 - trace requests AL-70
 - tracking plug-ins SS-131
 - configuring
 - SDX Configuration Editor SS-152
 - SRC CLI SS-192
 - virtual routers
 - SDX Admin NG-88, NG-143
 - SRC CLI NG-63, NG-113
 - traffic mirror actions SP-155
 - configuring
 - Policy Editor SP-363
 - SRC CLI SP-281
 - traffic mirroring
 - administration GS-22
 - administration portal AL-84
 - application GS-28
 - mirroring tasks
 - managing AL-87
 - starting AL-85
 - traffic profiles, PCMM SG-43
 - traffic profiles, PCMM policies SP-160
 - traffic shape actions
 - configuring
 - Policy Editor SP-365
 - SRC CLI SP-282
 - traffic shaping
 - actions SP-155
 - policy rules SP-150
 - traffic-class actions SP-155
 - configuring
 - Policy Editor SP-362
 - SRC CLI SP-280
 - traffic-shape actions SP-155
 - transaction-based RADIUS protocol
 - Merit IG-145
 - RAD IG-158
 - SPE IG-127
 - transactions, OSMW AL-63
 - transferring
 - data to directory IG-91
 - translation, file format GS-267
 - traps. *See* SNMP traps
 - troubleshooting
 - JUNOS routing platforms NG-129, NG-164
 - JUNOSe routers NG-74, NG-107
 - poolRepublish command NG-102
 - tools MT-3
 - with log files MT-7
 - tuning factors for background bandwidth AL-205
 - tunnel interfaces, configuring GS-64
- ## U
- UDP ports
 - changing default
 - Merit IG-145
 - RAD IG-158, IG-160
 - Merit IG-145
 - RAD IG-158, IG-168
 - RADIUS client
 - Merit IG-153
 - SPE IG-138
 - RADIUS plug-ins SS-174, SS-215
 - SPE IG-127, IG-128
 - UGS (unsolicited grant service) SP-157
 - configuring
 - Policy Editor SP-323
 - SRC CLI SP-251

- UGS-AD (unsolicited grant service with activity detection) SP-157
 - configuring
 - Policy Editor..... SP-323
 - SRC CLI..... SP-251
 - UIDs GS-173
 - uid-uniqueness plug-in (Sun)..... IG-70
 - ulimit command GS-265
 - UmcConfiguration and access controls IG-108
 - UMCpddemo Solaris package SG-197
 - umcRadius Person and access control scheme IG-109
 - umcTransactionalLock AL-479
 - umcUser and access control scheme IG-109
 - umcWorkflow AL-479
 - unauthorized login class GS-164
 - Unicode Transformation Format-8
 - localization in SDX Admin..... GS-351
 - uniform resource identifier. *See* URI
 - uninstall command..... GS-268
 - uninstallation
 - description GS-268
 - logging session GS-269
 - uninstalling. *See* removing
 - unique user IDs, SDX Admin GS-350
 - Unisphere VSA, updating (RAD) IG-161
 - UNIX password checking (Merit)..... IG-144
 - unresponsive directories GS-222
 - unsolicited grant service. *See* UGS
 - unsolicited grant with activity detection. *See* UGS-AD
 - up command CLI-52
 - upgrade license requirements GS-92
 - UpperCaseName (SPE) IG-130
 - upstream bandwidth AL-202
 - upstreamBackgroundRate attribute AL-304
 - upstreamProvisionedRate attribute..... AL-304, AL-306
 - upstreamSyncRate attribute AL-306
 - URI (uniform resource identifier) AL-47
 - URLs in commands CLI-46
 - usage data GS-8
 - user accounts
 - authentication
 - configuring passwords GS-175
 - configuring SSH authentication GS-175
 - root password GS-176
 - authentication method and password GS-174
 - configuration GS-172
 - configuration example CLI-13
 - configuration statements GS-171
 - configuration verification GS-174
 - configuring GS-171
 - example GS-176
 - overview GS-161, GS-171, GS-174
 - shared GS-186, GS-187
 - See also* login classes
 - user class in access control lists..... IG-106
 - User Datagram Protocol. *See* UDP
 - user identifiers. *See* UIDs
 - user notification messages..... GS-131
 - user password, specifying (Merit) IG-154
 - user subtree and access control scheme IG-114
 - username, authentication credentials (SPE) IG-138
 - users, authorized GS-246
- V**
- validating
 - substitutions..... SP-412
 - VPNs SS-411
 - value acquisition for parameters
 - multiple subscriptions SP-402
 - single subscriptions SP-400
 - value consistency, SDX Admin GS-350
 - value substitution..... SS-422
 - value-added services..... SP-34
 - adding
 - Policy Editor..... SP-47
 - aggregate services SP-58–SP-70
 - fragment services..... SP-58
 - prerequisites SP-58
 - session SP-59
 - infrastructure services SP-71–SP-72
 - normal services SP-47–SP-53
 - script services..... SP-76–SP-78
 - subscriptions
 - configuring..... SS-255
 - types SP-47
 - variables.tcl file (DirX)..... IG-78
 - vendor files
 - Merit..... IG-148
 - RAD..... IG-161
 - SPE..... IG-127
 - vendor-specific attributes. *See* VSAs
 - verifyInst command GS-249
 - view permission GS-163
 - view-configuration permission GS-163
 - virtual deletion, SDX Admin..... GS-349
 - virtual portal address SS-337
 - configuring..... SS-337
 - virtual private networks. *See* VPNs
 - virtual routers
 - adding for third-party devices
 - SDX Admin IG-28
 - SRC CLI IG-111
 - adding individually for JUNOS routing
 - platforms NG-112
 - SDX Admin NG-139–NG-144
 - adding individually for JUNOS routers
 - SDX Admin NG-85
 - SRC CLI NG-62
 - adding operative VRs..... NG-111
 - SDX Admin NG-82
 - SRC CLI NG-60
 - updating IP address pools. *See* IP address pools .. NG-99
 - Volume-Tracking Application. *See* SRC-VTA
 - VPN Subscription Deactivator IG-102, SS-411
 - vpndatamgt script..... IG-95

VPNs (virtual private networks)

- adding
 - data integrator IG-100, SS-406
 - SDX Admin SS-407
 - SRC CLI SS-401
 - configuration requirements SS-399, SS-405, SS-406
 - configuration statements SS-400
 - definition SS-400, SS-405
 - deleting SS-412
 - directory SS-487
 - exporting SS-409
 - extranet clients, modifying
 - SDX Admin SS-409, SS-411
 - SRC CLI SS-402
 - identifiers SS-396
 - invalid subscriptions SS-411
 - modifying SS-402, SS-408, SS-487
 - VPN to which router sends traffic SS-490
 - routing schemes SS-399, SS-406
 - sending traffic SS-490
 - stopping router from sending traffic SS-491
 - using NAT SS-399, SS-406
 - validating SS-411
- VSAs (vendor-specific attributes)
- configuring for services SP-41–SP-47
 - Merit IG-148
 - RAD IG-161
- VTA Configuration Manager AL-378–AL-438
- available configuration tasks AL-384
 - committing configurations to directory AL-437
 - connecting to directory AL-380
 - database accounts AL-385
 - exporting configurations to a local file AL-438
 - importing configurations from a local file AL-383
 - installing AL-378
 - loading configurations from directory AL-380
 - login name AL-378
 - password AL-378
 - running AL-379
 - validating configurations AL-437
- VTA portals
- administrator portal AL-443
 - accessing AL-443
 - deleting information from VTA database AL-445
 - replenishing periodic accounts AL-445
 - testing VTA configuration AL-445
 - viewing subscriber accounts AL-444
 - automatic login AL-440
 - configuring properties AL-440
 - managing subscriber accounts AL-439–AL-450
 - subscriber portal AL-446
 - accessing AL-447
 - purchasing extra bandwidth AL-450
 - purchasing periodic accounts AL-449
 - suspending periodic accounts AL-449
- VTA. *See* SRC-VTA

W

- WAR files AL-8, GS-309
- Web Admin applications SG-197, SG-203
- Web application server AL-15, AL-24, AL-34
- Web applications
 - installing AL-7, GS-309
 - removing AL-9, GS-311
 - SRC SOAP Gateway AL-13
- Web Services Description Language. *See* WSDL
- WEB-INF/jboss-web.xml SS-306
- WEB-INF/portalBehavior.properties SS-306
- WEB-INF/struts-config.xml SS-306, SS-309
- WEB-INF/tiles-defs.xml SS-306, SS-311
- WEB-INF/web.xml SS-306
- wholesaler-retailer environments AL-13
- wireless environment SG-25–SG-32
- workflow
 - cancelling AL-583
 - event notification AL-578
 - execution AL-63, AL-578
 - pausing and resuming AL-585
 - reconfiguring event adapter AL-585
 - reloading AL-585
 - starting AL-578
 - viewing details AL-582
 - viewing progress AL-583
- Workflow application AL-484
 - basic deployment AL-484
 - centralized deployment AL-485
 - deployment strategies AL-483–AL-490
 - description GS-6, GS-28–GS-29
 - distributed deployment AL-487
 - elements in directory IG-54
 - e-mail send/receive protocols GS-29
 - externalized deployment AL-487
 - high-availability deployment AL-486
 - HTTP GS-30
 - installing AL-5
 - Java API GS-29
 - managing via external applications AL-13
 - mixed deployment AL-490
 - scripts and external programs GS-29
 - Web-based deployment AL-489
- workflow engine AL-65, AL-577
 - directory client AL-577
 - execution control AL-577
 - library manager AL-577
 - persistence control AL-577
 - reconfiguring AL-585
- Workflow Manager AL-579
 - Execution Control tab AL-582
 - Library tab AL-581
 - Maintenance tab AL-584
- workflow model example AL-479
- workflow probe AL-586
- workflow subtree and access control scheme IG-113
- working directory CLI-85
- WSDL files AL-43, AL-70

X

XML documentsIG-92

XML File ReaderIG-98

XML File WriterIG-99

XML format, command output inCLI-72

XSLT filesIG-94

XSLT transformersIG-92

X-Windows accessGS-251