

Guidelines for Entering Time Values for Service Schedules

When you enter time schedules, you can use the values in the following list. See *Setting the Time Schedule (SRC CLI)* for a description of the options.



NOTE: Dates in the **to** statements apply only to services that have an authorization plug-in configured. If an authorization plug-in is not configured for the service associated with the schedule, the entries in the **to** statements are ignored.

- *—Asterisks are interpreted as follows:
 - Minutes and hours:
 - 0 if used in the **from** or **to** statements of a scheduled event
 - First or last if used in the statements of a schedule exclusion
 - Time zones—Local SAE time zone
 - All other options—First through last
 - For options in the **to** statements, * for the end time is equivalent to “deny service activation after this start date.”
 - For dates in the **from** statements, * is equivalent to “deny service activation before this end date.”
- Range of numbers separated by a hyphen. The range is inclusive; for example, 1-5 for the hour specifies hours 1, 2, 3, 4, and 5.
- List of numbers or ranges separated by commas. For example, 1,2,5,9 or 0-4,8-12.
- Skip values in ranges:
 - To skip a number's value through the range, follow a range with / < number > . For example, 0-23/2 used in the **hour** option specifies that the event occurs every other hour.
 - Skip values with *. If you want to specify every two hours, use */2.



NOTE: If you set both a day of the month and a day of the week, the day of the month is used.

- Related Topics**
- [Setting the Time Schedule \(SRC CLI\)](#)
 - [Adding a Service Schedule \(SRC CLI\)](#)
 - [Schedule Configuration Guidelines](#)

