

Schedule Fields in Enterprise Manager Portal

Use the fields in this topic to define a service schedule.

Schedule Name

- Name of the schedule.
- Value—Text string
- Default—No value

Subscription is

- Whether or not the subscription can be activated during or outside the scheduled time.
- Value
 - Enabled during schedule—Service can be activated during the scheduled time.
 - Enabled outside schedule—Service can be activated outside the scheduled time.
- Default—No value

Start Time

- Time that a scheduled activity is to start.
- Value—Time of day in the format hh:mm, where hh indicates the hour and mm indicates the minute. The range is 00:00 to 23:59.
- Default—No value
- Example—13:15

Time Zone

- Time zone for which the schedule is defined.
- Value—Name of time zone
- Default—Local time zone

Duration

- Length of time after the start time that a scheduled activity is allowed.
- Value—Length of time in minutes, hours, days, or weeks
- Guidelines—The length of time should be more than 15 minutes; using a shorter time could adversely affect system performance. Table 1 on page 2 shows the maximum duration for specified recurrence patterns.

Table 1: Maximum Duration for Recurrence Patterns

For This Recurrence Pattern	Duration Must Be Less Than
Daily	24 hours
Weekly	24 hours
Monthly	28th day of the month
Yearly	365 days

- Default—No value
- Example—2 hours

During the interval from the start time to 2 hours after the start time, the action (defined on the Schedule Definition Page under the *During schedule subscription is* field) is available.

Once

- Date on which the scheduled activity is to occur.
- Value—Date in the format mm/dd/yyyy, where mm indicates the month, dd indicates the day, and yyyy indicates the year
- Default—No value
- Example—12/10/2005

Daily

- Whether or not the scheduled activity is to occur every day of the week or every weekday.
- Value
 - day—Scheduled activity is to occur on every day of the week
 - weekday—Scheduled activity is to occur on each day Monday through Friday
- Default—No value

Weekly

- Scheduled activity occurs on a specified day or days during a week.
- Value—Name of day(s) of the week
- Default—No value

Monthly

- Scheduled activity occurs on the indicated day every month
- Value—Day of the month
- Default—No value

Yearly

- Scheduled activity occurs on a specified day each year
- Value—Month and day
- Default—No value

Range of recurrence Start by

- Date on which a schedule starts for a recurring action.
- Value—Date in the format mm/dd/yyyy, where mm indicates the month, dd indicates the day, and yyyy indicates the year
- Default—No value

The default indicates that the recurring schedule starts immediately—the next time the recurrence pattern applies.

- Example—12/10/2005

Range of recurrence End by

- Date on which a schedule ends for a recurring action.
- Value—Date in the format mm/dd/yyyy, where mm indicates the month, dd indicates the day, and yyyy indicates the year
- Default—No value

The default indicates that the schedule has no end date and remains in place indefinitely.

- Example—12/10/2005

