

Specifying Port Access for Traffic Classification

In the SRC software, the way that you specify a range of port numbers greater than or less than a specific value in a traffic classifier is different from the way you define a range in the configuration on JUNOS routers.

In the SRC CLI, you specify ranges by setting values in the **port-operation** options in command statements.

To specify a range of port numbers greater or less than a specified value, you can:

- Define the full set of port numbers in the range to be allowed.
- Define the full set of port numbers in the range not allowed.

To configure port numbers greater than a defined value by specifying which values are allowed:

1. For the **port-operation** option, enter **eq**.
2. For the **from-port** option, enter the range of ports allowed.

For example, to specify access to all port numbers greater than 10, specify **11..65535**.

To configure port numbers greater than a defined value by specifying which values are not allowed:

1. For the **port-operation** option, enter **neq**.
2. For the **from-port** option, enter the range of ports not allowed.

For example, to specify access to all port numbers greater than 10, specify **1..9**.

To configure port numbers less than a defined value by specifying which values are allowed:

1. For the **port-operation** option, enter **eq**.
2. For the **from-port** option, enter the range of ports.

For example, to specify access to all port numbers less than 10, specify **1..9**.

To configure port numbers less than a defined value by specifying which values are not allowed:

1. For the **port-operation** option, enter **neq**.
2. For the **from-port** option, enter the range of ports.

For example, to specify access to all port numbers less than 10, specify **11..65535**.

- Related Topics**
- Before You Configure Classify-Traffic Conditions
 - Configuring Classify-Traffic Conditions

