

Viewing Information About Subscriber Sessions by Session ID

Purpose View information about subscriber sessions by session ID.

Action 1. Click **Monitor > SAE > Subscribers > Session ID**.

The Subscribers/Session ID pane appears.

Component	Field	Description
Session ID	<input type="text"/>	ID of subscriber sessions. <i>Value:</i> All or part of the subscriber session ID <i>Default:</i> No value
Maximum Results	<input type="text"/>	Number of results to be displayed. <i>Legal range:</i> 1..INF <i>Default:</i> 25
Secret	<input type="checkbox"/>	Display subscriber sessions and service sessions for hidden services. <i>Default:</i> Disabled
Slot	<input type="text"/>	Display SAE information for a specified slot. <i>Value:</i> Currently the chassis has only one slot. The valid value is 0. <i>Default:</i> 0
Style	<input type="text"/>	Output style <i>Choices:</i> brief: Display only subscriber sessions terse: Display subscriber session ID, login name, and IP address <i>Default:</i> Detail

OK Reset

2. In the Session ID box, enter a full or partial session ID name for which you want to display information, or leave the box blank to display all subscriber sessions.
3. In the Maximum Results box, enter the maximum number of results that you want to receive.
4. Select the **Secret** check box to set a flag indicating that subscriptions and service sessions from hidden services are displayed.
5. In the Slot box, enter the number of the slot for which you want to display subscriber session information.
6. Select an output style from the Style list.
7. Click **OK**.

The Subscribers/Session ID pane displays information about subscriber sessions.

