

Promoting a Secondary Database to a Primary Role in a Configuration with One Primary Database with the C-Web Interface

Although all communities should have two databases with a primary role, if a community includes one database assigned a primary role and another database assigned a secondary role, promote the database assigned a secondary role to a primary role.

To promote a Juniper Networks database from a secondary role to a primary role:

1. On the database that has a secondary role, set the role to primary.
 - a. Click **Configure**, expand System **LDAP > Server**, and then click **Community**.
The Community pane appears.
 - b. In the Primary Neighbors box, verify whether the other database is listed as a primary neighbor. If it is not, add it.
 - c. In the Role box, select **Primary**, and click **Apply**.
 - d. In the side pane, click **Commit**.
2. On the existing database that has a primary role, remove the neighbor as secondary and add it as primary.
 - a. Click **Configure**, expand System **LDAP > Server**, and then click **Community**.
The Community pane appears.
 - b. In the Secondary Neighbors box, remove the database listed.
 - c. In the Primary Neighbors box, add the other database in the community, and click **Apply**.
 - d. In the side pane, click **Commit**.
3. (Optional if you have two databases with a primary role in a community) Switch the role of the database that originally had a secondary role back to secondary.
 - a. Click **Configure**, expand System **LDAP > Server**, and then click **Community**.
The Community pane appears.
 - b. In the Primary Neighbors box, remove the database that is to become the secondary database.
 - c. In the Secondary Neighbors box, add the database, and click **Apply**.
 - d. In the side pane, click **Commit**.

- Related Topics**
- Adding a Juniper Networks Database to an Established Community(SRC CLI)
 - Configuring the Juniper Networks Database to Run in Community Mode with the C-Web Interface

