

Displaying Commands

The SRC CLI includes several ways to get help about commands.

To use the various Help commands:

1. Type `?` to show the top-level commands available in operational mode.

```
user@host> ?
Possible completions:
clear          Delete statement
configure      Enter configuration mode
disable        Stop an SRC component
enable         Start an installed SRC component
exit           Exit a CLI session
file           Perform file operations
help           Display help about commands and statements
history        Display command history
ping           Ping remote target
request        Request service
restart        Restart an SRC component
set            Properties for the CLI environment
show           Display information
ssh            Open SSH session to another host
start          Start shell
telnet         Telnet to another host
test           Test a NIC resolution
traceroute     Trace route to remote host
```

2. Type `file ?` to show all possible completions for the `file` command.

```
user@host> file ?
Possible completions:
archive        Archive files from the system (local)
checksum       Calculate file checksum
compare        Compare files (local)
copy           Copy files
delete         Delete a file (local)
list           List files (local)
rename         Rename a file (local)
show           Show file contents
```

3. Type `file archive ?` to show all possible completions for the `file archive` command.

```
user@host> file archive ?
Possible completions:
compress       Compresses the archived file using GNU gzip (.tgz)
* destination   Name of created archive
* source        Path of directory to archive
```

Related Topics ■ Getting Help for Commands and Statements for the SRC CLI

