

## Specifying Router Initialization Scripts on the SAE

---

Use the following configuration statements to specify router initialization scripts for JUNOS routing platforms:

```
shared sae configuration driver scripts {  
    extension-path extension-path ;  
    general general ;  
    junos junos ;  
}
```

To configure router initialization scripts for JUNOS routing platforms:

1. From configuration mode, access the configuration statements that configure router initialization scripts. In this sample procedure, the scripts are configured in the west-region group.

```
user@host# edit shared sae group west-region configuration driver scripts
```

2. Specify the router initialization script for JUNOS routing platforms.

```
[edit shared sae group west-region configuration driver scripts]  
user@host# set junos junos
```

3. Configure a router initialization script that can be used for all types of routers that the SRC software supports.

```
[edit shared sae group west-region configuration driver scripts]  
user@host# set general general
```

4. Configure a path to router initialization scripts that are not in the default location, */opt/UMC/sae/lib*.

```
[edit shared sae group west-region configuration driver scripts]  
user@host# set extension-path extension-path
```

5. (Optional) From operational mode, verify your router initialization script configuration.

```
[edit shared sae group west-region configuration driver scripts]  
user@host# show  
extension-path ;  
junos iorPublisher;
```

- Related Topics**
- Specifying JUNOS Router Initialization Scripts on the SAE (C-Web Interface)
  - Configuring JUNOS Routing Platforms to Interact with the SAE
  - Developing Router Initialization Scripts for JUNOSe Routers, JUNOS Routing Platforms, and Network Devices

