

Performing Data Collection with the Activity Monitor (SRC CLI)

You can collect data with the Activity Monitor for specific components over a specified time. Before you perform data collection with the Activity Monitor, make sure the Activity Monitor (activity), CLI (cli), and C-Web interface (webadm) components are enabled.

To perform data collection with the Activity Monitor:

- `user@host> request support information`

To perform data collection for specific components:

- `user@host> request support information component`

where *component* is one of the following:

- `acp`—SRC Admission Control Plug-In
- `activity`—Activity Monitor
- `agent`—SNMP agent
- `appsvr`—Application server
- `cli`—SRC CLI
- `diameter`—Diameter application
- `dsa`—Dynamic Service Activator
- `extsubmon`—External Subscriber Monitor
- `ims`—IP multimedia subsystem
- `jdb`—Juniper Networks database
- `jps`—Juniper Policy Server
- `licSvr`—License server
- `nic`—Network information collector
- `redir`—Redirect server
- `sae`—SAE
- `webadm`—C-Web interface

To perform data collection for a specified number of days:

- `user@host> request support information days`

where *days* is in the range of 1–36500.

- Related Topics**
- Viewing Graphs (C-Web Interface)
 - Viewing Graphs from a Web Page

- Monitoring Activity on C-series Controllers