

Viewing Information About Services in a Backbone Network (C-Web Interface)

Purpose View information about services in a backbone network with the C-Web interface.

Action To view information about services in a backbone network:

1. Click **ACP > Backbone > Service**.

The Backbone/Service pane appears.

Component	Field	Description
ACP	Interface Alias	Interface alias used by backbone service to generate congestion points. <i>Value:</i> Interface alias <i>Default:</i> No value
CLI	Interface Description	Description of interface used by backbone service to generate congestion points. <i>Value:</i> Interface description <i>Default:</i> No value
Component	Interface Name	Name of interface related to congestion points. <i>Value:</i> Interface name <i>Default:</i> No value
Date	Nas Port Id	Interface NAS port ID used by backbone service to generate congestion points. <i>Value:</i> NAS port ID <i>Default:</i> No value
Disk	Service Name	Name of service used by backbone service to generate congestion points. <i>Value:</i> Service name <i>Default:</i> No value
Interfaces...	Slot	Number of the slot for which you want to configure values. <i>Value:</i> Currently, the chassis has only one slot. The valid value is 0. <i>Default value:</i> 0
Iptables...	Style	Output style. <i>Choices:</i> brief: Display backbone service attributes <i>Default value:</i> detail
JPS	Virtual Router Name	Name of virtual router from which to list backbone services. <i>Value:</i> Virtual router name <i>Default:</i> No value
NIC		
NTP		
Redirect Server		
Route...		
SAE		
Security		
System		

2. In the Interface Alias box, enter the interface alias used by the backbone service to generate congestion points, or leave the box empty to display information about all interfaces.
3. In the Interface Description box, enter the interface description used by the backbone service to generate congestion points, or leave the box empty to display information about all interfaces.
4. In the Interface Name box, enter the name of an interface to display information about one interface, or leave the box empty to display information about all interfaces.
5. In the NAS Port ID box, enter the NAS port ID used by the backbone service to generate congestion points, or leave the box empty to display information about all interfaces.
6. In the Service Name box, enter the name of a service to display information about one service, or leave the box empty to display information about all services.
7. In the Slot box, enter the number of the slot for which you want to display congestion point information.
8. Select an output style from the Style list.

9. In the Virtual Router Name box, enter a virtual router name to display information about a specific virtual router, or leave the box empty to display information about all virtual routers.
10. Click **OK**.

The Backbone/Service pane displays a list of services.

For more information about viewing service information for action congestion points, see [Viewing Information about Action Congestion Points in a Backbone Network by Service \(C-Web Interface\)](#).

- Related Topics**
- [Configuring SRC-ACP to Manage the Backbone Network](#)
 - [Viewing Information About Services in the Backbone Network](#)
 - [Viewing Information About Congestion Points in a Backbone Network by Expression \(C-Web Interface\)](#)
 - [Viewing Information About Congestion Points in a Backbone Network by DN \(C-Web Interface\)](#)