

Viewing Information About the Directory Blacklist

Purpose View information about the directory blacklist configured on the SAE.

Action 1. Click **Monitor > SAE > Directory Blacklist**.

The Directory Blacklist pane appears.

The screenshot shows the Juniper C-Web Interface. The top navigation bar includes 'Monitor', 'Configure', 'Diagnose', and 'Manage'. The user is logged in as 'admin'. The left sidebar lists various configuration categories: ACP, CLI, Component, Date, Disk, Interfaces..., Iptables..., JPS, NIC, NTP, Redirect Server, Route..., SAE (highlighted), Security, and System. The main content area displays the 'Directory Blacklist' pane. It features a 'Slot' input box with a value of '0'. A tooltip explains: 'Display SAE information for a specified slot. Value: Currently the chassis has only one slot. The valid value is 0. Default: 0'. Below the input box are 'OK' and 'Reset' buttons. The footer contains copyright information for Juniper Networks, Inc. (2007) and the 'Juniper your Net.' logo.

2. In the Slot box, enter the number of the slot for which you want to display directory blacklist information.

The Directory Blacklist pane displays the directory blacklist information.

- Related Topics**
- Removing the Directory Blacklist (C-Web Interface)
 - Viewing Information About the Directory Blacklist with the CLI

