

Configuring Source Networks (SRC CLI)

Use the following configuration statements to add source networks to a classify-traffic condition:

```
policies group name list name rule name traffic-condition name source-network
network {
  ip-address ip-address ;
  ip-mask ip-mask ;
  ip-operation ip-operation ;
}
```

To add a source network to a classify-traffic condition:

1. From configuration mode, enter the source network within a classify-traffic condition. For example:

```
user@host# edit policies group dhcp list in rule forward-dhcp traffic-condition
client-dhcp source-network network
```

2. (Optional) Configure the IP address of the source network or host.

```
[edit policies group dhcp list in rule forward-dhcp traffic-condition client-dhcp
source-network network]
user@host# set ip-address ip-address
```

3. (Optional) Configure the IP mask of the source network or host.

```
[edit policies group dhcp list in rule forward-dhcp traffic-condition client-dhcp
source-network network]
user@host# set ip-mask ip-mask
```

4. (Optional) Specify whether the software matches packets with an IP address that is equal or not equal to the specified address and mask.

```
[edit policies group dhcp list in rule forward-dhcp traffic-condition client-dhcp
source-network network]
user@host# set ip-operation ip-operation
```

5. (Optional) Verify your source network configuration.

```
[edit policies group dhcp list in rule forward-dhcp traffic-condition
client-dhcp source-network network]
user@host# show
ip-address interface_ipAddress;
ip-mask interface_ipMask;
ip-operation is_not;
```

- Related Topics**
- Before You Configure Classify-Traffic Conditions
 - Configuring Classify-Traffic Conditions
 - Configuring Source Grouped Networks (SRC CLI)
 - Configuring Source Networks (C-Web Interface)

