

Recovering Data in a Community with One Primary Database and One Secondary Database with the C-Web Interface

In an environment in which a community includes one database assigned a primary role and another database assigned a secondary role, and the primary database is not operative, you must promote the secondary database to primary and reconfigure the inoperative primary database.

1. On the database that has a secondary role, set the role to primary.
 - a. Click **Configure**, expand **System > LDAP > Server**, and then click **Community**.

The Community pane appears.

- b. In the Role box, select **Primary**, click **Apply**.
 - c. In the side pane, click **Commit**.
2. On the existing database that has a primary role, remove the neighbor as secondary and add it as primary.
 - a. Click **Configure**, and expand **System > LDAP > Server > Community**.

The Community pane appears.
 - b. In the Secondary Neighbors box, remove the database that is to become the primary database.
 - c. In the Primary Neighbors box, add the database, and click **Apply**.
 - d. In the side pane, click **Commit**.

- Related Topics**
- Recovering Data in a Community with One Primary Database and One Secondary Database (SRC CLI)
 - Securing Communications Between the Juniper Networks Database and SRC Modules and Components with the C-Web Interface
 - Promoting a Secondary Database to a Primary Role in a Configuration with One Primary Database with the C-Web Interface
 - Troubleshooting Data Synchronization for Juniper Networks Databases (SRC CLI)

Published: 2009-09-18