

Promoting a Secondary Database to a Primary Role in a Configuration with One Primary Database (SRC CLI)

Although all communities should have two databases with a primary role, if a community includes one database assigned a primary role and another database assigned a secondary role, promote the database assigned a secondary role to a primary role.

To promote a Juniper Networks database from a secondary role to a primary role:

1. On the database that has a secondary role, set the role to primary.

For example, if the database on C2 has a secondary role:

```
user@C2# edit system ldap server community  
[edit system ldap server community]  
user@C2# set role primary  
user@C2# commit
```

C2 already has C1 configured as primary neighbor.

2. On the existing database that has a primary role, remove the neighbor as secondary and add it as primary.

For example, to remove C2 as a secondary neighbor and add it as a primary neighbor for the database on C1:

```
user@C1# edit system ldap server community  
[edit system ldap server community]  
user@C1# set primary-neighbors C2  
user@C1# commit
```

3. (Optional if you have two databases with a primary role in a community) Switch the role of the database that originally had a secondary role back to secondary:

```
[edit system ldap server community]  
user@C2# set role secondary  
user@C2# commit
```

- Related Topics**
- Promoting a Secondary Database to a Primary Role in a Configuration with One Primary Database with the C-Web Interface
 - Enabling the Juniper Networks Database to Run in Community Mode (SRC CLI)
 - Recovering Data in a Community with One Primary Database and One Secondary Database (SRC CLI)

- Configuration Statements for the Juniper Networks Database (SRC CLI)
- Overview of the Juniper Networks Database

Published: 2009-09-25