

# Contrail Release 3.2.5 Release Notes

**Release 3.2.5**  
**August 2017**

## **Contents**

Introduction .....	3
New and Changed Features .....	3
New and Changed Features in Contrail Release 3.2.5 .....	3
Support for DPDK 17.02 .....	3
New and Changed Features in Contrail Release 3.2.4 .....	3
Implementing DPDK vRouter With RHOSP and Contrail-TSN .....	4
New and Changed Features in Contrail Release 3.2.3.2 .....	4
New and Changed Features in Contrail Release 3.2.3 .....	4
New Driver-Support .....	4
Support for CentOS 7.3 .....	4
New and Changed Features in Contrail Release 3.2.2 .....	4
Support for Red Hat OpenStack Platform 8 .....	4
Support for Red Hat OpenStack Platform 10 .....	5
New and Changed Features in Contrail Release 3.2.1 .....	5
Support for Ubuntu 14.04.5 and Kernel 3.13.0-106 .....	5
New and Changed Features in Contrail Release 3.2 .....	5
Allowed Address Pair .....	5
BGP Persistence with Graceful Restart/Long-lived Graceful Restart, Beta .....	5
In-Service Software Upgrade (ISSU) Support .....	5
Mirroring Enhancements .....	5
Multiqueue Virtio Interfaces in Virtual Machines .....	6
QoS Queuing .....	6
Role- and Resource-Based Access Control .....	6
Using Gateway Mode with vCenter .....	6
Supported Platforms .....	6
Known Behavior .....	10
Known Behavior in Contrail Release 3.2.5 .....	10
Known Behavior in Contrail Release 3.2.4 .....	11
Known Behavior in Contrail Release 3.2.3.2 .....	12
Known Behavior in Contrail Release 3.2.3 .....	13
Known Behavior in Contrail Release 3.2.2 .....	13
Known Behavior in Contrail Release 3.2.1 .....	13
Known Behavior in Contrail Release 3.2 .....	14

Resolved Issues . . . . .	15
Resolved Issues in Contrail Release 3.2.5 . . . . .	15
Resolved Issues in Contrail Release 3.2.4 . . . . .	15
Resolved Issues in Contrail Release 3.2.3.2 . . . . .	15
Resolved Issues in Contrail Release 3.2.3 . . . . .	16
Resolved Issues in Contrail Release 3.2.2 . . . . .	16
Resolved Issues in Contrail Release 3.2.1 . . . . .	16
Resolved Issues in Contrail Release 3.2 . . . . .	16
Deprecated Items . . . . .	16
Upgrading Contrail Software . . . . .	17
Upgrading Contrail Release on Red Hat OpenStack Platform . . . . .	19
Minimal OS Installation . . . . .	20
Installing Contrail with Kernel 4.4.0-34 on Ubuntu-14.04.4 Computes . . . . .	20
Special Character Support in Project Name Definition . . . . .	20
Documentation Feedback . . . . .	20
Requesting Technical Support . . . . .	21
Self-Help Online Tools and Resources . . . . .	21
Opening a Case with JTAC . . . . .	21
Revision History . . . . .	22

## Introduction

---

Juniper Networks Contrail is an open, standards-based software solution that delivers network virtualization and service automation for federated cloud networks. It provides self-service provisioning, improves network troubleshooting and diagnostics, and enables service chaining for dynamic application environments across enterprise virtual private cloud (VPC), managed Infrastructure as a Service (IaaS), and Networks Functions Virtualization (NFV) use cases.

These release notes accompany Release 3.2.5 of Juniper Networks Contrail. They describe new features, limitations, and known problems.

These release notes are displayed on the Juniper Networks Contrail Documentation Web page at [http://www.juniper.net/techpubs/en\\_US/contrail3.2/information-products/topic-collections/release-notes/index.html](http://www.juniper.net/techpubs/en_US/contrail3.2/information-products/topic-collections/release-notes/index.html).

## New and Changed Features

---

The features and enhancements listed in this section are new or changed as of Contrail Release 3.2. A brief description of each new feature is included.

- [New and Changed Features in Contrail Release 3.2.5 on page 3](#)
- [New and Changed Features in Contrail Release 3.2.4 on page 3](#)
- [New and Changed Features in Contrail Release 3.2.3.2 on page 4](#)
- [New and Changed Features in Contrail Release 3.2.3 on page 4](#)
- [New and Changed Features in Contrail Release 3.2.2 on page 4](#)
- [New and Changed Features in Contrail Release 3.2.1 on page 5](#)
- [New and Changed Features in Contrail Release 3.2 on page 5](#)

### New and Changed Features in Contrail Release 3.2.5

The feature listed in this section is new as of Contrail Release 3.2.5.

#### Support for DPDK 17.02

---

Contrail Release 3.2.5 includes support for DPDK 17.02 for the following NICs:

- Intel 82599
- Intel Fortville i40e 4x10G and 2x25G
- Broadcom bnxt 2x25G

The supported platforms are Ubuntu-14.04.5 and Redhat 7.4.

### New and Changed Features in Contrail Release 3.2.4

The feature listed in this section is new as of Contrail Release 3.2.4.

### Implementing DPDK vRouter With RHOSP and Contrail-TSN

---

In Contrail Release 3.2.4, you can bring up a DPDK vRouter in a Red Hat OpenStack Platform (RHOSP) environment including Contrail-TSN. For more information, see <https://github.com/Juniper/contrail-tripleo-heat-templates/tree/dpdk4#dpdk-special>.

To use Contrail-TSN, you must set the Contrail-TSN count with the parameter **ContrailTsnCount** in **contrail-services.yaml**. See [http://www.juniper.net/documentation/en\\_US/contrail3.2/topics/concept/deploy-rhospd10.html](http://www.juniper.net/documentation/en_US/contrail3.2/topics/concept/deploy-rhospd10.html).



**NOTE:** In Contrail Release 3.2.4, you must manually generate and copy certificates on the QFX device.

### New and Changed Features in Contrail Release 3.2.3.2

There are no new features in Contrail Release 3.2.3.2.

### New and Changed Features in Contrail Release 3.2.3

The features listed in this section are new as of Contrail Release 3.2.3.

#### New Driver-Support

---

Contrail Release 3.2.3 supports the following drivers:

- i40e driver for Intel Ethernet Network Adapter XXV710 cards
- bnxt driver for Broadcom 25G NICs

#### Support for CentOS 7.3

---

Contrail Release 3.2.3 is supported on CentOS 7.3 for OpenStack Liberty and OpenStack Mitaka platforms.

### New and Changed Features in Contrail Release 3.2.2

The features listed in this section are new as of Contrail Release 3.2.2.

#### Support for Red Hat OpenStack Platform 8

---

Contrail Release 3.2.2 is supported on OpenStack Liberty RHOSP8 release.

For information on Contrail bring up on RHOSP8 using Red Hat OpenStack Platform Director, see:

- <https://github.com/Juniper/contrail-tripleo-heat-templates/blob/master/Juniper%20Test%20Env%20for%20Contrail%20BOSP%20Deployments%20.pdf>
- [https://github.com/Juniper/contrail-tripleo-heat-templates/blob/master/RHT\\_JNPR%20-%20OSP8%20Contrail%203.0.pdf](https://github.com/Juniper/contrail-tripleo-heat-templates/blob/master/RHT_JNPR%20-%20OSP8%20Contrail%203.0.pdf)

### Support for Red Hat OpenStack Platform 10

Contrail Release 3.2.2 is supported on OpenStack Newton RHOSP10 release. For more information, see [Contrail bring up on RHOSP10 using Red Hat OpenStack Platform Director](#).

## **New and Changed Features in Contrail Release 3.2.1**

The feature listed in this section is new as of Contrail Release 3.2.1.

### Support for Ubuntu 14.04.5 and Kernel 3.13.0-106

Contrail Release 3.2.1 is qualified on Ubuntu 14.04.5 and kernel version 3.13.0-106.

## **New and Changed Features in Contrail Release 3.2**

The feature listed in this section is new as of Contrail Release 3.2.

### Allowed Address Pair

An allowed address pair extension is an OpenStack feature supported by Contrail. By default, there is no way to specify additional MAC and IP address pairs that are allowed to pass through a port in Neutron, because ports are locked down to their MAC address and the fixed IPs associated with their port for anti-spoofing reasons. This locking can sometimes prevent protocols such as VRRP from providing a high availability failover strategy. Using the allowed address pair extension enables additional MAC and IP address pairs to be allowed through ports in Neutron.

For more information, see [Service Chain Version 2 with Port Tuple](#).

### BGP Persistence with Graceful Restart/Long-lived Graceful Restart, Beta

Graceful restart and long-lived graceful restart features are supported for the control node in Contrail Release 3.2. The graceful restart features can be used to ensure that traffic is not affected by temporary outage of processes.

In Release 3.2, this feature is a Beta version, focused on graceful restart of the Contrail control node. Graceful restart of vrouter agents will be available in a future release.

See [Configuring Graceful Restart for BGP Persistence](#).

### In-Service Software Upgrade (ISSU) Support

You can use an in-service software upgrade to upgrade Contrail networking components with minimal traffic disruption during the upgrade.

See [Contrail In-Service Software Upgrade](#)

### Mirroring Enhancements

Parameter options are added to mirroring to control the addition of a Juniper header to mirrored packets and to determine whether the next hop is dynamic or static.

See [Mirroring Enhancements](#).

### **Multiqueue Virtio Interfaces in Virtual Machines**

---

Contrail Release 3.2 with OpenStack Mitaka adds support for multiple queues with the DPDK-based vRouter. Virtio is a Linux platform for I/O virtualization, providing a common set of I/O virtualization drivers. Multiqueue virtio is an approach that enables the processing of packet sending and receiving to be scaled to the number of available virtual CPUs (vCPUs) of a guest, through the use of multiple queues.

See [\*Multiqueue Virtio Interfaces in Virtual Machines\*](#).

### **QoS Queuing**

---

Contrail Release 3.2 supports QoS vSW traffic classification, copy of IP precedence bits, and QoS queuing.

See [\*Quality of Service in Contrail\*](#).

### **Role- and Resource-Based Access Control**

---

Contrail Release 3.2 provides role- and resource-based access control (RBAC) with configuration -level access control.

See [\*Role- and Resource-Based Access Control\*](#).

### **Using Gateway Mode with vCenter**

---

You can use the gateway mode with active-backup vRouter when using Contrail with VMware vCenter. The VMware virtual machines are the remote instances, and traffic can be configured to arrive VLAN-tagged at the gateway node.

See [\*Using Gateway Mode to Support Remote Instances\*](#).

## **Supported Platforms**

---

Table 1 on page 7 lists the operating system versions and the corresponding Linux or Ubuntu kernel versions supported by Contrail Release 3.2 on OpenStack Kilo, Liberty, and Mitaka releases.

Table 1: Supported Platforms

Contrail Release	OpenStack Release	Operating System and Kernel Versions
Contrail Release 3.2.5	OpenStack Kilo	<ul style="list-style-type: none"> <li>CentOS 7.1—Linux kernel version 3.10.0-229</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-110-generic</li> <li>Red Hat 7.1—Linux kernel version 3.10.0-229</li> <li>VMware vCenter 5.5, 6.0, 6.5—Ubuntu 14.04.4 kernel version 3.13.0-110-generic</li> </ul>
	OpenStack Liberty	<ul style="list-style-type: none"> <li>CentOS 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-110-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Red Hat 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>VMware vCenter 5.5, 6.0, 6.5—Ubuntu 14.04.4 kernel version 3.13.0-110-generic</li> </ul>
	OpenStack Mitaka	<ul style="list-style-type: none"> <li>CentOS 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-110-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> </ul>
	OpenStack Newton	<ul style="list-style-type: none"> <li>Red Hat 7.4—Linux kernel version 3.10.0-693</li> </ul>
Contrail Release 3.2.4	OpenStack Kilo	<ul style="list-style-type: none"> <li>CentOS 7.1—Linux kernel version 3.10.0-229</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.1—Linux kernel version 3.10.0-229</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Liberty	<ul style="list-style-type: none"> <li>CentOS 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Red Hat 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Mitaka	<ul style="list-style-type: none"> <li>CentOS 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> </ul>
	OpenStack Newton	<ul style="list-style-type: none"> <li>Red Hat 7.3—Linux kernel version 3.10.0-514.6.2</li> </ul>

Table 1: Supported Platforms (*continued*)

Contrail Release	OpenStack Release	Operating System and Kernel Versions
Contrail Release 3.2.3.2	OpenStack Kilo	<ul style="list-style-type: none"> <li>CentOS 7.1—Linux kernel version 3.10.0-229</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.1—Linux kernel version 3.10.0-229</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Liberty	<ul style="list-style-type: none"> <li>CentOS 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Red Hat 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Mitaka	<ul style="list-style-type: none"> <li>CentOS 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> </ul>
	OpenStack Newton	<ul style="list-style-type: none"> <li>Red Hat 7.3—Linux kernel version 3.10.0-514.6.2</li> </ul>
Contrail Release 3.2.3	OpenStack Kilo	<ul style="list-style-type: none"> <li>CentOS 7.1—Linux kernel version 3.10.0-229</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.1—Linux kernel version 3.10.0-229</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Liberty	<ul style="list-style-type: none"> <li>CentOS 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Red Hat 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Mitaka	<ul style="list-style-type: none"> <li>CentOS 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> </ul>
	OpenStack Newton	<ul style="list-style-type: none"> <li>Red Hat 7.3—Linux kernel version 3.10.0-514.6.2</li> </ul>



Table 1: Supported Platforms (*continued*)

Contrail Release	OpenStack Release	Operating System and Kernel Versions
Contrail Release 3.2.2	OpenStack Kilo	<ul style="list-style-type: none"> <li>CentOS 7.1—Linux kernel version 3.10.0-229</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.1—Linux kernel version 3.10.0-229</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Liberty	<ul style="list-style-type: none"> <li>CentOS 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Red Hat 7.3—Linux kernel version 3.10.0-514.6.2</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Mitaka	<ul style="list-style-type: none"> <li>CentOS 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> </ul>
	OpenStack Newton	<ul style="list-style-type: none"> <li>Red Hat 7.3—Linux kernel version 3.10.0-514.6.2</li> </ul>
Contrail Release 3.2.1	OpenStack Kilo	<ul style="list-style-type: none"> <li>CentOS 7.1—Linux kernel version 3.10.0-229</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.1—Linux kernel version 3.10.0-229</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Liberty	<ul style="list-style-type: none"> <li>CentOS 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-106-generic</li> </ul>
	OpenStack Mitaka	<ul style="list-style-type: none"> <li>CentOS 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Ubuntu 14.04.5—Linux kernel version 3.13.0-106-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> </ul>

Table 1: Supported Platforms (*continued*)

Contrail Release	OpenStack Release	Operating System and Kernel Versions
Contrail Release 3.2	OpenStack Kilo	<ul style="list-style-type: none"> <li>CentOS 7.1—Linux Kernel version- 3.10.0-229</li> <li>Ubuntu 14.04.4—Linux kernel versions 3.13.0-85-generic and 4.4.0-34-generic</li> <li>Red Hat 7.1—Linux Kernel version- 3.10.0-229</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-85-generic</li> </ul>
	OpenStack Liberty	<ul style="list-style-type: none"> <li>CentOS 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Ubuntu 14.04.4—Linux kernel versions 3.13.0-85-generic and 4.4.0-34-generic</li> <li>Red Hat 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>VMware vCenter 5.5, 6.0—Ubuntu 14.04.4 kernel version 3.13.0-85-generic</li> </ul>
	OpenStack Mitaka	<ul style="list-style-type: none"> <li>CentOS 7.2—Linux kernel version 3.10.0-327.10.1</li> <li>Ubuntu 14.04.4—Linux kernel version 3.13.0-85-generic</li> </ul>



**NOTE:** If the stock kernel version of your Ubuntu system is older than the required version, the following Fabric task can be used to upgrade the kernel version in all nodes after initial package installation:

```
cd /opt/contrail/utils; fab upgrade_kernel_all
```

## Known Behavior

This section lists known limitations with this release. Bug numbers are listed and can be researched in [Launchpad.net](https://bugs.launchpad.net/juniperopenstack) at <https://bugs.launchpad.net/juniperopenstack>.

- [Known Behavior in Contrail Release 3.2.5 on page 10](#)
- [Known Behavior in Contrail Release 3.2.4 on page 11](#)
- [Known Behavior in Contrail Release 3.2.3.2 on page 12](#)
- [Known Behavior in Contrail Release 3.2.3 on page 13](#)
- [Known Behavior in Contrail Release 3.2.2 on page 13](#)
- [Known Behavior in Contrail Release 3.2.1 on page 13](#)
- [Known Behavior in Contrail Release 3.2 on page 14](#)

### Known Behavior in Contrail Release 3.2.5

- 1573901 Jumbo MTU setting inside a non-DPDK VM running on a DPDK compute is not supported. This leads to packets getting dropped.
- 1651258 On CentOS 7.2 HA cluster, sometimes **rabbitmq** fails after provisioning. As a workaround, re-cluster **rabbitmq** using the **fab setup\_rabbitmq\_cluster:force=yes** command.

- 1664452 Ceilometer sample-list and meter-list do not work on OpenStack Liberty.
- 1675224 VMs in non-HA cluster in SHUTOFF are in shutdown state after upgrade. As a workaround, set **resume\_guests\_state\_on\_host\_boot = True** in the **nova.conf** file of the compute node, for the guest VMs to be resumed.
- 1699366 On a scaled cluster configured with XMPP over TLS, the XMPP session gets restarted with decryption failed or bad record-MAC messages.
- 1705795 On an RHOSP10 provisioned cluster, if the grouter-agent gets restarted, vhost0 interface does not come online. You can use the **service supervisor-vrouter restart** command to bring the service back online.
- 1706221 VMs cannot be launched due to an issue in libvirt package version change in CentOS 7.3 Mitaka cluster. As a workaround:
  1. Go to compute node.
  2. Change **conf.script = ""** to **conf.script = None (line 61)** in **/usr/lib/python2.7/site-packages/nova/virt/libvirt/designer.py**.
  3. Reboot libvirt.
 

```
service libvirtd restart
```
  4. Reboot Nova compute.
 

```
service openstack-nova-compute restart
```
- 1706880 While deploying a DPDK compute on an RHOSP10 cluster, the value for ContrailDpdkCoremask variable must be mentioned as string within quotes.  
For example: ContrailDpdkCoremask: "0x3f"
- 1707022 While deploying a DPDK compute in an RHOSP10 environment, deployment might stop due to vRouter not able to reach the controller. Restarting the corresponding vRouter and redeploying will bring the cluster back online.
- 1707049 On an RHOSP10 cluster, if provisioning fails due to mysqld going down on os-controller, restarting mysqld and redeploying completes the provisioning.
- 1707073 On an RHOSP10 provisioned cluster, VM launch might fail. Applying the patch in the following location fixes the issue:  
<https://github.com/Juniper/nova/commit/a8fe392917da7a046156daa122ac99a3c1427f39>

### Known Behavior in Contrail Release 3.2.4

- 1573901 Jumbo MTU setting inside a non-DPDK VM running on a DPDK compute is not supported. This leads to packets getting dropped.
- 1651258 On CentOS 7.2 HA cluster, sometimes **rabbitmq** fails after provisioning. As a workaround, re-cluster **rabbitmq** using the **fab setup\_rabbitmq\_cluster:force=yes** command.
- 1664452 Ceilometer sample-list and meter-list do not work on OpenStack Liberty.

- 1673239 On a RHOSP10 cluster provisioned with Red Hat OpenStack Platform Director, the LBaaS service fails to come up if Selinux is enabled on the compute nodes. As a workaround, disable Selinux on the compute nodes.
- 1675224 VMs in non-HA cluster in SHUTOFF are in shutdown state after upgrade. As a workaround, set **resume\_guests\_state\_on\_host\_boot = True** in the **nova.conf** file of the compute node, for the guest VMs to be resumed.
- 1695008 Keystone V3 deployments must be patched after provisioning. See <https://github.com/Juniper/contrail-controller/commit/27cd511e8a570d68c11461782dd670da93f46094>.
- 1705795 On an RHOSP10 provisioned cluster, if the grouter-agent gets restarted, vhost0 interface does not come online. You can use the **service supervisor-vrouter restart** command to bring the service back online.
- 1706794 On an RHOSP10 provisioned cluster the Contrail introspect ports are not reachable as they are blocked due to non-permissive **iptables** rules. This can be avoided by adding the permissive rule for the introspect ports.
- 1706880 While deploying a DPDK compute on an RHOSP10 cluster, the value for ContrailDpdkCoremask variable must be mentioned as string within quotes.  
For example: ContrailDpdkCoremask: "0x3f"
- 1707022 While deploying a DPDK compute in an RHOSP10 environment, deployment might stop due to vRouter not able to reach the controller. Restarting the corresponding vRouter and redeploying will bring the cluster back online.
- 1707049 On an RHOSP10 cluster, if provisioning fails due to mysqld going down on os-controller, restarting mysqld and redeploying completes the provisioning.
- 1707073 On an RHOSP10 provisioned cluster, VM launch might fail. Applying the patch in the following location fixes the issue:

<https://github.com/Juniper/nova/commit/a8fe392917da7a046156daa122ac99a3c1427f39>

### Known Behavior in Contrail Release 3.2.3.2

- 1573901 Jumbo MTU setting inside a non-DPDK VM running on a DPDK compute is not supported. This leads to packets getting dropped.
- 1648728 On vCenter-only, upon fresh installation with kernel 4.4.0-34, compute VM/vRouter may be down.
- 1651258 On CentOS 7.2 HA cluster, sometimes **rabbitmq** fails after provisioning. As a workaround, re-cluster **rabbitmq** using the **fab setup\_rabbitmq\_cluster:force=yes** command.
- 1664452 Ceilometer sample-list and meter-list do not work on OpenStack Liberty.
- 1673239 On a RHOSP10 cluster provisioned with Red Hat OpenStack Platform Director, the LBaaS service fails to come up if Selinux is enabled on the compute nodes. As a workaround, disable Selinux on the compute nodes.
- 1675224 VMs in non-HA cluster in SHUTOFF are in shutdown state after upgrade. As a workaround, set **resume\_guests\_state\_on\_host\_boot = True** in the **nova.conf** file of the compute node, for the guest VMs to be resumed.

### Known Behavior in Contrail Release 3.2.3

- 1573901 Jumbo MTU setting inside a non-DPDK VM running on a DPDK compute is not supported. This leads to packets getting dropped.
- 1648728 On vCenter-only, upon fresh installation with kernel 4.4.0-34, compute VM/vRouter may be down.
- 1651258 On CentOS 7.2 HA cluster, sometimes **rabbitmq** fails after provisioning. As a workaround, re-cluster **rabbitmq** using the **fab setup\_rabbitmq\_cluster:force=yes** command.
- 1664452 Ceilometer sample-list and meter-list do not work on OpenStack Liberty.
- 1673239 On a RHOSP10 cluster provisioned with Red Hat OpenStack Platform Director, the LBaaS service fails to come up if Selinux is enabled on the compute nodes. As a workaround, disable Selinux on the compute nodes.
- 1675224 VMs in non-HA cluster in SHUTOFF are in shutdown state after upgrade. As a workaround, set **resume\_guests\_state\_on\_host\_boot = True** in the **nova.conf** file of the compute node, for the guest VMs to be resumed.

### Known Behavior in Contrail Release 3.2.2

- 1573901 Jumbo MTU setting inside a non-DPDK VM running on a DPDK compute is not supported. This leads to packets getting dropped.
- 1648728 On vCenter-only, upon fresh installation with kernel 4.4.0-34, compute VM/vRouter may be down.
- 1651258 On CentOS 7.2 HA cluster, sometimes **rabbitmq** fails after provisioning. As a workaround, re-cluster **rabbitmq** using the **fab setup\_rabbitmq\_cluster:force=yes** command.
- 1668271 Server Manager: Unable to log in to virtual machine console with error in nova-novncproxy.
- 1668510 For OpenStack Kilo-based deployments, while provisioning Contrail using Server Manager, disable Ceilometer provisioning. After contrail provisioning is done, if Ceilometer service is required to be running, bring up Ceilometer service separately by following OpenStack Ceilometer bring-up procedure.
- 1673239 On a RHOSP10 cluster provisioned with Red Hat OpenStack Platform Director, the LBaaS service fails to come up if Selinux is enabled on the compute nodes. As a workaround, disable Selinux on the compute nodes.

### Known Behavior in Contrail Release 3.2.1

- 1573901 Jumbo MTU setting inside a non-DPDK VM running on a DPDK compute is not supported. This leads to packets getting dropped.
- 1623695 In case of RBAC enabled clusters, user should create network-ipam in their own tenant configuration instead of using the default network-ipam for which the user doesn't have permissions.

- 1624148 In case of RBAC enabled clusters, service instance automatically created by the system on behalf of a user will not be visible in the UI.
- 1650420 In case of RBAC enabled clusters, objects created through LBaaS plugin are created with Neutron ownership.
- 1651258 On CentOS 7.2 HA cluster, sometimes **rabbitmq** fails after provisioning. As a workaround, re-cluster **rabbitmq** using the **fab setup\_rabbitmq\_cluster:force=yes** command.
- 1661426 After a Contrail software upgrade, if an upgrade of the Contrail storage packages fails, the Contrail WebUI doesn't display, because the versions of WebUI and storage are not compatible.

The workaround:

1. Comment out the following 3 lines:  
  
`/usr/src/contrail/contrail-web-core/config/config.global.js`
  2. Restart **supervisor-webui**. WebUI should now display, because it is not trying to display an incompatible version of storage.
  3. Perform the storage upgrade, then uncomment the 3 lines, and restart **supervisor-webui**.
- 1663408 Underlay-overlay correlation: Multiple physical switches show the same vRouter.
  - 1664932 Analyser Wireshark does not decode Juniper header.
  - 1668510 For OpenStack Kilo-based deployments, while provisioning Contrail using Server Manager, disable Ceilometer provisioning. After contrail provisioning is done, if Ceilometer service is required to be running, bring up Ceilometer service separately by following OpenStack Ceilometer bring-up procedure.

## Known Behavior in Contrail Release 3.2

- 1573901 Jumbo MTU setting inside a non-DPDK VM running on a DPDK compute is not supported. This leads to packets getting dropped.
- 1623695 In case of RBAC enabled clusters, user should create network-ipam in their own tenant configuration instead of using the default network-ipam for which the user doesn't have permissions.
- 1624148 In case of RBAC enabled clusters, service instance automatically created by the system on behalf of a user will not be visible in the UI.
- 1650420 In case of RBAC enabled clusters, objects created through LBaaS plugin are created with Neutron ownership.
- 1650709 DPDK is not supported in R3.2 for 4.4.0-34 Kernel.
- 1651258 On CentOS 7.2 HA cluster, sometimes **rabbitmq** fails after provisioning. As a workaround, re-cluster **rabbitmq** using the **fab setup\_rabbitmq\_cluster:force=yes** command.

- 1657393 Routes are not leaked when policy is attached to virtual networks.
- 1661426 After a Contrail software upgrade, if an upgrade of the Contrail storage packages fails, the Contrail WebUI doesn't display, because the versions of WebUI and storage are not compatible.

The workaround:

1. Comment out the following 3 lines:

```
/usr/src/contrail/contrail-web-core/config/config.global.js
```

2. Restart **supervisor-webui**. WebUI should now display, because it is not trying to display an incompatible version of storage.
3. Perform the storage upgrade, then uncomment the 3 lines, and restart **supervisor-webui**.

- 1663408 Underlay-overlay correlation: Multiple physical switches show the same vRouter .

## Resolved Issues

---

This section lists limitations that are resolved with this release.

- [Resolved Issues in Contrail Release 3.2.5 on page 15](#)
- [Resolved Issues in Contrail Release 3.2.4 on page 15](#)
- [Resolved Issues in Contrail Release 3.2.3.2 on page 15](#)
- [Resolved Issues in Contrail Release 3.2.3 on page 16](#)
- [Resolved Issues in Contrail Release 3.2.2 on page 16](#)
- [Resolved Issues in Contrail Release 3.2.1 on page 16](#)
- [Resolved Issues in Contrail Release 3.2 on page 16](#)

### Resolved Issues in Contrail Release 3.2.5

You can research limitations that are resolved with Contrail Release 3.2.5 in Launchpad at:

<https://launchpad.net/juniperopenstack/+milestone/r3.2.5.0> .

### Resolved Issues in Contrail Release 3.2.4

You can research limitations that are resolved with Contrail Release 3.2.4 in Launchpad at:

<https://launchpad.net/juniperopenstack/+milestone/r3.2.4.0> .

### Resolved Issues in Contrail Release 3.2.3.2

You can research limitations that are resolved with Contrail Release 3.2.3.2 in Launchpad at:

<https://launchpad.net/juniperopenstack/+milestone/r3.2.3.2> .

### Resolved Issues in Contrail Release 3.2.3

You can research limitations that are resolved with Contrail Release 3.2.3 in Launchpad at:

<https://launchpad.net/juniperopenstack/+milestone/r3.2.3.0> .

### Resolved Issues in Contrail Release 3.2.2

You can research limitations that are resolved with Contrail Release 3.2.2 in Launchpad at:

<https://launchpad.net/juniperopenstack/+milestone/r3.2.2.0> .

### Resolved Issues in Contrail Release 3.2.1

You can research limitations that are resolved with Contrail Release 3.2.1 in Launchpad at:

<https://launchpad.net/juniperopenstack/+milestone/r3.2.1.0> .

### Resolved Issues in Contrail Release 3.2

You can research limitations that are resolved with Contrail Release 3.2 in Launchpad at:

<https://launchpad.net/juniperopenstack/+milestone/r3.2.0.0-fcs> .

## Deprecated Items

---

The following features are scheduled to be changed in the current or forthcoming release (4.x) of Contrail. This information is provided to help your future planning.

- Service Chain v1 is deprecated in Contrail Release 3.2.
- In a forthcoming release (4.x), the Contrail controller will be distributed as a Docker container. The controller host must have Docker installed.
- In a forthcoming release (4.x), Contrail Discovery Services will be removed. Any Discovery APIs will cease to work.
- In a forthcoming release (4.x), vCenter 5.5 support will be deprecated.



## Upgrading Contrail Software

Use the following procedure to upgrade an installation of Contrail software from one release to a more recent release. This procedure is valid for upgrading Contrail Release 3.0 and later to Contrail Release 3.2.



**NOTE:** If you are installing Contrail for the first time, refer to the full documentation and installation instructions in *Installing the Operating System and Contrail Packages*.

Instructions are given for both CentOS and Ubuntu versions. The Ubuntu versions supported for upgrading are Ubuntu 14.04.4 and Ubuntu 14.04.5.

To upgrade Contrail software from Contrail Releases 3.0 and later to Release 3.2:

1. Download the **contrail-install-packages-x.x.x.x-xxnoarch.rpm | deb** file from <http://www.juniper.net/support/downloads/?p=contrail#sw> and copy it to the **/tmp** directory on the config node, as follows:

**CentOS :** `scp <id@server>:/path/to/contrail-install-packages-x.x.x.x-xxnoarch.rpm /tmp`

**Ubuntu :** `scp <id@server>:/path/to/contrail-install-packages-x.x.x.x-xx~<openstack_version>_all.deb /tmp`



**NOTE:** The variables **x.x.x.x-xx** and so on represent the release and build numbers that are present in the name of the installation packages that you download.

2. Install the **contrail-install-packages**, using the correct command for your operating system:

**CentOS:** `yum localinstall /tmp/contrail-install-packages-x.x.x.x-xx.noarch.rpm`

**Ubuntu:** `dpkg -i /tmp/contrail-install-packages_x.x.x.x-xx~_all.deb`

3. Set up the local repository by running the **setup.sh**:

`cd /opt/contrail/contrail_packages; ./setup.sh`

4. Ensure that the **testbed.py** file that was used to set up the cluster with Contrail is intact in the **/opt/contrail/utils/fabfile/testbeds/** directory.

See *Setting Up the Testbed Definitions File*.

5. In release packages prior to Contrail Release 3.0, the packaged Cassandra version is 1.2.11. In the 3.0 release, the packaged Cassandra version is 2.1.9. Upgrading Cassandra from 1.2.11 to 2.1.9 directly is not supported by Cassandra. For more information, refer to [DataStax Upgrade Guide, Cassandra 2.1.x restrictions](#).

The **fab upgrade\_contrail** command sequence enables upgrading Cassandra from 1.2.11 to 2.1.9 by performing necessary intermediate upgrades. Consequently, during the Contrail upgrade procedure (**fab upgrade\_contrail**), the Cassandra SSTables are upgraded, which takes a long time if the Cassandra data is huge (usually because the Contrail Analytics keyspace is huge).

There is an option to minimize upgrade down time by dropping the Contrail Analytics keyspace before the upgrade, by issuing the following fab command:

**fab drop\_analytics\_keyspace**

6. Upgrade the software, using the correct set of commands to match your operating system and vRouter, as described in the following:

Change directory to the **utils** folder:

**cd /opt/contrail/utils; \**

Select the correct upgrade procedure from the following to match your operating system and vRouter. In the following, *<from>* refers to the currently installed release number, such as 3.0.2.0, and so on:

*CentOS Upgrade Procedure:*

**fab upgrade\_contrail:<from>,/tmp/contrail-install-packages-x.x.x.x-xxnoarch.rpm;**

*Ubuntu 14.04 Upgrade, Two Procedures:*

There are two different upgrade procedures for the upgrade to Contrail Release 3.2, depending on which vRouter (**3.13.0-X-generic** or **contrail-vrouter-dkms**) is installed in your current setup. Both procedures can use the command **fab upgrade\_kernel\_all** to upgrade the kernel.

In Contrail Release 3.2, the recommended kernel version for an Ubuntu 14.04-based system is 3.13.0-85-. In Contrail Release 3.2.1, the recommended kernel version for an Ubuntu 14.04-based system is 3.13.0-110.

**Ubuntu 14.04 Upgrade Procedure For a System With contrail-vrouter-3.13.0-X-generic:**

Use the following upgrade procedure for Contrail systems based on Ubuntu 14.04 Contrail vRouter 3.13.0-110-generic installed in the previous Contrail release. The command sequence upgrades the kernel version and also reboots the compute nodes when finished.

```
fab
install_pkg_all:/tmp/contrail-install-packages-x.x.x.x-xx~<openstack_version>_all.deb;

fab migrate_compute_kernel;

fab
upgrade_contrail:<from>,/tmp/contrail-install-packages-x.x.x.x-xx~<openstack_version>_all.deb;

fab upgrade_kernel_all;

fab restart_openstack_compute;
```

**Ubuntu 14.04 Upgrade Procedure For System with contrail-vrouter-dkms:**

Use the following upgrade procedure for Contrail systems based on Ubuntu 14.04 with **contrail-vrouter-dkms** installed. The command sequence upgrades the kernel version and also reboots the compute nodes when finished.

```
fab upgrade_contrail:
<from>,/tmp/contrail-install-packages-x.x.x.x-xx~<openstack_version>_all.deb;
```

All nodes in the cluster can be upgraded to kernel version 3.13.0-110, by using the following **fab** command:

```
fab upgrade_kernel_all
```

**7. (For Contrail Storage option, only.)**

Contrail Storage has its own packages.

To upgrade Contrail Storage, download the file:

```
contrail-storage-packages_x.x.x.x-xx*.deb
```

from <http://www.juniper.net/support/downloads/?p=contrail#sw>

and copy it to the **/tmp** directory on the config node, as follows:

```
Ubuntu: scp <id@server>:/path/to/contrail-storage-packages_x.x.x.x-xx*.deb /tmp
```

Use the following statement to upgrade the software:

```
cd /opt/contrail/utils; \
```

```
Ubuntu: fab
```

```
upgrade_storage:<from>,/tmp/contrail-storage-packages_x.x.x.x-xx~<openstack_version>_all.deb;
```

## Upgrading Contrail Release on Red Hat OpenStack Platform

---

While upgrading Contrail Release 3.2.2 to 3.2.4 or 3.2.4 to 3.2.5 in an RHOSP environment, if Red Hat OpenStack Platform Director is the sole life cycle management tool, you must

ensure that you initiate the upgrade from Red Hat OpenStack Platform Director using the following upgrade instructions:

[https://access.redhat.com/documentation/en-us/red\\_hat\\_enterprise\\_linux\\_openstack\\_platform/7/html/director\\_installation\\_and\\_usage/sect-updating\\_the\\_overcloud#sect-Updating\\_the\\_Overcloud\\_Packages](https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux_openstack_platform/7/html/director_installation_and_usage/sect-updating_the_overcloud#sect-Updating_the_Overcloud_Packages)

The upgrade commands must include the following:

```
rm -rf /var/www/html/contrail/*
sudo tar zxvf <new-contrail-image.tgz> -C /var/www/html/contrail/
openstack overcloud update
```

## Minimal OS Installation

---

When installing an operating system in preparation for installing Contrail, install a CentOS or Ubuntu minimal distribution as desired on all servers. Typically, for CentOS this is a basic ISO install; for Ubuntu, use a core server install, with only OpenSSH and no other packages. Follow the published operating system installation procedure on the website for the selected operating system. See [http://www.juniper.net/documentation/en\\_US/contrail3.2/topics/task/installation/install-steps-iso-vnc.html](http://www.juniper.net/documentation/en_US/contrail3.2/topics/task/installation/install-steps-iso-vnc.html).

## Installing Contrail with Kernel 4.4.0-34 on Ubuntu-14.04.4 Computes

---

The `upgrade_kernel_all` step while installing Contrail boots the compute kernel to the default kernel of the release. For Contrail Release 3.2, the default kernel is 3.13.0-85. To boot the compute with kernel 4.4.0-34, add “version=4.4.0-34” to the **fab upgrade\_kernel\_all** command as shown below:

```
fab upgrade_kernel_all:version=4.4.0-34
```



**NOTE:** Kernel 4.4.0-34 is tested only for Kernel module vRouter use-case. Kernel 4.4.0-34 is not tested for full qualification including DPDK.

## Special Character Support in Project Name Definition

---

While defining project names in Contrail, you can use special characters such as “\ ! # \$ % & ' ( ) = - ~ ^ | @ ` { [ ; + \* } < , > . / ? and \_”. You cannot use “:”.

## Documentation Feedback

---

We encourage you to provide feedback, comments, and suggestions so that we can improve the documentation. You can provide feedback by using either of the following methods:

- Online feedback rating system—On any page of the Juniper Networks TechLibrary site at <http://www.juniper.net/techpubs/index.html>, simply click the stars to rate the content, and use the pop-up form to provide us with information about your experience. Alternately, you can use the online feedback form at <http://www.juniper.net/techpubs/feedback/>.

- E-mail—Send your comments to [techpubs-comments@juniper.net](mailto:techpubs-comments@juniper.net). Include the document or topic name, URL or page number, and software version (if applicable).

## Requesting Technical Support

---

Technical product support is available through the Juniper Networks Technical Assistance Center (JTAC). If you are a customer with an active J-Care or Partner Support Service support contract, or are covered under warranty, and need post-sales technical support, you can access our tools and resources online or open a case with JTAC.

- JTAC policies—For a complete understanding of our JTAC procedures and policies, review the *JTAC User Guide* located at <http://www.juniper.net/us/en/local/pdf/resource-guides/7100059-en.pdf>.
- Product warranties—For product warranty information, visit <http://www.juniper.net/support/warranty/>.
- JTAC hours of operation—The JTAC centers have resources available 24 hours a day, 7 days a week, 365 days a year.

## Self-Help Online Tools and Resources

For quick and easy problem resolution, Juniper Networks has designed an online self-service portal called the Customer Support Center (CSC) that provides you with the following features:

- Find CSC offerings: <http://www.juniper.net/customers/support/>
- Search for known bugs: <https://prsearch.juniper.net/>
- Find product documentation: <http://www.juniper.net/documentation/>
- Find solutions and answer questions using our Knowledge Base: <http://kb.juniper.net/>
- Download the latest versions of software and review release notes: <http://www.juniper.net/customers/csc/software/>
- Search technical bulletins for relevant hardware and software notifications: <http://kb.juniper.net/InfoCenter/>
- Join and participate in the Juniper Networks Community Forum: <http://www.juniper.net/company/communities/>
- Open a case online in the CSC Case Management tool: <http://www.juniper.net/cm/>

To verify service entitlement by product serial number, use our Serial Number Entitlement (SNE) Tool: <https://entitlementsearch.juniper.net/entitlementsearch/>

## Opening a Case with JTAC

You can open a case with JTAC on the Web or by telephone.

- Use the Case Management tool in the CSC at <http://www.juniper.net/cm/>.
- Call 1-888-314-JTAC (1-888-314-5822 toll-free in the USA, Canada, and Mexico).

For international or direct-dial options in countries without toll-free numbers, see <http://www.juniper.net/support/requesting-support.html>.

## Revision History

---

August 2017—Revision 1, Contrail 3.2.5

Copyright © 2017 Juniper Networks, Inc. All rights reserved.

Juniper Networks, the Juniper Networks logo, Juniper, and Junos are registered trademarks of Juniper Networks, Inc. and/or its affiliates in the United States and other countries. All other trademarks may be property of their respective owners.

Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.