

Release Notes

Published
2021-10-28

Paragon Active Assurance Control Center Release 3.0.6

Table of Contents

Introduction | 1

New and Changed Features | 1

Deprecated Features | 2

Known Issues | 3

Resolved Issues | 3

Introduction

Paragon Active Assurance is a programmable test and service assurance solution using software-based and traffic-generating Test Agents, easily used and delivered from the cloud as a SaaS solution or deployed on-premise in NFV environments.

These release notes accompany Release 3.0.6 of Paragon Active Assurance Control Center. This release contains a number of new features. A list of bug fixes is also provided as well as descriptions of limitations and known problems.

These release notes are available on the Paragon Active Assurance Documentation Web page at https://www.juniper.net/documentation/product/en_US/paragon-active-assurance.

New and Changed Features

IN THIS SECTION

- [Configurable TWAMP Sender Port | 1](#)
- [Improved Dashboard Rendering Performance | 2](#)
- [Up to 600 Concurrently Running Tasks on Test Agent Appliance | 2](#)
- [Test Agent Appliance CIS Level 1 Compliant | 2](#)
- [Modification of Monitors via REST API | 2](#)

Configurable TWAMP Sender Port

The sender (source) port in a TWAMP measurement task has been made configurable. This is useful for reflectors that require the test and source ports to be known in advance.

Improved Dashboard Rendering Performance

To speed up the presentation on the Control Center dashboard for large sets of monitors, the monitor list is now by default sorted by a precomputed and cached 15-minute SLA indicator. SLA indicators for other time intervals can be displayed in parallel on the dashboard.

Up to 600 Concurrently Running Tasks on Test Agent Appliance

The maximum number of concurrently running *tasks* (note: not *streams*) on a Test Agent Appliance has been increased from 300 to 600. This is of interest particularly for tasks like HTTP which use only one stream, so that the task count limitation is the constraining factor.

Test Agent Appliance CIS Level 1 Compliant

Security for the Test Agent Appliance has been tightened to make the device CIS Level 1 compliant.

Modification of Monitors via REST API

The REST API has been enhanced to allow updating of an existing monitor, for example with new parameter settings.

Deprecated Features

None

Known Issues

None

Resolved Issues

This section lists limitations that are resolved with this release. The priority of each issue is also indicated.

- NF-6241 ncc user-list command threw exception and did not list all users (P3 – Medium)

Juniper Networks, the Juniper Networks logo, Juniper, and Junos are registered trademarks of Juniper Networks, Inc. in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice. Copyright © 2021 Juniper Networks, Inc. All rights reserved.