

Juniper Sky Advanced Threat Prevention Supported Platforms Guide

March 2020

This document describes the hardware and software components that are compatible with Juniper Sky ATP.

Contents	Juniper Sky ATP Component Support Table 2
	Juniper Sky ATP Web UI Browser Support Table 2
	Sandbox OS Support 3
	E-Mail Management 3
	Juniper Sky ATP and SSL Reverse Proxy Support 4
	JSA and QRadar SIEM Support Table 5

Juniper Sky ATP Component Support Table

The following product versions have been tested and are supported with Juniper Sky ATP.

Platform	Hardware Requirements	Software Versions
vSRX Series		Junos 15.1X49-D60 and above
SRX Series	SRX320, SRX300	Junos 18.3R1 and above
SRX Series	SRX4100, SRX4200, SRX4600	Junos 15.1X49-D65 and above for SRX4100 and SRX4200 Junos 17.4R1-S1 and above for SRX4600
SRX Series	SRX340, SRX345, SRX550m	Junos 15.1X49-D60 and above
SRX Series	SRX5800, SRX5600, SRX5400	Junos 15.1X49-D50 and above
SRX Series	SRX1500	Junos 15.1X49-D33 and above
SRX Series	SRX380	Junos 20.1R1 and above

Juniper Sky ATP Web UI Browser Support Table

The following operating systems and browsers are supported with the Juniper Sky ATP web-based service portal (web UI).

OS	Browser
Windows 10 Enterprise, 64 bit	<ul style="list-style-type: none"> • Google Chrome 33.x and above • Internet Explorer 11 • Firefox 31 ESR and above • Spartan

OS	Browser
Windows 8.1 Enterprise, 64 bit	<ul style="list-style-type: none"> • Google Chrome 33.x and above • Internet Explorer 11 • Internet Explorer 10 • Firefox 31 ESR and above
Windows 8 Enterprise, 64 bit	<ul style="list-style-type: none"> • Google Chrome 33.x and above • Internet Explorer 11 • Internet Explorer 10 • Firefox 31 ESR and above
Windows 7 Enterprise SP1, 64 bit	<ul style="list-style-type: none"> • Google Chrome 33.x and above • Internet Explorer 11 • Internet Explorer 10 • Firefox 31 ESR and above
Mac OS X 10.10, 64 bit	Safari 7.0
Mac OS X 10.9, 64 bit	Safari 7.0

Sandbox OS Support

Sandboxing supports the following operating systems:

- Windows 7
- Windows 10
- Android

E-Mail Management

The following devices support scanning SMTP e-mail attachments:

- SRX300 Series device
- SRX320 Series device

- SRX340 Series device
- SRX380 Series device
- SRX345 Series device
- SRX1500 Series device
- SRX4100 Series device
- SRX4200 Series device
- SRX4600 Series device
- SRX5400 Series device
- SRX5600 Series device
- SRX5800 Series device
- vSRX Series

The following devices support scanning IMAP e-mail attachments:

- SRX1500 Series device
- SRX4100 Series device
- SRX4200 Series device
- SRX4600 Series device
- SRX5400 Series device
- SRX5600 Series device
- SRX5800 Series device

Juniper Sky ATP and SSL Reverse Proxy Support

The following devices support Juniper Sky ATP and SSL Reverse Proxy.

- SRX300 Series device
- SRX320 Series device
- SRX340 Series device
- SRX345 Series device
- SRX380 Series device
- SRX1500 Series device

- SRX4100 Series device
- SRX4200 Series device
- SRX4600 Series device
- SRX5400 Series device
- SRX5600 Series device
- SRX5800 Series device
- vSRX

JSA and QRadar SIEM Support Table

The following product versions support Juniper Sky ATP syslog messages.

Product	Software Version
QRadar SIEM	7.2 and above
JSA	2014.4x and above