

Juniper Sky Advanced Threat Prevention Supported Platforms Guide

October 2018

This document describes the hardware and software components that are compatible with Juniper Sky ATP.

Contents

| | |
|---|---|
| Juniper Sky ATP Component Support Table | 2 |
| Juniper Sky ATP Web UI Browser Support Table | 2 |
| Sandbox OS Support | 3 |
| E-Mail Management | 3 |
| Juniper Sky ATP and SSL Reverse Proxy Support | 4 |
| JSA and QRadar SIEM Support Table | 4 |

Juniper Sky ATP Component Support Table

The following product versions have been tested and are supported with Juniper Sky ATP.

| Platform | Hardware Requirements | Software Versions |
|-------------|---------------------------|--|
| vSRX Series | | Junos 15.1X49-D60 and above |
| SRX Series | SRX320, SRX300 | Junos 18.3R1 and above |
| SRX Series | SRX4100, SRX4200, SRX4600 | Junos 15.1X49-D65 and above for SRX4100 and SRX4200 Junos 17.4R1-S1 and above for SRX4600 |
| SRX Series | SRX340, SRX345, SRX550m | Junos 15.1X49-D60 and above |
| SRX Series | SRX5800, SRX5600, SRX5400 | Junos 15.1X49-D50 and above |
| SRX Series | SRX1500 | Junos 15.1X49-D33 and above |

Juniper Sky ATP Web UI Browser Support Table

The following operating systems and browsers are supported with the Juniper Sky ATP web-based service portal (web UI).

| OS | Browser |
|----------------------------------|--|
| Windows 10 Enterprise, 64 bit | <ul style="list-style-type: none"> • Google Chrome 33.x and above • Internet Explorer 11 • Firefox 31 ESR and above • Spartan |
| Windows 8.1 Enterprise, 64 bit | <ul style="list-style-type: none"> • Google Chrome 33.x and above • Internet Explorer 11 • Internet Explorer 10 • Firefox 31 ESR and above |
| Windows 8 Enterprise, 64 bit | <ul style="list-style-type: none"> • Google Chrome 33.x and above • Internet Explorer 11 • Internet Explorer 10 • Firefox 31 ESR and above |
| Windows 7 Enterprise SP1, 64 bit | <ul style="list-style-type: none"> • Google Chrome 33.x and above • Internet Explorer 11 • Internet Explorer 10 • Firefox 31 ESR and above |

| OS | Browser |
|------------------------|------------|
| Mac OS X 10.10, 64 bit | Safari 7.0 |
| Mac OS X 10.9, 64 bit | Safari 7.0 |

Sandbox OS Support

Sandboxing supports the following operating systems:

- Windows 7
- Windows 10
- Android

E-Mail Management

The following devices support scanning SMTP e-mail attachments:

- SRX300 Series device
- SRX320 Series device
- SRX340 Series device
- SRX345 Series device
- SRX1500 Series device
- SRX4100 Series device
- SRX4200 Series device
- SRX4600 Series device
- SRX5400 Series device
- SRX5600 Series device
- SRX5800 Series device
- vSRX Series

The following devices support scanning IMAP e-mail attachments:

- SRX300 Series device
- SRX320 Series device
- SRX340 Series device
- SRX345 Series device
- SRX1500 Series device
- SRX4100 Series device
- SRX4200 Series device

- SRX4600 Series device
- SRX5400 Series device
- SRX5600 Series device
- SRX5800 Series device
- vSRX Series

Juniper Sky ATP and SSL Reverse Proxy Support

The following product versions support Juniper Sky ATP and SSL Reverse Proxy.

- SRX300 Series device
- SRX320 Series device
- SRX340 Series device
- SRX345 Series device
- SRX1500 Series device
- SRX4100 Series device
- SRX4200 Series device
- SRX4600 Series device
- SRX5400 Series device
- SRX5600 Series device
- SRX5800 Series device
- vSRX

JSA and QRadar SIEM Support Table

The following product versions support Juniper Sky ATP syslog messages.

| Product | Software Version |
|-------------|-------------------|
| QRadar SIEM | 7.2 and above |
| JSA | 2014.4x and above |