

# Spotlight Secure Supported Platforms Guide

Release 1.0  
November 2016  
Revision 1

This document describes the hardware and software components that are compatible with this release.

## Contents

Spotlight Secure Solution Component Support Table . . . . .	2
---	---

## Spotlight Secure Solution Component Support Table

The following product versions have been tested and are supported.

**Table 1: Spotlight Secure Connector 1.1.2**

Platform	Hardware Requirements	Software Versions
Spotlight Secure Connector	VM: <ul style="list-style-type: none"> <li>• 2 CPU</li> <li>• 8GB RAM</li> <li>• 80 GB Hard Disk</li> </ul>	1.1.2
Junos Space with Security Director and Log Director support	VM: <ul style="list-style-type: none"> <li>• 64-bit quad processor with at least 2.66 Ghz</li> <li>• 32 GB RAM</li> <li>• One RJ- 45 10/100/10000 NIC</li> <li>• 116 GB Hard Disk</li> </ul>	Junos Space 15.1R2 <ul style="list-style-type: none"> <li>• Security Director 15.1R2</li> <li>• Log Director 15.1R2</li> </ul>
SRX Series	SRX240H2	Junos OS Release 12.3x48-D10 and above
SRX Series	<ul style="list-style-type: none"> <li>• SRX 4000 Series*</li> <li>• SRX 1500*</li> <li>• SRX 300 Series*</li> <li>• SRX 5000 Series</li> <li>• SRX 3600</li> <li>• SRX 3400</li> <li>• SRX 1400</li> <li>• SRX 650</li> <li>• SRX 550</li> </ul>	Junos OS Release 15.1X49-D65 and above Junos OS Release 15.1X49-D40 and above  Junos OS Release 12.1x47-D30 and above Junos OS Release 12.1x46-D25 and above
WebApp Secure	<ul style="list-style-type: none"> <li>• MWS1000</li> </ul> VM: (Scale/Performance config) <ul style="list-style-type: none"> <li>• 2 x 6 core CPUs @ 2.93 Ghz</li> <li>• 48 GB of RAM</li> </ul> VM: (Minimum config) <ul style="list-style-type: none"> <li>• 4 CPU</li> <li>• 8 GB RAM</li> <li>• 40 GB Hard Disk</li> </ul>	5.5.0-6

\* Requires Junos Space 15.2R2

Table 2: Spotlight Secure Connector 1.0.0

Platform	Hardware Requirements	Software Versions
Spotlight Secure Connector	VM: <ul style="list-style-type: none"> <li>• 2 CPU</li> <li>• 8GB RAM</li> <li>• 80 GB Hard Disk</li> </ul>	1.0.0
Junos Space with Security Director and Log Director support	VM: <ul style="list-style-type: none"> <li>• 64-bit quad processor with at least 2.66 Ghz</li> <li>• 32 GB RAM</li> <li>• One RJ-45 10/100/10000 NIC</li> <li>• 116 GB Hard Disk</li> </ul>	Junos Space 14.1R1.9 <ul style="list-style-type: none"> <li>• Security Director 14.1R1.5</li> <li>• Log Director 14.1R1.2</li> </ul>
SRX Series	SRX240H2	Junos OS Release 12.3x48-D10 and above
SRX Series	<ul style="list-style-type: none"> <li>• SRX 5800</li> <li>• SRX 5600</li> <li>• SRX 3600</li> <li>• SRX 3400</li> <li>• SRX 1400</li> <li>• SRX 650</li> <li>• SRX 550</li> </ul>	Junos OS Release 12.1x47-D30 and above Junos OS Release 12.1x46-D25 and above
WebApp Secure	<ul style="list-style-type: none"> <li>• MWS1000</li> </ul> VM: (Scale/Performance config) <ul style="list-style-type: none"> <li>• 2 x 6 core CPUs @ 2.93 Ghz</li> <li>• 48 GB of RAM</li> </ul> VM: (Minimum config) <ul style="list-style-type: none"> <li>• 4 CPU</li> <li>• 8 GB RAM</li> <li>• 40 GB Hard Disk</li> </ul>	5.5.0-6