

## output-traffic-control-profile

---

<b>Syntax</b>	output-traffic-control-profile <i>profile-name</i> shared-instance <i>instance-name</i> ;
<b>Hierarchy Level</b>	[edit class-of-service interfaces <i>interface-name</i> unit <i>logical-unit-number</i> ], [edit class-of-service interfaces <i>interface-name</i> interface-set <i>interface-set-name</i> ]
<b>Release Information</b>	Statement introduced in JUNOS Release 7.6. Interface set option for Enhanced Queuing DPCs on MX Series routers introduced in JUNOS Release 8.5
<b>Description</b>	For Channelized IQ PICs, Gigabit Ethernet IQ, link services IQ (LSQ) interfaces on AS PICs, and Enhanced Queuing DPCs on MX Series routers, apply an output traffic scheduling and shaping profile to the logical interface.  The <code>shared-instance</code> statement is supported on Gigabit Ethernet IQ2 PICs only.
<b>Options</b>	<i>profile-name</i> —Name of the traffic-control profile to be applied to this interface
<b>Usage Guidelines</b>	See Oversubscribing Interface Bandwidth, Configuring Traffic Control Profiles for Shared Scheduling and Shaping, and Example: Configuring CoS for a PBB Network on MX Series Routers. For Enhanced Queuing DPCs on MX Series routers, see Configuring Hierarchical Schedulers for CoS.
<b>Required Privilege Level</b>	interface—To view this statement in the configuration. interface-control—To add this statement to the configuration.
<b>Related Topics</b>	traffic-control-profiles, output-traffic-control-profile-remaining

---

Published: 2010-05-11