

## routing-instance

---

<b>Syntax</b>	<code>routing-instance <i>routing-instance-name</i>;</code>
<b>Hierarchy Level</b>	[edit snmp community <i>community-name</i> ], [edit snmp community <i>community-name</i> logical-system <i>logical-system-name</i> ], [edit snmp trap-group <i>group</i> ]
<b>Release Information</b>	Statement introduced in JUNOS Release 8.3. Added to the [edit snmp community <i>community-name</i> ] hierarchy level in JUNOS Release 8.4. Added to the [edit snmp community <i>community-name</i> logical-system <i>logical-system-name</i> ] hierarchy level in JUNOS Release 9.1. Statement introduced in JUNOS Release 9.1 for EX Series switches.
<b>Description</b>	Specify a routing instance for SNMPv1 and SNMPv2 trap targets. All targets configured in the trap group use this routing instance.  If the routing instance is defined within a logical system, include the <code>logical-system <i>logical-system-name</i></code> statement at the [edit snmp community <i>community-name</i> ] hierarchy level and specify the <code>routing-instance</code> statement under the [edit snmp community <i>community-name</i> logical-system <i>logical system-name</i> ] hierarchy level.
<b>Options</b>	<code><i>routing-instance-name</i></code> —Name of the routing instance.
<b>Required Privilege Level</b>	<code>snmp</code> —To view this statement in the configuration. <code>snmp-control</code> —To add this statement to the configuration.
<b>Related Topics</b>	<ul style="list-style-type: none"><li>■ Configuring SNMP Trap Groups</li><li>■ Configuring the Source Address for SNMP Traps</li><li>■ Specifying a Routing Instance in an SNMPv1 or SNMPv2c Community</li></ul>

---

Published: 2010-04-27