

service-set

Syntax `service-set service-set-name {`
 `allow-multicast;`
 `extension-service service-name {`
 `provider-specific-rules-configuration;`
 `}`
 `(ids-rules rule-name | ids-rule-sets rule-set-name);`
 `interface-service {`
 `service-interface interface-name;`
 `}`
 `ipsec-vpn-options {`
 `anti-replay-window-size bits;`
 `clear-dont-fragment-bit;`
 `ike-access-profile profile-name;`
 `local-gateway address;`
 `no-anti-replay;`
 `passive-mode-tunneling;`
 `trusted-ca [ca-profile-names];`
 `tunnel-mtu bytes;`
 `}`
 `(ipsec-vpn-rules rule-name | ipsec-vpn-rule-sets rule-set-name);`
 `max-flows number;`
 `(nat-rules rule-name | nat-rule-sets rule-set-name);`
 `next-hop-service {`
 `inside-service-interface interface-name.unit-number;`
 `outside-service-interface interface-name.unit-number;`
 `service-interface-pool name;`
 `}`
 `(pgcp-rules rule-name | pgcp-rule-sets rule-set-name);`
 `(ptsp-rules rule-name | ptsp-rule-sets rule-set-name);`
 `(stateful-firewall-rules rule-name | stateful-firewall-rule-sets rule-set-name);`
 `syslog {`
 `host hostname {`
 `facility-override facility-name;`
 `log-prefix prefix-value;`
 `services severity-level;`
 `}`
 `}`
 `}`
}

Hierarchy Level [edit services]

Release Information Statement introduced before JUNOS Release 7.4. The `pgcp-rules` and `pgcp-rule-sets` options were added in Release 8.4. The `ptsp-rules` and `ptsp-rule-sets` options were added in Release 10.2.

Description Define the service set.

Options `service-set-name`—Identifies the service set.

The remaining statements are explained separately.

Usage Guidelines See [\[Unresolved xref\]](#).

Required Privilege Level interface—To view this statement in the configuration.
interface-control—To add this statement to the configuration.

Published: 2010-04-28