

## vlan-tags

---

<b>Syntax</b>	vlan-tags outer <i>number</i> inner <i>number</i> ;
<b>Hierarchy Level</b>	[edit bridge-domains <i>bridge-domain-name</i> ], [edit logical-systems <i>logical-system-name</i> bridge-domains <i>bridge-domain-name</i> ], [edit logical-systems <i>logical-system-name</i> routing-instances <i>routing-instance-name</i> bridge-domains <i>bridge-domain-name</i> ], [edit routing-instances <i>routing-instance-name</i> bridge-domains <i>bridge-domain-name</i> ]
<b>Release Information</b>	Statement introduced in JUNOS Release 8.4. Support for logical systems added in JUNOS Release 9.6.
<b>Description</b>	(MX Series routers only) Specify dual VLAN identifier tags for a bridge domain or a VPLS routing instance.
<b>Options</b>	outer <i>number</i> —A valid VLAN identifier.  inner <i>number</i> —A valid VLAN identifier.
<b>Required Privilege Level</b>	routing—To view this statement in the configuration. routing-control—To add this statement to the configuration.
<b>Related Topics</b>	<ul style="list-style-type: none"><li>■ Configuring a Bridge Domain</li><li>■ Configuring VLAN Identifiers for Bridge Domains and VPLS Routing Instances</li><li>■ Configuring a Layer 2 Virtual Switch.</li></ul>

---

Published: 2010-05-11