

[edit security nat] Hierarchy Level

```
security {
  nat {
    destination {
      ... the destination subhierarchy appears after the main [edit security nat]
      hierarchy ...
    }
    proxy-arp {
      interface interface-name {
        address ip-address</prefix-length> <to higher-ip-address</prefix-length>>;
      }
    }
    source {
      ... the source subhierarchy appears after the main [edit security nat] hierarchy
      ...
    }
    static {
      rule-set rule-set-name {
        from (interface [ interface-names ] |
              routing-instance [ routing-instance-names ] | zone [ zone-names ]);
        rule rule-name {
          match {
            destination-address ip-address</prefix-length>;
          }
          then {
            static-nat prefix ip-address</prefix-length>
              <routing-instance routing-instance-name>;
          }
        }
      }
    }
    traceoptions {
      file <filename> <files number> <match regular-expression>
        <size maximum-file-size> <world-readable | no-world-readable>;
      flag flag <syslog>;
      no-remote-trace;
    }
  }
}

nat {
  destination {
    pool pool-name {
      address ip-address</prefix-length> (port port-number |
        to higher-ip-address</prefix-length>);
      routing-instance routing-instance-name;
    }
    rule-set rule-set-name {
      from (interface [ interface-names ] |
            routing-instance [ routing-instance-names ] | zone [ zone-names ]);
      rule rule-name {
        match {
          destination-address ip-address</prefix-length>;
          destination-port port-number;
        }
      }
    }
  }
}
```


- Related Topics**
- Notational Conventions Used in JUNOS Configuration Hierarchies
 - [edit security] Hierarchy Level

Published: 2010-04-28