

J-Web Application Package for EX Series Ethernet Switches

J-Web Application Package for EX Series —Frequently Asked Questions

Published
2024-07-25

Juniper Networks, Inc.
1133 Innovation Way
Sunnyvale, California 94089
USA
408-745-2000
www.juniper.net

Juniper Networks, the Juniper Networks logo, Juniper, and Junos are registered trademarks of Juniper Networks, Inc. in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners.

Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

J-Web Application Package for EX Series Ethernet Switches J-Web Application Package for EX Series—Frequently Asked Questions

Copyright © 2024 Juniper Networks, Inc. All rights reserved.

The information in this document is current as of the date on the title page.

YEAR 2000 NOTICE

Juniper Networks hardware and software products are Year 2000 compliant. Junos OS has no known time-related limitations through the year 2038. However, the NTP application is known to have some difficulty in the year 2036.

END USER LICENSE AGREEMENT

The Juniper Networks product that is the subject of this technical documentation consists of (or is intended for use with) Juniper Networks software. Use of such software is subject to the terms and conditions of the End User License Agreement ("EULA") posted at <https://support.juniper.net/support/eula/>. By downloading, installing or using such software, you agree to the terms and conditions of that EULA.

Table of Contents

About This Guide | iv

1

FAQ

J-Web Application Package for EX Series—Frequently Asked Questions | 2

About This Guide

This FAQ addresses questions regarding J-Web distribution model for EX Series switches and upgrading the J-Web Application package. The J-Web distribution model is introduced on EX Series switches at Junos OS Release 14.1X53-D10.

1

CHAPTER

FAQ

J-Web Application Package for EX Series—Frequently Asked Questions | 2

J-Web Application Package for EX Series— Frequently Asked Questions

IN THIS SECTION

- [Does the J-Web Application package 15.1A1 support all the features supported in the previous release, that is, J-Web Application package 14.1X53-A1? | 3](#)
- [What has changed in the distribution or packaging of J-Web for the EX Series switches? | 3](#)
- [What are the benefits of the new J-Web distribution? | 3](#)
- [Will the SRX Series platforms support the new J-Web distribution model? | 4](#)
- [Which EX Series switches does the new J-Web distribution model support? | 4](#)
- [What is included in the J-Web Platform package? | 19](#)
- [What is included in the J-Web Application package? | 19](#)
- [Do I need to install the J-Web Platform package? | 20](#)
- [How do I upgrade the J-Web Platform package? | 20](#)
- [How do I know whether an Application package is installed on my switch? | 20](#)
- [How do I upgrade my J-Web Application package? | 20](#)
- [Do I need to reboot the switch as part an Application package installation? | 21](#)
- [What is the release compatibility between Junos OS, J-Web Platform packages, and J-Web Application packages? | 21](#)
- [Can I install Application package version 15.1X53-A1 on top of Junos OS Release 14.1X53-D10? | 25](#)
- [Can I install an Application package on top of Junos OS releases prior to Release 14.1X53? | 25](#)
- [Are there switch-specific Application package images available for EX Series switches? | 26](#)
- [Do I need Internet connectivity from the switch for the auto update feature to work? | 26](#)
- [Can I uninstall J-Web packages? | 26](#)

This FAQ addresses questions regarding J-Web distribution model for EX Series switches and upgrading the J-Web Application package. The J-Web distribution model is introduced on EX Series switches at Junos OS Release 14.1X53-D10.

This FAQ covers the following questions:

Does the J-Web Application package 15.1A1 support all the features supported in the previous release, that is, J-Web Application package 14.1X53-A1?

Yes. The J-Web Application package 15.1A1 supports all the features supported in the previous release.

What has changed in the distribution or packaging of J-Web for the EX Series switches?

In Junos OS Releases earlier than Release 14.1X53-D10, J-Web was available as a single package as part of the Junos OS. For Junos OS Release 14.1X53-D10 and later, J-Web is available in two packages:

- Platform package—Installed as part of Junos OS by default; provides only minimal or basic features of J-Web (which includes, EZ Setup, Interface configuration, management access, user management, static routing, and image management).
- Application package—Separately installable package; provides complete features of J-Web (which include configuring, monitoring, maintaining, and troubleshooting).

NOTE: These distribution or packaging changes are specific to J-Web for EX Series switches.

What are the benefits of the new J-Web distribution?

The new distribution decouples J-Web release from the Junos OS release cycle and provides the following benefits:

- New features for J-Web are available as part of the Application package and delivered independent of Junos OS releases.
- Application package installation and upgrades do not mandate upgrade of Junos OS and the need to reboot the switch.

Will the SRX Series platforms support the new J-Web distribution model?

No. As of now, only EX Series switches will support this J-Web distribution model from Junos OS Release 14.1X53-D10.

Which EX Series switches does the new J-Web distribution model support?

Table 1 on page 4 shows the Junos OS release, the associated J-Web Application package release, and the switches supported in that release.

Table 1: EX Series Switches supported by J-Web Interface

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
14.1X53-D10 through 14.1X53-D46	Application package 14.1X53-A2	EX2200, EX3200, EX3300, EX4200, EX4300, EX4500, EX4550, EX4600, and EX6200	Release Notes for 14.1X53-A2 J-Web Application Package
14.1X53-D47 and later	Application package 14.1X53-A3	EX2200, EX3200, EX3300, EX4200, EX4300, EX4500, EX4550, EX4600, and EX6200	Release Notes for 14.1X53-A3 J-Web Application Package
15.1R1	Application package 15.1A1	EX2200, EX3300, EX4200, EX4500, EX4550, and EX6210	Release Notes for 15.1A1 J-Web Application Package
15.1R3	Application package 15.1A2	EX2200, EX3300, EX4200, EX4300, EX4500, EX4550, and EX6200	Release Notes for 15.1A2 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
15.1X53-D50	Application package 15.1X53-A1	EX2300, EX2300-C, and EX3400	Release Notes for 15.1X53-A1 J-Web Application Package
15.1R4-S5	Application package 15.1A3	EX2200, EX3200, EX3300, EX4200, EX4300, EX4500, EX4550, and EX6200	Release Notes for 15.1A3 J-Web Application Package
16.1R1	Application package 16.1A1	EX4300 and EX4600	Release Notes for 16.1A1 J-Web Application Package
17.1R1	Application package 17.1A1	EX4300 and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 17.1A1 J-Web Application Package
17.2R1	Application package 17.2A1	EX4300 and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 17.2A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
17.3R1	Application package 17.3A1	EX4300 and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 17.3A1 J-Web Application Package
15.1X53-D57	Application package 15.1X53-A2	EX2300, EX2300-C, and EX3400	Release Notes for 15.1X53-A2 J-Web Application Package
17.4R1	Application package 17.4A1	EX4300 and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 17.4A1 J-Web Application Package
18.1R1	Application package 18.1A1	EX2300, EX2300-C, EX3400, EX4300 and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 18.1A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
18.1R2	Application package 18.1A2	EX2300, EX2300-C, EX3400, EX4300 and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 18.1A2 J-Web Application Package
15.1X53-D59	Application package 15.1X53-A3	EX2300, EX2300-C, and EX3400	Release Notes for 15.1X53-A2 J-Web Application Package
18.2R1	Application package 18.2A1	EX2300, EX2300-C, EX3400, EX4300, and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 18.2A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
18.2R1 and later and all service releases of 18.2R1 and later	Application Package 18.2A2	EX2300, EX2300-C, EX3400, EX4300, and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 18.2A2 J-Web Application Package
15.1R2 and later and all service releases of 15.1R2 and later	Application package 15.1A4	EX2200, EX3200, EX3300, EX4200, EX4300, EX4500, EX4550, and EX6200	Release Notes for 15.1A4 J-Web Application Package
18.3R1	Application package 18.3A1	EX2300, EX2300-C, EX3400, EX4300, and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 18.3A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
18.4R1	Application package 18.4A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 18.4A1 J-Web Application Package
18.4R1 and later and all service releases of 18.4R1 and later	Application Package 18.4A2	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, and EX4600 NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 18.4A2 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
19.1R1	Application package 19.1A1	<p>EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, and EX4600</p> <p>NOTE: You cannot connect to and perform initial configuration of EX4600 switch by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.</p>	Release Notes for 19.1A1 J-Web Application Package
19.2R1	Application package 19.2A1	<p>EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650</p> <p>NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.</p>	Release Notes for 19.2A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
19.3R1	Application package 19.3A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650 NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 19.3A1 J-Web Application Package
19.3R1 and later and all service releases of 19.3R1 and later	Application package 19.3A2	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650 NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 19.3A2 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
19.4R1	Application package 19.4A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650 NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 19.4A1 J-Web Application Package
19.4R1 and later and all service releases of 19.4R1 and later	Application package 19.4A2	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650 NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 19.4A2 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
20.1R1	Application package 20.1A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650 NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 20.1A1 J-Web Application Package
20.1R1	Application package 20.1A2	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650 NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 20.1A2 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
20.2R1	Application package 20.2A1	<p>EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650</p> <p>NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.</p>	Release Notes for 20.2A1 J-Web Application Package
20.3R1	Application package 20.3A1	<p>EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650</p> <p>NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.</p>	Release Notes for 20.3A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
20.4R1	Application package 20.4A1	<p>EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650</p> <p>NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.</p>	Release Notes for 20.4A1 J-Web Application Package
21.1R1	Application package 21.1A1	<p>EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650</p> <p>NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.</p>	Release Notes for 21.1A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
21.2R1	Application package 21.2A1	<p>EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650</p> <p>NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.</p>	Release Notes for 21.2A1 J-Web Application Package
21.3R1	Application package 21.3A1	<p>EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650</p> <p>NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.</p>	Release Notes for 21.3A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
21.4R1	Application package 21.4A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650 NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 21.4A1 J-Web Application Package
21.4R1	Application package 21.4A2	EX2300, EX2300-C, EX2300-MP, EX3400, EX4300, EX4300-MP, EX4600, and EX4650 NOTE: You cannot connect to and perform initial configuration of EX4600 and EX4650 switches by using the EZSetup procedure from the J-Web interface; you must use EZSetup from the switch console.	Release Notes for 21.4A2 J-Web Application Package
22.1R1	Application package 22.1A1	EX2300, EX2300-C, EX2300-MP, and EX3400	Release Notes for 22.1A1 J-Web Application Package
22.2R1	Application package 22.2A1	EX2300, EX2300-C, EX2300-MP, and EX3400	Release Notes for 22.2A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (*Continued*)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
22.3R1	Application package 22.3A1	EX2300, EX2300-C, EX2300-MP, EX3400, and EX4400	Release Notes for 22.3A1 J-Web Application Package
22.3R1 You must upgrade from Junos OS Release 22.3R1 to 22.3R3-S3 or later to install Application Package 22.3A2.	Application package 22.3A2	EX2300, EX2300-C, EX2300-MP, EX3400, and EX4400	Release Notes for 22.3A2 J-Web Application Package
22.4R1	Application package 22.4A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4100, EX4100-F, and EX4400	Release Notes for 22.4A1 J-Web Application Package
22.4R1 You must upgrade from Junos OS Release 22.4R1 to 22.4R3-S2 or later to install Application Package 22.4A2.	Application package 22.4A2	EX2300, EX2300-C, EX2300-MP, EX3400, EX4100, EX4100-F, and EX4400	Release Notes for 22.4A2 J-Web Application Package
23.1R1	Application package 23.1A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4100, EX4100-F, EX4400, and EX4400-24X	Release Notes for 23.1A1 J-Web Application Package
23.2R1	Application package 23.2A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4100, EX4100-F, EX4400, and EX4400-24X	Release Notes for 23.2A1 J-Web Application Package

Table 1: EX Series Switches supported by J-Web Interface (Continued)

Junos OS Release	Associated J-Web Application Package Release	Switches Supported by the J-Web Interface	For More Information
23.2R1	Application package 23.2A2	EX2300, EX2300-C, EX2300-MP, EX3400, EX4100, EX4100-F, EX4400, and EX4400-24X	Release Notes for 23.2A2 J-Web Application Package
23.4R1	Application package 23.4A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4100, EX4100-F, EX4400, and EX4400-24X	Release Notes for 23.4A1 J-Web Application Package
24.2R1	Application package 24.2A1	EX2300, EX2300-C, EX2300-MP, EX3400, EX4100, EX4100-F, EX4400, and EX4400-24X	Release Notes for 24.2A1 J-Web Application Package

What is included in the J-Web Platform package?

The J-Web Platform package is bundled and shipped along with the Junos OS Release 14.1X53-D10 or later image according to the Junos OS release cycle schedule. The Platform package includes support for basic configuration and maintenance of the applicable fixed chassis EX Series switches, namely, EZSetup, interface configuration, management access, user management, static routing, image management, and so on.

What is included in the J-Web Application package?

The J-Web Application package provides all the features and functionalities of the J-Web interface that enable you to configure, monitor, maintain, and troubleshoot your switch.

The Application packages have their own release cycles which are independent of the Junos OS release cycle. The Application package is not installed by default on your switch; you download and install it over the Platform package on your switch.

Do I need to install the J-Web Platform package?

No. The J-Web Platform package is included in the Junos OS from Release 14.1X53-D10. It is installed on your switch as part of the Junos OS installation.

How do I upgrade the J-Web Platform package?

The J-Web Platform package is included in the Junos OS from Release 14.1X53-D10 and is installed on your switch as part of the Junos OS installation. If you upgrade to a later version of Junos OS, you automatically get the Platform package associated with that Junos OS.

NOTE: If you have the Application package installed on your switch, and you upgrade Junos OS on your switch, then the Application package is removed and the Platform package that is associated with Junos OS is installed on your switch. You must install the associated J-Web Application package over the Platform package.

How do I know whether an Application package is installed on my switch?

You can view details of the J-Web packages installed on your switch in the About window in the J-Web interface or in the output of the `show version` command in the Junos OS CLI.

How do I upgrade my J-Web Application package?

The new J-Web packaging supports two new features: the auto update feature and the manual update feature.

- Every time you log in to the J-Web interface, the auto update feature checks the Juniper Networks server for the availability of the latest version of Application package. If the latest version is available, you are prompted for installation.
- You also have the option of checking for the availability of the latest Application package at the Juniper Networks' download website and installing an available update on your switch by using the J-Web interface or CLI.

NOTE: Using CLI, the application packages are available for both Occam and non-Occam. For example:

- **jweb-ex-app-19.1A1_app.50-signed.tgz** for non-Occam.
- **jweb-ex-app-x86-32-19.1A1_bsd-x-app.51.tgz** for Occam. Where, x86 represents the Occam software.

Do I need to reboot the switch as part an Application package installation?

No. There is no need to reboot the switch after the installation. The J-Web Application package is hot pluggable and installs on top of the current Junos OS image.

What is the release compatibility between Junos OS, J-Web Platform packages, and J-Web Application packages?

The Application packages of J-Web henceforth have their own release cycles (A1, A2, A3, and so on), which are independent of the Junos OS release cycle. An Application package is compatible only with the corresponding major release of Junos OS.

[Table 2 on page 21](#) illustrates the release compatibility.

Table 2: J-Web Release Compatibility Matrix

Junos OS Release	Associated J-Web Application Package Release
14.1X53-D10 through 14.1X53-D46	Application package 14.1X53-A2

Table 2: J-Web Release Compatibility Matrix *(Continued)*

Junos OS Release	Associated J-Web Application Package Release
14.1X53-D47 and later	Application package 14.1X53-A3
15.1R1	Application package 15.1A1
15.1R2, 15.1R3, 15.1R4-S5, and so on.	Application package 15.1A3 NOTE: Application package 15.1A3 cannot be installed on Junos OS Release 15.1R1.
15.1X53-D50	Application package 15.1X53-A1. NOTE: Application package 15.1X53-A1 cannot be installed on Junos OS Release 15.1R3.
16.1R1	16.1A1
17.1R1	17.1A1
17.2R1	17.2A1
17.3R1	17.3A1
15.1X53-D57	Application package 15.1X53-A2
17.4R1	17.4A1
18.1R1	18.1A1
18.1R2	18.1A2
15.1X53-D59	Application package 15.1X53-A3

Table 2: J-Web Release Compatibility Matrix (Continued)

Junos OS Release	Associated J-Web Application Package Release
18.2R1	18.2A1
18.2R1 and later and all service releases of 18.2R1 and later	18.2A2
18.3R1	18.3A1
18.4R1	18.4A1
18.4R1 and later and all service releases of 18.4R1 and later	18.4A2
19.1R1	19.1A1
19.2R1	19.2A1
19.3R1	19.3A1
19.3R1 and later and all service releases of 19.3R1 and later	19.3A2
19.4R1	19.4A1
19.4R1 and later and all service releases of 19.4R1 and later	19.4A2
20.1R1	20.1A1
20.2R1	20.2A1
20.3R1	20.3A1

Table 2: J-Web Release Compatibility Matrix (Continued)

Junos OS Release	Associated J-Web Application Package Release
20.4R1	20.4A1
21.1R1	21.1A1
21.2R1	21.2A1
21.3R1	21.3A1
21.4R1	21.4A1
21.4R1	21.4A2
22.1R1	22.1A1
22.2R1	22.2A1
22.3R1	22.3A1
22.3R1 You must upgrade from Junos OS Release 22.3R1 to 22.3R3-S3 or later to install Application Package 22.3A2.	22.3A2
22.4R1	22.4A1
22.4R1 You must upgrade from Junos OS Release 22.4R1 to 22.4R3-S2 or later to install Application Package 22.4A2.	22.4A2
23.1R1	23.1A1

Table 2: J-Web Release Compatibility Matrix (Continued)

Junos OS Release	Associated J-Web Application Package Release
23.2R1	23.2A1
23.2R1	23.2A2
23.4R1	23.4A1
24.2R1	24.2A1

Any available later version of the Application package for a Junos OS release supersedes the earlier version. Thus, if Application package version 17.3A2 is available for 17.3R1, it will supersede version 17.3A1. We recommend that you install the latest available version of the Application package.

Can I install Application package version 15.1X53-A1 on top of Junos OS Release 14.1X53-D10?

No. Releases 14.1X53 and 15.1X53 are two distinct major releases of Junos OS. You can install Application package 14.1X53-A<*x*> where *x* is the latest available version (14.1X53-A2) of the Application package, on top of Junos OS Release 14.1X53-D10.

Similarly, an Application package for Junos OS Release 14.1X53-D<*x*> is not compatible with Junos OS Release 15.1X53-D<*x*>.

Can I install an Application package on top of Junos OS releases prior to Release 14.1X53?

No. The feature that separates J-Web for EX Series switches into Platform and Application packages is introduced in Junos OS Release 14.1X53.

Are there switch-specific Application package images available for EX Series switches?

No. There is a single Application package image that is compatible with all EX Series switches that is supported by J-Web, for the given release.

Any exceptions or limitations are documented in the release notes for the corresponding Application package.

Do I need Internet connectivity from the switch for the auto update feature to work?

Yes. Internet connectivity is required for the auto update feature to work. However, the Internet connectivity can be either from the switch or from the computer.

Can I uninstall J-Web packages?

You can uninstall an Application package by using the CLI command. After the Application package is uninstalled, the Platform package features will still be available for use.

We recommended that you do not uninstall the Platform package. If you uninstall the Platform package, you must reinstall Junos OS on your switch for the J-Web interface to be restored.

NOTE: You cannot uninstall the J-Web package from EX2300 or EX3400 switch.