

Release Notes

Published
2024-02-27

vJunos-router Release 23.2R1®

Introduction

These release notes accompany vJunos Release 23.2R1 for vJunos-router. These Release Notes describes new and changed features, known limitations, and open and resolved problems in the software.

The vJunos-router is Juniper Networks® virtual Junos OS based router. This virtual form factor router is introduced to make it easy for users to create instant virtual lab topologies for training, demo, proof of concept, script development, configuration generation and testing the control plane in a virtual lab environments, without having to build labs with Juniper Networks' physical routers based on Junos OS.

You can find release notes for all Junos OS releases at https://www.juniper.net/documentation/product/us/en/junos-os#cat=release_notes.

Table of Contents

[What's New | 1](#)

[Known Limitations | 1](#)

[Open Issues | 1](#)

[Resolved Issues | 1](#)

[Finding More Information | 2](#)

[Requesting Technical Support | 3](#)

[Revision History | 4](#)

What's New

There are no new features or enhancements to existing features in this release for vJunos-router.

Known Limitations

There are no known limitations in this release for vJunos-router.

Open Issues

There are no open issues in this release for vJunos-router.

For the most complete and latest information about known Junos OS defects, use the Juniper Networks online [Junos Problem Report Search](#) application.

Resolved Issues

IN THIS SECTION

- [Interfaces](#) | 2
- [Platform and Infrastructure](#) | 2

Learn about resolved issues in this release for vJunos-router.

For the most complete and latest information about known Junos OS defects, use the Juniper Networks online [Junos Problem Report Search](#) application.

Interfaces

- You cannot configure ports higher than ge-0/0/63 on vJunos-router.

As a workaround, set the number of ports to 64 or less using the **# set chassis fpc 0 pic 0 number-of-ports 64** command. PR1720270

Platform and Infrastructure

- CLI configuration changes that are communicated to the data plane can create console noise for around a minute or so. The noise messages show up only on the console.

As a workaround, login to vJunos-router though SSH to avoid the noise messages. PR1722073

- If you run a shutdown command such as **virsh shutdown** on vJunos-router while the nested Virtual Control Plane (VCP) VM is busy writing to its disk, then this disk can get corrupted and terminates the VM immediately.

After running the shutdown command if you restart vJunos-router, then, it is possible that vJunos-router cannot recover the corrupted disk. The corruption of disk can negatively impact the behavior of vJunos-router.

As a workaround, power off the VCP using the **request system power-off** Junos CLI command before executing the virsh shutdown commands to shutdown the entire vJunos-router. PR1723639

- When VLAN configuration is applied, the dot1xd process consumes 100 percent of CPU and remains at the same level of consumption.

As a workaround, disable 1x authentication in configuration on all interfaces to avoid this condition using the **set protocols dot1x authenticator interface all disable** command. PR1721977

Finding More Information

- **Feature Explorer**—Juniper Networks Feature Explorer helps you to explore software feature information to find the right software release and product for your network.

<https://apps.juniper.net/feature-explorer/>

- **PR Search Tool**—Keep track of the latest and additional information about Junos OS open defects and issues resolved.

<https://prsearch.juniper.net/InfoCenter/index?page=prsearch>

Requesting Technical Support

IN THIS SECTION

- [Self-Help Online Tools and Resources](#) | 3

There is no technical support available for vJunos-router through the Juniper Networks Technical Assistance Center (JTAC).

If you are a customer with an active Juniper Care or Partner Support Services support contract, or are covered under warranty, and need post-sales technical support, you can access our vJunos-router community page for assistance or queries at:

Self-Help Online Tools and Resources

For quick and easy problem resolution, Juniper Networks has designed an online self-service portal called the Customer Support Center (CSC) that provides you with the following features:

- Join and participate in the Juniper Networks Community Forum: <https://www.juniper.net/company/communities/>
- Search for known bugs: <https://prsearch.juniper.net/>
- Find product documentation: <https://www.juniper.net/documentation/>
- Find solutions and answer questions using our Knowledge Base: <https://kb.juniper.net/>
- Download the latest versions of software and review release notes: <https://www.juniper.net/customers/csc/software/>

- Search technical bulletins for relevant hardware and software notifications: <https://kb.juniper.net/InfoCenter/>

Revision History

30 January 2024—Revision 1, vJunos-router Release 23.2R1.

Juniper Networks, the Juniper Networks logo, Juniper, and Junos are registered trademarks of Juniper Networks, Inc. in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice. Copyright © 2024 Juniper Networks, Inc. All rights reserved.